





53' (16.15m) 2008 Hanse 540e Las Playitas Mexico



Manufacturer: Hanse

Engines: 1 Yanmar Hull Material: Fiberglass

Engine Model: 4JH4 HTE Cruise Speed: Engine HP: 110 Max Speed: Beam: 16' 1" Cabins/Heads:

Max Draft: 9' 2" Fuel Type: Diesel

Water: 182 G (688.94 L) Fuel: 99 G (374.76 L)



\$280,000





Data Sheet

Category: Cruiser-Racer Subcategory: Sloop Condition: Used Model Year: 2008 Beam: 16'1" (4.90m)

Max Draft: 9' 2" (2.79m) LOA: 52' 10" (16.10m) Fuel Type: Diesel

Hull Material: Fiberglass

lbs

Dry Weight: 41225 lbs

Fuel Tank: 99 gal (374.76 liters) Fresh Water: 182 gal (688.94 liters)

Builder: Hanse

Engines/Generators

Engine 1

Yanmar 4JH4 HTE Inboard 110HP

Fuel: Diesel



Summary/Description

Big, bold and brash, the Hanse 540e has a sleek and racey look....yet is perfect for a sailing couple to handle.

Big, bold and brash, the Hanse 540e has a sleek and racey look....yet is perfect for a sailing couple to handle. She boasts a clean, uncluttered teak deck, modern interiors, and a simple rig. This is a one-owner boat, equipped with many of the optional upgrades when she was commissioned – additional lead in the keel, bow thruster, clear maple floor in main cabin sole, leather sofas and settees, upgraded extra-stout anchor.

After upgrading her electronics in 2013, she did the mini-transatlantic crossing from the Mediterranean, arriving in the Caribbean in early 2014. Through the Panama Canal in February, 2014 and up to the West Coast of North America by June, 2014. She now spends 6 months cruising and off-season on the hard in Mexico.

Come and see the only Hanse 540e available in North America. Be ready to quickly set sail from the shores of the world's best cruising grounds, the Sea of Cortez!

Vessel Walkthrough

OULDARY is the owner-version of the 540e with significant upgrades.

The "e" in her model number refers to the hull built with prepreg fiberglass fabric in epoxy. She features a white hull, teak decks and an opening transom.

Owner's cabin is forward with island berth, plenty of storage in hanging lockers and drawers, and en-suite head. Moving aft is the expansive Main Salon with large dinette table to port surrounded by settee, aft of which is the navigation station. To starboard is a 3-seater sofa and additional retractable ergonomic chairs. Continuing aft is the full galley. Companionway steps below center cockpit. The aft cabins feature mirrored double berths with en-suite heads.

On deck. Gorgeous teak decks throughout with uncluttered layout for ease of movement and safety. Full forward is an upgraded anchoring system with self-draining anchor locker and electric windlass. Moving aft is access to the lockable forward compartment for sail storage, watermaker, dive gear. A watertight bulkhead separates this locker from the owner's cabin directly aft of it.

Retractable mooring cleats throughout. Teak cockpit floor, SS cockpit table with acrylic glass and chart plotter bracket. Twin steering wheels with engine controls to starboard. Electric primary winch.

Full aft is the hydraulic rear-opening panel for dinghy storage. This compartment is also accessible through a hatch on the aft deck.

OULDARY features the performance draft of 2.8 m or 9'2.5" - allowing her to sail over 200 nm a day!

Main Salon

The Main Salon is expansive and has a strong euro-feel. Owners selected the upgraded lighter clear maple floor for their cabin sole, and leather sofas. White bulkheads, wooden door frames. Each floor square opens up individually with a handy suction system.

	Water	tankage	easily	accessed	under	port an	nd stark	ooard	settees.
--	-------	---------	--------	----------	-------	---------	----------	-------	----------

Atlantic Sales info@atlanticyachtandship.com



Coming down the companionway, the forward-facing navigation station is to port. It includes:

- Seat with storage
- Easy access to battery compartment under seat
- Additional folding chair opposite
- Locker above chart table for instruments and books
- Electronics
- Storage in the chart table
- Chart light
- Easy access to all mounted navigation instruments with opening cabinets

Forward of the nav station and continuing to port is more storage and:

- 22" LG Flat-panel TV
- · Large dinette table with integrated wine storage below
- · L-shaped light-colored leather sofa

Across and to midships is access to the forward owners cabin.

To Starboard is additional leather seating in a 3-seater sofa with additional pull-out leg rests and storage under the seats. More generous storage lockers above the settees for dishes and glasses.

The Galley is to starboard of the companionway.

Behind the companionway steps is access to the engine compartment with air struts on the lifting door.

Aft to either side is access to the double guest cabins.

Galley

The galley is to starboard of the companionway and features:

- Solid surface Corian black quartz with integrated double sink (1 small, 1 large)
- Top and front-loading Isotherm refrigerator (130 I)
- Front loading Isotherm freezer (801)
- Techimpex 3-burner gimbaled stove and oven
- Microwave
- Pressure H/C water
- Water heater: 40 liters
- Lockers and drawers
- Trash can
- · Gas system and self-draining LPG bottle storage in forward anchor locker
- Magma BBQ model A10

Master Stateroom

Master stateroom is forward, aft of a watertight bulkhead that separates the forward storage compartment (accessible from on-deck). Centerline island queen berth and generous storage in lockers and drawers throughout, plus under-berth storage. Work area desk alongside hanging locker to starboard.

En suite head/shower features



- electric head (Tecma)
- shower. Panel behind shower to access mast
- Corian black quartz sink
- Mirror
- · Locker and shelves
- Opening hatch with shade

At entry to the owners' cabin and to port is a hidden compartment which allows easy access to mast for inspection.

Guest Stateroom

Guest staterooms are aft, in mirror configuration, port and starboard. Each stateroom has double berths and en-suite head and shower:

- Manual toilet
- Shower
- Corian black quartz sink
- Electrical drain pump
- Mirror
- · Locker and shelves
- Opening hatch with shade

To center by each aft cabin's entry is an opening panel for engine access.

Deck

The 540e has a sleek and racy appearance: Genoa tracks are recessed into the deck and all six mooring cleats are collapsible. Both anchor and bow roller fold back and are tucked away in the covered chain locker. Just aft is a roomy storage area with a watertight bulkhead between it and the owner's cabin. Gates to port and starboard and aft.

The cockpit is huge, with comfortable seating around and a drop-leaf acrylic-topped table.

Two steering stations, port and starboard. Engine controls to starboard of starboard side helm. Controls for hydraulic opening transom to port of portside helm.

Full aft is a transom garage that conveniently stores the included RIB and still has room to spare for other toys.

Deck Equipment:

- Anchor #1: Delta 70# with 100 mtrs of 10mm chain and line rode
- Anchor windlass: Lewmar V4 1600 watt
- Dinghy: Arimar Softline 270 with Suzuki 6hp gasoline outboard. Stored in
- Hydraulic opening transom storage
- Deck material: Teak
- 8 opening hatches
- Lifelines wire
- Stanchions: SS
- Teak seats and cockpit floor
- Engine controls at helm station starboard
- Foredeck sail storage
- H/C shower on aft deck
- Halyard storage boxes forward of each helm station in cockpit



- SS swim ladder
- Hinged swimming platform
- 2 x 6 sheave deck organizers
- 12 deck jammers
- Padeyes for gennaker
- · Opening portholes in cockpit

Helm and Electronics

Simrad I and II package including:

• Wind speed and direction - IS20 TW

Depth Sounder: DST 8002 displays at helm stations

• Auto Pilot: AC42 OR 24 with fluxgate compass

Rudder Angle: RF 25Chart Plotter: N50

• GPS: GS 25 GB40 card reader with 10" screen in the cockpit

• Compass: Plastimo, lighted

• VHF: (1) RS82 at nav station; (1) VHF AHK82 handset in the cockpit

• AIS Transponder: A150 Class B

• Simrad NAIS 400 Class B

Electrical

Electrical system: 12vDC / 120v and 240v AC

Batteries: (1) Engine start 12v LTH 2017; (2) 12v Bow thruster and windlass 2017, deep cycle; House (7) x 110
 Amp hours 12v, 2016

• Battery Parallel Switch: 2 x 925amp

• Battery charger: Sterling 1250CED 50 amp, Auto

• 2 x 110v/230v shore supply protected with differential breaker and distribution system

Alternator: 12v, 80amp

• Dockside Electrical Cable: 2 x 30', 30amp + adapter for 50amp

Generator: Paguro 6500 / 220v 50Hz. 788 hours

• Solar Panels: 2 x 140watt

Other standard manufacturer equipment:

- Outlets
- · Storage room aft
- Indirect lighting
- Night light on companionway
- Reading lights in saloon and cabins
- Lighting in engine compartment
- Overhead lighting in cabins, saloon, galley and heads
- All LED
- Interior Lighting
- Refrigerator and Freezer
- Interior lights
- Navigation lights



- Pumps
- Winch 54 AEST
- Anchor windlass
- 12v Electrical equipment
- Water / fuel gauges
- Voltmeter and battery control
- Switches for all onboard electric
- Electric switch panel 12v
- Voltmeter
- · Control gauges
- 2 differential breakers
- Electrical switch panel 110v/230v
- Multiple 12v and 110v/230v outlets throughout the vessel
- Navigation Lights
- Nav lights on pulpit and pushpit
- Steaming light
- Anchor light
- Navigation instruments:
- · Compass illuminated
- Speedometer and depth sounder on a combi display at each helm

Mechanical Equipment

- Bilge pumps: auto and manual
- Bilge blowers
- Fire extinguishing: Manual
- Fuel filters
- Wheel steering
- Fuel shut off: stove and engine
- Bow Thruster: Maxpower VIP 150, 1600 watt
- Fresh water cooling
- Head type: Overboard and Y valve to Holding tank
- Holding tank: Manual, 3 x 13 lts
- Watermaker: HRO Seafari SF 700-1. 29 gph/700 gallons in 24 hours. 735 operating hours

Safety Equipment

• Lifejackets: 12

• EPIRB: Safe Sea E100G

• Lifesling, Lifering

• Liferaft: Seasafe 6 person (out of certification)

Individual AIS Kannad Safe Link R10

Engine Details and Mechanical Equipment

Engine: Yanmar

Model: 4JHG-THE

HP: 110

Fuel type: Diesel

Atlantic Sales info@atlanticyachtandship.com



Hours since new: 3000

Other:

- SS shaft
- Propeller: upgraded to 3-blade feathering autoprop H6
- 1 alternator 12v / 80 amp
- Fuel infill on deck
- Fuel filter / water separator
- Engine room sound insulated and illuminated
- Generator (Paguro 6500) mounted above engine

Sails and Rigging

Cruise equipped with Elvstrom sails. Fractional sloop rig.

- insail, Solent and Gennaker (2011). Total sail area: 1400 sq. ft.
- All self-tacking sails
- Primary Sailmakers: Elvstrom and North Sails
- Hydraulic Boom with 2 reefing lines
- Boom vang: rigid
- Rod kicker
- 2-spreader silver anodized mast, tapered. Keel stepped
- Maindrop system with lazy jacks
- · Leisure Furl 258 furling system for jib and solent
- · Cockpit light integrated in boom
- Winches: (1) Lewmar 54 AEST Electric on starboard halyard; (1) 54 AST; (2) 46 AST aft
- Backstay adjuster
- Standing Rigging: SS Wire
- Stainless Steel keel bolts

Manuals

Full manuals and receipts for all gear and upgrades

Exclusions

The following are NOT included in the sale: Iridium phone, computer, and owners' personal effects

Mechanical Disclaimer

Engine hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal



without notice.





Profile



Cabin Entry





Nav Station





Nav Station



TV



Storage





Salon





Storage Under Settee









Storage Under Settee





Salon And Galley



Galley





Master Stateroom





Stoarge Under Berth





Dressers






Head





Guest Stateroom





Guest Head





Engine Acces





Engine





Batteries





Cabin Sole





Roller Furling





Anchor Locker and Storage





Stanchions





Maste Base









Teak Decking





Foredeck Looking Aft





Deck





Cockpit



Cockpit





Electronics





Electronics





Liferaft





Aft Deck and Life Raft



Lazarette



Watermaker





Maxpower Bow Thruster



Stern and the Dock with Transom Open





Starboard aft Quarter at the Dock



At Anchor





On the Hard






Port Aft Hull





Stern





Starboard Aft





HANSE 540e Coque en époxy standard ÉQUIPEMENT STANDARD (valable à compter du 1º Novembre 2007)

CARACTÉRISTIQUES TECHNIQUES
Longueur hors tout :
Longueur de coque :
Longueur de flottaison :
Rau : 16,08 m 16,08 m 14,60 m 4,91 m 2,80 m 2,43 m 1,95 m 1,95 m 110 ev (81 kW) environ 690 litres environ 375 litres A (haute mer) Longueur de flottaison :
Bau :
Tirant d'eau standard :
Tirant d'eau quille médium (option) :
Tirant d'eau quille courte (option) :
Déplacement :
Lest :
Moteur : Eau douce : Gasoil : Certification CE :

VOILURE
Voilure totale:
Grand'voile:
Foe autovireur:
Génois 105 % (option):
Gennaker (option): environ 155,00 m² environ 85,10 m² environ 58,00 m² environ 69,00 m² environ 195,00 m²

DIMENSIONS DU GRÉEMENT

21,25 m 5,99 m 21,45 m 6,50 m 26,25 m P: E: Tirant d'air: Architecte : Architecte d'intérieur : Judel / Vrolijk & Co HanseYachts Design

Modèle 2007/2008, validité à partir du 01.11.2007

Hanse A

Specifications





20200117_145745