



Slay N It


60' (18.29m) 2009 Marquis 60 Markham Edition
Destin Florida United States



OVERVIEW

Manufacturer:	<i>Marquis</i>		
Engines:	2 Volvo	Hull Material:	Fiberglass
Engine Model:	D12 EVC	Cruise Speed:	
Engine HP:	715	Max Speed:	
Beam:	16' 6"	Cabins/Heads:	3 / 2
Max Draft:	4' 6"	Fuel Type:	Diesel
Water:	200 G (757.08 L)	Fuel:	800 G (3028.33 L)

\$849,900





Data Sheet

Category: Flybridge
Condition: Used
Model Year: 2009
Beam: 16'6" (5.03m)
Max Draft: 4' 6" (1.37m)
LOA: 59' 6" (18.14m)
Cabins: 3
Heads: 2

Fuel Type: Diesel
Deadrise: 14°
Hull Material: Fiberglass
Hull Shape: Modified Vee
Air Conditioning: Yes

Dry Weight: 58500 lbs
Bow Thruster: Yes
Stern Thruster: Yes
Fuel Tank: 800 gal (3028.33 liters)
Fresh Water: 200 gal (757.08 liters)
Holding Tank: 80 gal (302.83 liters)
HIN/IMO: CDRL2088H809
Stock #: BR7481-ES

Engines/Generators

Engine 1

Volvo
D12 EVC
Inboard
715HP
Fuel: Diesel
Year: 2009
Serial #: 1012621866
Location: Port

Engine 2

Volvo
D12 EVC
Inboard
715HP
Fuel: Diesel
Year: 2009
Serial #: 1012620952
Location: Starboard

Generator 1

Kohler
23 EOZD
23KW



Summary/Description

For Sale- 2009 Marquis 60 Markham Edition Yacht

2009 Marquis 60 Markham Edition Yacht "Slay-N-It"- With world-class design from renowned Italian naval architecture firm Nuvolari-Lenard and handcrafted construction with American ingenuity, the Marquis 59 Markham Edition has defined the new standard of luxury. This yacht represents an innovative new level of yachting combining a contemporary European look with American components and systems. Her sophisticated design is accented with rich detail and luxurious appointments including imported granite countertops, Italian marble vanity tops, and high-gloss hardwood cabinetry. Interior spaces are expanded into a seamless transition between the salon, galley, and dinette that opens the interior layout to a refined elegance that is both comfortable and spacious. The opulent master and exquisite VIP staterooms feature comfortable inner-spring, pillow-top mattresses. A versatile third guest cabin also provides a luxurious retreat for discerning guests or this area can be equipped as an efficient office.

Factory Options and Upgrades

- New Garmin electronics
- New pumps
- All new ACs and new AC pump
- New carpet
- New upholstery
- New stereo
- New TV in salon and bridge
- New Forward pad
- New aft table
- New Thrusters
- New hydronic pump
- New LED lighting
- New bridge refrigerator
- Spar props
- Spear stern Thruster
- Volvo D-12 715 hp Diesel Main Engines
- Aft Deck Control Station
- 23Kw Kohler Generator
- 2x 50amp Shore Power Cord Connectors on Bow (In Addition to Ones on Transom)
- Stern Storage with Aft Door
- Overboard Macerator Waste Discharge System
- Flybridge Hardtop with Full Enclosure
- Aft Flybridge Balcony Railings
- Icemaker at Flybridge Wet Bar
- Grill at Flybridge Wet Bar
- Flybridge Stereo
- Flybridge Air Conditioning System
- Hatch to Flybridge Stairway
- High Gloss Wood Cabinetry
- Premium Lighting Throughout
- Double Recliners in Salon

- Salon Bose Surround Sound Stereo System
- Central Vacuum System
- Wetbar with Trash Compactor in Galley
- Washer and Dryer Units
- Master Stateroom Entertainment Center
- VIP Stateroom Entertainment Center

Construction- Built to be class "A"

- Cabinetry - marine-type with dowelled & dove-tailed joints, metallic joint reinforcements, stainless steel & silicon bronze fasteners, custom fit
- Wood bulkheads, cabinetry & moldings throughout the cabin with a high gloss finish, impact-resistant acrylic finish on cabinet tops
- Cored hull sides - fiberglass encapsulating high-density foam core below the waterline & end-grain balsa core above the waterline
- Deck plate - 1.75" tubular aluminum rails & 1.75" end grain balsa core, encased in fiberglass & laminated to hull sides around the entire circumference; comprises foredeck, side decks, cockpit & main cabin sole
- Hull bottom - solid fiberglass with Knytex substrates, sandblasted in preparation for bottom paint to assure adherence and eliminate the "peeling effect"; vinylester barrier coat
- Steering shelves - carbon fiber
- Stringer system - molded fiberglass engine room members cored with high-density foam
- Structural engine mountings- linear span, longitudinal rail system with triple-gusseted steel plates bolted through reinforced, high-density foam-cored stringer members
- Superstructure - self-supporting, aluminum truss cage system welded to the base frame of aluminum bar stock, bolted to deck plate through drilled- & tapped reverse flange mount reinforced with aluminum bar stock
- U.S. Navy-style construction with hull & deck forming integrated structural element; boxed-beam reinforcement with minimum 1" thick structural bulkheads triple-bonded on their circumference
- Window systems - frameless; tinted, tempered safety glass flange-mounted with urethane adhesive/sealant; supported by aluminum truss system

Electrical

- AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge blower controls; AC & DC voltmeters; AC & DC ammeters
- Batteries (6) -marine (12V) [(4) engine & (2) ship service]
- Battery - (1) generator
- Battery chargers - (1) 80 amp charger for the engines and ship service batteries (1) 60 amp charger for the generator battery
- Cablemasters - dual
- Courtesy lights - 18W, Xenon
- Dockside inlets - CATV & telephone with 50' of white cord each
- Generator - 15.5 kW Kohler® with sound shield, dedicated 31 series battery, premium electrical system, dual cable master & central control system
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Overhead lights - 18W, Xenon®, brushed aluminum bezel
- Shore power connectors (2) - 50 amp
- Shore power cords (2) - 75' white

- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets, or exceeds ABYC standards

Water & Holding Systems

- Central grey water drain system
- Fixtures - imported custom taps/spigots, combination polished chrome/nickel
- finish
- Freshwater storage tanks (2) - (1) 120 gallon and (1) 80 gallon; rotation-molded
- FDA-approved polyethylene
- Freshwater tank level monitor
- Greywater sump pump (1) - 3,700 gallons/hour, automatic/manual operation
- Handshower - freshwater, hot & cold, in the transom
- ITT Jabsco® freshwater system - variable speed drive pump sensor, Max™ 4.5
- gallon/minute flow rate, high flow filter
- Plumbing - flexible lines constructed of molecularly cross-linked polyethylene;
- rigid lines constructed of PVC
- Shore water connection with pressure-reduction valve
- Washdown - freshwater, bow & transom
- Waste holding tanks (2) - (1) 45 gallon and (1) 34 gallon; polyethylene, with filtered vents & dockside pump outs
- Waste tank level monitors (2)
- Water heater - 20 gallons

Engine Room

- Access ladder - stainless steel, nonskid steps/ Aft Door
- Bilges coated with white, medium-gloss Gelcoat
- Bulkheads laminated to hull sides & stringers
- Catwalk - diamond plate
- Insulation - SoundDown®; perforated marine-grade 5052 aluminum surface with polyester-epoxy hybrid powder coat face & nonwoven acoustic material backing; sublayers of 1" fire-retardant foam with metalized mylar vapor barrier face, 2-lb./ft² vinyl acoustic barrier, 1" fire-retardant foam
- Lights (11) - overhead, fluorescent tube, controls in the cockpit
- Storage platforms (2) - in lazarette, port & starboard
- Surface panels - aluminum, perforated, white

Decks

- Anchor plate - polished stainless steel, with stainless steel clad recessed anchor channel
- Beverage holders (3) - self-draining on sunpad
- Bow rail - 1.25" O.D., linealbuffed, 316 stainless steel
- Bow rail stanchions - double-welded (inside & outside), 316 stainless steel, anchored to aluminum backing plates laminated into bulwark
- Bulwark - fiberglass
- Engine room air intake vents - concealed inboard in the bulwark
- Gutters (2) - port & starboard, direct water from canted walk surface to grated trap, then overboard
- Lights (6) - 18W Xenon®, minispot-lights, illuminate cabin & bridge sides

- Lights - rope, courtesy, recessed
- Lights (3) - overhead, recessed
- Locker - windlass, in-deck, self-draining, with windlass & bollard-style anchor cleat
- Mooring cleats -bollard-style, stainless steel, bolted through aluminum backing plate; [bow (2) -polished stainless steel hawse pipes], [fairleads (2) - polished stainless steel], spring (4), stern (2)
- Rub rail molding - high impact, 1" 316L stainless steel insert
- Side deck access doors

Safety & Navigation

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets & covers with restraint straps
- Bilge alarm - high water
- Bilge blowers (2) - 250 cubic foot/minute, (12V)
- Bilge pumps (4) - 2000 gallons per hour each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - Ritchie Navigator 4.5" flush mount, illuminated & dual read
- Docking lights - transom
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE241
- Galvanic isolator/zinc saver
- Horns - dual, electric (12V), trumpet
- Internal bonding system with 8 gauge size wire, ABYC compliant
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight - ITT Jabsco®
- Windlass package - Maxwell® 3500 with 60 lb. anchor & 200' of 3/8" grade 40 chain

Cockpit

- Table
- 91 ft2 approx., fully guttered & self-draining, with overhead sun/weather protection
- Bridge stairway - integral, 10" risers (meets residential standards), with stainless steel handrails, diamond pattern non-skid steps, 4 recessed courtesy lights
- Electrical outlet
- Grab rail - stainless steel, across the transom
- Hatch - engine room access, guttered, watertight, supported by gas shocks
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lights (9) - overhead, recessed, with exterior-mounted switch
- Lockers (2) - transom corners
- Lockers (2) - fender & line, self-draining, in the transom
- Stereo speakers (2) - pre-wired
- Transom door - aluminum, secures open & closed, stainless steel hardware

Command Bridge

- Aft bridge extension - 51 sqft approx., self-draining, with toe rail aft
- Beverage holders (4) - self-draining
- Cabinet - fiberglass, starboard side
- Electrical outlets
- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (7) - corrosion-resistant polymer attached with noncorroding fasteners & waterproof sealant
- Handrail - stainless steel, across the front of wet bar
- Lights (5) - courtesy, recessed
- Lights (2) - overhead, recessed, with exterior-mounted switch
- Lounge - U-shaped, accommodates 5 adults, with storage beneath
- Safety gate - stainless steel, between bridge & aft bridge extension
- Safety rail - lineal-buffed, welded stainless steel, with additional intermediate rail, around cockpit stairway opening
- Self-draining walk surface
- Table - fiberglass, with brushed aluminum base
- Wet bar - self-draining with integral sink, 2 cabinets beneath

Flybridge Helm

- Access panel - provides access to wiring below the helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (4) - self-draining
- Companion lounge - doublewide, port side, with storage beneath
- Companion helm seat-swivel pedestal, high-quality elegant upholstery, embroidery stitching, and armrests
- Dash - fiberglass with brushed aluminum & padded ultra-leather accents
- Displays (1 for each engine) - digital LCD; engine instrumentation and diagnostic
- Gauges - analog; rudder angle, fuel level (1 for each tank)
- Helm seat - pedestal, adjustable, high-quality marine-grade upholstery, double stitching with taped seams
- Light - overhead, recessed
- Lights (3) - courtesy, recessed
- Rocker switch controls
- Stereo speakers (2) - pre-wired
- Telephone connection
- Tilt steering wheel
- Venturi air deflector
- Windshield - tinted, wraparound, stainless steel frame

Salon

- Chairs (2)
- Curtain - décor-matched, slides horizontally in top & bottom tracks, over the entrance door
- Designer décor - consisting of premium wall coverings & fabrics

- Electrical outlets
- Entertainment group - 32" Sole® LCD TV (built to durable marine-grade standards) descends from the ceiling, Accoustimass® 10 Home Entertainment Surround Sound System by Bose® with 5.1 channel music and movie sound, subwoofer, Sony® AM/FM receiver, Sony® progressive scan 5-disc CD/DVD changer, & Sirius® satellite radio system
- Entrance door - stainless steel frame, fully vertical, convex, sliding, handle latch, deadbolt, secures open, neutral density glass, with interior screen
- Hardware highlights - stainless steel, polished & brushed
- Lights (3) - incandescent, sconces
- Lights- overhead, recessed in a wood abstract sculptured fixture, with electronic dimmer control
- Lights- recessed, with electronic dimmer control
- Rocker light switches
- Sofa - Flexsteel®, ultraleather with storage
- Soffits (2) - port & starboard outboard

Galley

- Coffeemaker - Cuisinart®, stainless steel, recessed
- Countertops - granite with sea rail
- Designer décor - consisting of premium wall coverings & fabrics
- Electrical outlets
- Flooring - granite
- Hardware highlights - stainless steel, polished & brushed
- Lights- overhead, recessed
- Lights- overhead; recessed in cherry wood abstract sculptured fixture
- Lights - rope, overhead, recessed in the soffit
- Microwave/convection oven - built-in, stainless steel finish
- Pantry - wood, high gloss jewel finish, glass inlay with granite countertop, 2 storage cabinets below with drawer freezer
- Range - electric, 2-burner, Ceran® top, with stainless steel back-splash & vent fan
- Refrigerator/freezer - VitriFrigo®, drawer style, 4.2 cubic ft. each
- Rocker light switches
- Sink - two basin, stainless steel, under-mounted
- Storage cabinets (2)
- Storage drawers

Foyer

- Handrails - stainless steel, on the stairway
- Hardware highlights - stainless steel, polished & brushed
- Lights (3) - courtesy, recessed
- Light - incandescent, sconce
- Lights (5) - overhead, recessed
- Rocker light switches
- Wallcovering - silk/cotton blend, textured with wood inlays

Dinette

- Carpet - patterned cut & loop saxony; 100% nylon with advanced stain protection; fade-, wear-, crush-resistant; 35 oz.; with pad
- Light - overhead, recessed
- Lounge - wraparound, fabric upholstery, accommodate 5 adults
- Table - wood top with raised wood trim, high gloss jewel finish

Master Stateroom

- Berth - king-size, pillowtop innerspring mattress, island, with padded ultra-leather headboard & bolster
- Berth nightstands (2) - wood, high gloss jewel finish
- Bookshelves (2) - wood with sea rail, port & starboard
- Dressers (2) - wood, high gloss jewel finish, Sapele pommels wood inlay with wood sea rail top, 3 drawers & 2 cabinets each
- Electrical outlets
- Hardware highlights - stainless steel, polished & brushed
- Hull portlights (4)
- Lights (2) - incandescent, sconces
- Lights (12) - overhead, recessed, with electronic dimmer control
- Mirror - above berth headboard
- Rocker light switches
- Soffit - wood, high gloss jewel finish, around the room perimeter
- Wallcovering - silk/cotton blend, smooth, coordinated
- Wardrobe lockers (2) - full-height, cedar-lined, carpeted, automatic light
- Window treatment - roman\ shades with a recessed headrail

Master Head

- Cabinet - high gloss jewel finish, recessed, 3 shelves with sea rails
- Electrical outlet
- Entrance door - 3-panel wood, secures closed, stainless steel hardware
- Exhaust fan
- Flooring - marble
- Hardware highlights - stainless steel, polished & brushed
- Hull portlight - frosted privacy glass, with screen
- Lights (4) - overhead, recessed
- Magazine racks (3) - integral to vanity, with sea rails
- Medicine cabinet - 6 shelves with sea rails
- Mirror - above vanity
- Rocker light switches
- Soap dispenser
- Soffit - wood, high gloss jewel finish, mirrored bottom, over vanity
- Toilet - VacuFlush®, pedestal
- Toilet paper holder - wall-mounted
- Towel bar & ring
- Tub - full-size, fiberglass with solid surface step, face & ledge

- Tub enclosure - fiberglass with granite ledges; 2 frameless, clear glass sliding doors with brushed stainless steel handles & aluminum track
- Tub handshower - retractable; with wall mounted adjustable height holder, self-draining soap dish
- Vanity - wood, high gloss jewel finish, with granite countertop & backsplash, under-mounted solid surface molded sink, 6 drawers & double-door cabinet beneath
- Wallcovering - silk/cotton blend, smooth, coordinated

Guest/ Day Head

- Electrical outlet
- Entrance doors (2) - [VIP stateroom, bi-fold, solid cherry wood] Foyer & third stateroom, 3-panel, solid cherry wood frame with Sapele pommel wood panels exterior, wood panels interior, secure open & closed, stainless steel hardware
- Exhaust fan
- Flooring - granite
- Hardware highlights - stainless steel, polished & brushed
- Light (4) - overhead, recessed
- Medicine cabinets (2) - mirrored doors
- Mirrored ceiling
- Rocker light switches
- Toilet - VacuFlush®, pedestal
- Towel bar & ring
- Vanity - wood, high gloss jewel finish, with granite top & backsplash, stainless steel sink, cabinet beneath
- Hull portlight - frosted privacy glass, with screen
- Light - overhead, recessed
- Nonskid sole
- Shelf - granite, integral to the hull
- Shower door - clear acrylic in gasketed, aluminum frame
- Showerhead - detachable for use as a hand shower
- Towel bar

VIP Forward Stateroom

- Berth - queen, pillow-top innerspring mattress, island
- Berth nightstands (2) - wood, high gloss jewel finish, Sapele pommel wood inlay with wood sea rail top, cabinet beneath
- Berth step-ups (2) - carpeted
- Electrical outlets
- Entrance door - 3-panel, solid cherry wood frame with Sapele pommel wood panels exterior, cherry wood panels interior, secures open & closed, stainless steel hardware
- Hardware highlights - stainless steel, polished & brushed
- Hull portlights (2) - fixed, non-opening
- Lights (6) - overhead, recessed
- Lights (2) - 18W, Xenon®, sconces, directable for reading
- Mirrored headboard
- Overhead hatch - translucent, lockable, inside screen
- Private guest head access

- Rocker light switches
- Stereo speakers (2) - with volume control
- Storage cabinets (6)
- Storage drawers (4)
- Surround shelves - wood, high gloss jewel finish, Sapele pommel wood inlay with wood sea rail top
- Wardrobe locker - full height, cedar-lined, carpeted, automatic light
- Window treatments - cellular shades with upholstered valance

Guest Stateroom

- Berths (2) - bunks, converts to a sofa
- Carpet - patterned cut & loop Saxony; 100% nylon with advanced stain protection; fade-, wear-, crush-resistant; 35 oz.; with pad
- Designer décor - consisting of premium wall coverings & fabrics
- Electrical outlet
- Entrance door - 3-panel solid wood frame with Sapele pommel wood panels exterior, cherry wood panels interior, secures open & closed, stainless steel hardware
- Hanging locker - full-height, cedar-lined
- Hardware highlights - stainless steel, polished & brushed
- Hull portlight - with screen
- Light - 18W, Xenon®, sconces, directable for reading
- Lights (3) - overhead, recessed
- Storage - beneath the lower bunk
- Wallcovering - silk/cotton blend, textured, coordinated
- Window treatment - cellular shades with upholstered valance
- Desk

Exclusions

- Owners personal belongings
- Tender

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



2009 Marquis 600 Flybridge IYBA PROFILE



2009 Marquis 600 Flybridge Galley



2009 Marquis 600 Flybridge Helm 3



2009 Marquis 600 Flybridge Salon



2009 Marquis 600 Flybridge Salon 2



2009 Marquis 600 Flybridge Salon 3



2009 Marquis 600 Flybridge Galley 3



2009 Marquis 600 Flybridge Galley 2



2009 Marquis 600 Flybridge Skylounge



2009 Marquis 600 Flybridge Laundry



2009 Marquis 600 Flybridge Master SR



2009 Marquis 600 Flybridge Master SR 3



2009 Marquis 600 Flybridge Master SR 4



2009 Marquis 600 Flybridge Master SR 5



2009 Marquis 600 Flybridge Master SR 2



2009 Marquis 600 Flybridge Master Head 2



2009 Marquis 600 Flybridge Master Head



2009 Marquis 600 Flybridge Master Bath



2009 Marquis 600 Flybridge VIP SR



2009 Marquis 600 Flybridge VIP SR 2



2009 Marquis 600 Flybridge VIP Head



2009 Marquis 600 Flybridge Guest SR



2009 Marquis 600 Flybridge Guest SR 2



2009 Marquis 600 Flybridge Foyer



2009 Marquis 600 Flybridge Helm 2



2009 Marquis 600 Flybridge Helm



2009 Marquis 600 Flybridge Flybridge



2009 Marquis 600 Flybridge Flybridge 3



2009 Marquis 600 Flybridge Flybridge 2



2009 Marquis 600 Flybridge Cockpit 2



2009 Marquis 600 Flybridge Cockpit Controls



2009 Marquis 600 Flybridge Crew Qtrs



2009 Marquis 600 Flybridge Generator



2009 Marquis 600 Flybridge Engine Room



2009 Marquis 600 Flybridge Port Profile



2009 Marquis 600 Flybridge Port Profile 2



2009 Marquis 600 Flybridge Port Profile 3



2009 Marquis 600 Flybridge Stbd Bow



2009 Marquis 600 Flybridge Stbd Profile