





# **Sea The Light**

53' (16.15m) 2013 Riviera Flybridge Palm City Florida United States



Manufacturer: Riviera

Engines: 3 Volvo Penta Hull Material: Fiberglass

Engine Model: IPS 600 Cruise Speed:

Engine HP: 435 Max Speed:

Beam: 16' 10" Cabins/Heads: 3 / 2 Max Draft: 4' 10" Fuel Type: Diesel

Water: 198 G (749.51 L) Fuel: 925 G (3501.5 L)



\$899,000





# **Data Sheet**

Category: Motor Yachts

Subcategory: Convertible Boats

Condition: Used Model Year: 2013 Beam: 16'10" (5.13m) Max Draft: 4' 10" (1.47m) LOA: 59' 8" (18.19m) LOD: 56' 5" (17.20m)

Cabins: 3 Heads: 2 Fuel Type: Diesel

Hull Material: Fiberglass

Air Conditioning: Yes

lbs

Dry Weight: 55000 lbs

Fuel Tank: 925 gal (3501.5 liters) Fresh Water: 198 gal (749.51 liters) Holding Tank: 72 gal (272.55 liters)

Builder: Riviera

# **Engines/Generators**

# **Engine 1**

Volvo Penta IPS 600 Inboard 435HP Fuel: Diesel Hours: 784

# **Engine 2**

Volvo Penta IPS 600 Inboard 435HP Fuel: Diesel Hours: 784 Location: Middle

# **Engine 3**

Volvo Penta IPS 600 Inboard 435HP Fuel: Diesel Hours: 784

#### **Generator 1**

Location: Port

Onan EQD 17.5 17.50KW



# **Summary/Description**

Sea the Light is an impeccably maintained 2013 Riviera 53 Flybridge! With Triple Volvo, Penta IPS 600 engines, and all service and detailing are up to date!

Sea the Light is an impeccably maintained Riviera 2013 53 Flybridge with triple Volvo IPS 600 engines. The service and detailing is up to date, making her turn-key and ready to cruise. Her loving owners have spared no expense in her care and maintenance. Full detail completed September 2021. All service and maintenance have been overseen by longtime Riviera Yachts and Volvo professional technicians and shipwrights. A comprehensive list of standard features and options/upgrades is included in the descriptions section of the brochure. Call today to preview the best example of a Riviera 53 Flybridge available on the market today.

## STANDARD FEATURES

#### **COCKPIT**

Cockpit floor reinforced with an alloy plate for future game chair or table

Double action manual bilge pump for engine room

Engine room access via lift cockpit floor on electric actuator

Day access via hatch with gas strut

Grab rails to assist access to side decks

GRP locker doors to storage, including stainless steel catches

Handheld shower hot & cold (Freshwater)

Hawse holes to rear cockpit coaming corners with open back

Lighting -floodlights, overhead and courtesy (DC) LED

Mezzanine including Aft facing seat white vinyl and teak laid mezzanine step (inc. white stamoid cover)

Rear saloon door tinted tempered glass, stainless frame, sliding

Rear saloon window opening upwards (tinted, tempered glass)

Anchor 36kg (80lb) plough, 70m (230ft) of 10mm (3/8") galvanized chain

Anchor chain chafe plate fitted to bow sprit

Anchor chain stopper fitted to deck

Anchor locker with rope/chain divider (offset to stbd). Access from hatch on deck

Anchor safety strap

Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down switches & remote to helm



Bow rail welded stainless steel (316 marine-grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)

Bow roller stainless steel self-loading -through bowsprit, heavy duty

Cleats -Pop up fender style (x 2) to cockpit coaming

Cleats -stainless steel 13fl (total x 9) Œ bow x 3, spring x 4, and cockpit x 2

Fender holders (x 4) to bow rail (Not available with lower

Sink with lid over and hot / cold tap

Steps to side decks port & starboard

Storage bin x 1 (GRP insulated) in cockpit floor with pump out and gas struts

Transom door GRP opening outwards with bridge attached

Wash down outlet freshwater (hose supplied)

Wash down outlet seawater

Waterproof GPO to cockpit locker

Wetbar located starboard forward corner. Includes sink & insulated bin with lid over, and rubbish bin locker under

#### CONSTRUCTION

Independent compartments throughout hull

Infused hull with core in hull bottom and topsides. Hand laid deck, deck liner and flybridge (engineered laminate)

Isophthalic gelcoat exterior (white)

Solid GRP keel, chines and engine penetration area

Vinylester resin in first outer layer of hull

Watertight collision bulkhead forward

#### **DECK**

Refrigerated cool box top loading in Mezzanine seating

Self-draining cockpit to stern outlet

Rails port & starboard of flybridge above window for safe

passage to forward deck

Rub rail -impact and UV resistant PVC (white) with stainless steel insert strip

Wash down at anchor locker (freshwater) including hose

Wash down at anchor locker (seawater)



#### **ELECTRICAL -AUDIO/VISUAL**

Flybridge -AM/FM Stereo CD/DVD player with ipod interface and 4 speakers to the flybridge

Master Stateroom -32" LCD TV integrated into Bose system

Master Stateroom -Bose 321 system with speakers including an Ipod interface

Saloon- 40" LCD TV incorporated into electric pop-up mechanism linked into saloon Bose system

Saloon/Cockpit Audio System -Bose Lifestyle with flush mount speakers to saloon and 2 speakers to cockpit, includes lpod interface

#### **ELECTRICAL / NAVIGATION**

Alternators -independent start bank and independent house bank

Battery banks individually isolated

Battery paralleling system for emergency engine starting

Bonding system, to all metallic hull fittings under the waterline with zinc anode including galvanic isolator

Digital DC circuit control and protection incorporating ,intelligent™ operation with user-programmable usage modes, timer circuits, light-dimming and circuit bypass, operational via conventional switches, signal set points as well as LCD display modules

Digital monitoring system including AC and DC power metering, fluid tank level monitoring and DC circuit status via color LCD touchscreen displays, mounted at helm and in saloon control panel area

Engine monitoring including instrumentation, alarms and hour meters

Generator -Onan EQD 17.5 kw/50Hz (21.5 kw/60Hz) with water separating muffler fresh water-cooled including sound shield remote stop/start diagnostic hour meter

Inverter 1.2kW to operate entertainment and ice maker in the absence of generator or shore power

Navigation lights LED (international standard)

All stainless-steel mirror finish with ground and polished welds

Antifouling: 2 coats epoxy undercoat, 2 coats antifoul

Fire extinguishers, portable x 5 and integral system to the engine room

Gelcoat -1 liter, shipped on board

Owner's manual -High quality, water-resistant and comprehensive

Safety labels fitted in the standard language of the dealer (unless otherwise specified)

#### **HEAD -MASTER & GUEST**

Air conditioning split from staterooms

Extraction fan



Flooring in solid surface (excluding shower)

Master head -Blackwater tank level indicator

Overhead and vanity lighting (DC)

Private entrance door

Shower stall with frameless glass door and shower head (on slide bar)

Solid surface vanity benchtop with porcelain sink and mixer tap

Wiring coded, numbered & assembled in looms

Timber locker door to under bench storage possible

Toilet (freshwater flush)

#### **FLYBRIDGE**

3-Sided Enclosed hardtop, GRP with Vinyl headliner

Air-conditioning 2 x 18,000 BTU with outlets at helm, demister, and aft flybridge

Flybridge forward windows, clear tempered windscreen

Hatch, square for easy access to hardtop

Headliner vinyl with padding

Lighting LED overhead, courtesy and red night light

Lockable hatch over flybridge access stairs

Overhead grab rail

Rear enclosed by clear strata glass from hardtop to floor with 3-sided zipper openings

Rear railing including mid-rail in stainless steel highly polished

Side windows tinted, opening

Sunroof electrically operated

Teak table on fixed pedestal

Wet bar including solid surface benchtop with faucet, fridge (24vDC), cupboards and drawers for storage

Windscreen cover to front windows

Windscreen wipers pantograph, with freshwater washers, controls to helm with intermittent controls to wipers

#### **GENERAL SPECIFICATIONS**

All stainless-steel exterior fastenings 316 marine grade

Toilet roll holder & accessories



Atlantic Sales

info@atlanticyachtandship.com

Towel holders Towel rails to heads Vanity cabinet Vanity Mirror **HELM** Chain counter (anchor) Compass, 4.75" with light Dedicated switches for Horn, wipers (with intermittent setting) overhead and navigation lights and engine start/stop Drink holders x 2 Electronic engine control unit, twin lever gear & throttle Helm and companion chairs (x2) (Pompanette Tournament Deluxe) fully adjustable with arm and footrests Helm electronics area with 24vdc feed, main circuit breaker protected. Intercom to galley and engine room Joystick docking control Recessed molded for mobile phones Spotlight control panel Storage lockers and drawers Trim tab control panel VHF radio including aerial Visual & audible signal for bilge high water **OPTIONAL HELM LOCATION FORWARD** Aft Docking station, including Joystick & engine start/stop switch Companion lounge to starboard forward side U shaped Lounge seating to Port aft, aft backrest slides forward to convert into aft facing spotter's seat Wet bar starboard aft side incorporating refrigerator, sink and mixer tap, drink holders, storage tray/drawers for glasses **MECHANICAL** Acoustic and thermal insulation linings to engine room and machinery spaces Fuel fillers to port & stbd Fuel tank gauge linked into Engine display, Sight



Grey water holding system (250 liters/66 US gallons); Tank operates in 2 modes auto and manual

Trim tabs, Electro-hydraulic dual ram -level indicators to helm

Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out - Capacity 151 liters (40 US gal.) with odor filter

#### REGIONAL ELECTRICAL SPECIFICATION

AC power outlets (doubles) to all staterooms, heads, galley (x2), saloon, engine room and flybridge, with Residual Current Device (RCD) protection

Outlets with Ground Fault Circuit Interrupter (GFCI) protection

Shoreline electrical inlet (AC) Glendinning (220V/50 amp) (Split 2 x 110v)

Voltage -Vessel built to 110v / 60 Hz AC

All through hull fittings on or below the water line fitted with ball valves, all hoses double clamped

Bilge pumps auto and manual override x 4

Emergency fuel shut-off valves accessed from outside engine room

Engine mounts -anti vibration

Engine room access with stainless steel ladder

Engine room flow-coated white

Engine room lighting AC and DC

Engine room ventilation system air intakes with mist eliminators and forced air out system

External & internal seawater strainers for main water intakes -engines, generator & air conditioning

Fire suppression system for engine room with automatic/manual controls

Fresh water heater AC

Fresh water system (pressurized) total capacity 750 Liters (198 US gallons)\* (approx.)

Fresh water tap & hose set in engine room

Fuel filters/water separator for engines & generator

Fuel lines all swaged

Fuel tank GRP (ethanol resistant resin), coated in fire retardant material. 3,500 liters (925 US gallons) \* (approx.)

Air Conditioning condenser units 30 000 BTU x 2 and • Air conditioning with electric heat 2 x 16000 BTU (split to galley)

Carpet with underlay

Central vacuum system with accessories

Commercial grade vinyl flooring at saloon entry door



Dinette U-shaped port side with storage under

Head lining, vinyl with padding

Lighting, overhead, LED (DC)

Liquor Cabinet Built in lockers for glass and bottle storage

Liquor Cabinet Icemaker (with inline water filter)

Liquor Cabinet Refrigerator/Freezer drawer unit, 2 x drawers (Freezer above, Fridge below)

Lounge U shaped starboard side

Safety indicator panel for monitoring bilge pumps, high water alarms, sump pump, navigational lights & engine room lights

# **SALOON-GALLEY**

Electric induction cooktop, 3-element with removable surround

Flooring, vinyl (Premium grade)

Garbage bin

Lighting, overhead, LED (DC)

Microwave convection oven

Rangehood

Refrigerator drawer unit (wide), 2 x drawers

Solid surface benchtop with stainless steel sink and mixer tap

Storage cabinets & drawers below and above bench

### STATEROOM -FORWARD

Access to private ensuite/dayhead

Air conditioning: 10,000 BTU with electric heat

Bed side tables with timber tops x2

Bureau with mirror, benchtop and drawers

Carpet with underlay

Hanging locker, cedar lined to starboard with auto lighting (LED) and cedar lined storage locker to port with shelving

Hatch -square white with screen and blind

Headboard upholstered

Private entrance door



Queen walk around berth with innerspring mattress

Hanging locker, cedar lined with lighting and drawers below

Hatch -Square, with oceanair blind

Headboard -upholstered

Private entrance door

Reading and overhead lighting (DC)

Storage cabinets outboard with positive locking hardware

Storage cupboard with drawers and shelf

Upper and lower berths (innerspring mattresses) with storage under lower berth

#### STATEROOM-MASTER

Access to private ensuite

Air conditioning: 16,000 BTU (split into ensuite)

Bookshelves

Carpet with underlay

Full length mirror (behind hanging locker door)

Headboard upholstered

King size walk around berth with innerspring mattress

Lounge to port

Mirror over headboard

Overhead lighting

Porthole fixed bonded glass recessed into hull sides with fitted window furnishings

Private entrance door

Storage drawers outboard with positive locking hardware

Timber bench top outboard with lighting, power outlet and concealed storage

Walk in robe with storage and auto lighting

## STATEROOM-STARBOARD

Air conditioning: 4,000 BTU (designated unit)

Bureau with mirror and drawers

Carpet with underlay



## **OPTIONS and UPGRADES**

#### **OPTIONAL FEATURES**

Triple Volvo IPS 600 Diesel -(320kw/435hp) with twin lever electronic controls, electric variable rate steering, 7" engine display & joystick to helm station (freshwater cooling)

FORWARD HELM location with dual helm seats and aft U-shaped lounge layout (refer "HELM LOCATION FWD (OPTIONAL)" in standards area for detailed description)

Cockpit (IPS) Joystick control

Windscreen (forward facing) -Black tinted and tempered Glass

Side windows -Glass, non-opening (fixed)

Davit -Davco single boom (crane type) 350kg (771lbs)

Cockpit floor area, Teak laid & side steps, including Mezzanine step and saloon entry step

BBQ Centre combining Electric BBQ, garbage bin and storage underneath.

Teak laid standard size swim platform (includes swim ladder)

Dishwasher (drawer) to galley (in lieu of pot drawer)

Separate Miele Washer and Dryer in companionway (in lieu of linen storage)

Solid Surface benchtop color -As fitted to galley, heads and enclosed flybridge (as selected)

Boot and Pin stripe the same color (White)

Painted hull topsides metallic color (Antifoul line to Gunwhale, swim platform not included) (Champagne)

Cockpit awning -Yacht acrylic -Fixed forward section with removable rear extension; includes 2 stainless steel poles and 2 rod holders. (Rear awning extension can only be used while boat is stationary) (White (Stamoid))

Aft clears & rail covers (1-piece Strataglass) with double tabling & zipper U shaped openings.

Front windscreen cover (White Breezeway) ECS-A002 Saloon side window covers (White Breezeway)

Leather Upholstery to Lounge

Bedheads and bed surrounds color (Pebble) ICS-A009 Pelmets and Panel Fabric Color (Pebble)

Commercial grade vinyl flooring to saloon (to match galley) / Carpet Upgrade to lower deck accommodations (Shepherd, Taddison)

Teak flooring to flybridge floor

Saloon -Leather Upholstery to Lounge

Saloon -Leather Upholstery to Dinette



Cockpit mezzanine upholstery (MACROMARINE) including (white stamoid cover)

Master cabin lounge in Leather

Soft Furnishing Package Fabric Upgrade (Shalimar)

GALLEYWARE PACKAGE C (32pce Cutlery set, 32pce Dinner set, 8xNapkins, 2xkitchen towels, Tumblers -8xMed & 8xLg, 8xGoblets, 8xChampagne flutes, Salad Bowl & Salad Servers)

BATHWARE PACKAGE C (4xBeach towels, 8xBath towels, 3xHand towels, 3xFace towels, 3xBath mats & Bathware accessories) (Sand)

Timber -Cherrywood interior with high gloss varnish throughout

Roman Blinds

Underwater Lights Aqualuma 6 series (4) blue

Engine Room Camera (Garmin)

Garmin Radar

Garmin Autopilot

Garmin Sounder/Transducer

Prep for future water maker

Volvo DPS Dynamic Positioning System

## **Electronics**

Depthsounder - Garmin 1kW Through Hull Digital

Log-speedometer - Garmin MFD

Repeater(s) - Garmin

Navigation center - Dual Garmin MFD

Plotter - Garmin MFD

Autopilot - Garmin Digital Integrated

Compass - Ritchie

GPS - Garmin

VHF - Raymarine

Radar - Garmin Digital Dome

Computer - CZone



ATLANTIC.
TV set
Radio - Fusion
Cockpit speakers
Inside Equipment
Electric bilge pump
Manual bilge pump
Battery charger
Air conditioning
Heating
Hot water
Washing machine
Oven - Miele
Microwave oven - Miele
Electric head
Refrigerator
Deep freezer
Electrical Equipment
Shore power inlet - 50 Amp Service
Generator - Cummins Onan
Inverter
Electrical Circuit: 24V
Outside Equipment/Extras
Teak cockpit
Cockpit cushions
Cockpit table

in fo@atlantic yachtandship.comAtlantic Sales

Swimming ladder



Cockpit shower	
Davits	

Tender

Electric windlass

#### **Covers**

Cockpit cover

# **Mechanical Disclaimer**

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

## **Disclaimer**

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





















