



32' (9.75m) 2018 Pursuit DC 325 Dual Console  
Millersville Maryland United States



## OVERVIEW

**\$319,000**

Manufacturer:	<i>Pursuit</i>		
Engines:	2 Yamaha	Hull Material:	Fiberglass
Engine Model:	LF300XCA	Cruise Speed:	Knots
Engine HP:	300	Max Speed:	Knots
Beam:	10' 10"	Cabins/Heads:	1 / 1
Max Draft:	2' 8"	Fuel Type:	Gas/Petrol
Water:	30 G (113.56 L)	Fuel:	300 G (1135.62 L)



## Data Sheet

Category: Dual Console  
Subcategory: Saltwater Fishing  
Condition: Used  
Model Year: 2018  
Beam: 10'10" (3.30m)  
Max Draft: 2' 8" (0.81m)  
Min Draft: 1' 10" (0.56m)  
LOA: 34' 6" (10.52m)  
Cabins: 1  
Single Berths: 1  
Heads: 1

Knots  
Knots  
Fuel Type: Gas/Petrol  
Deadrise: 20°  
Hull Material: Fiberglass  
Hull Shape: Deep Vee  
Bridge Clearance: 8' 2"

lbs  
Dry Weight: 11775 lbs  
Bow Thruster: Yes  
Fuel Tank: 300 gal (1135.62 liters)  
Fresh Water: 30 gal (113.56 liters)  
Holding Tank: 10 gal (37.85 liters)  
Imported: No  
Builder: Pursuit

## Engines/Generators

### Engine 1

Yamaha  
LF300XCA  
Outboard 4 Stroke  
300HP  
223.71KW  
Fuel: Gas/Petrol  
Hours: 368  
Serial #: 6CFX1013475X  
Location: Port

### Engine 2

Yamaha  
F300XCA  
Outboard 4 Stroke  
300HP  
223.71KW  
Fuel: Gas/Petrol  
Hours: 368  
Serial #: 6CEX1046542X  
Location: Starboard

## Summary/Description

### 2018 Pursuit DC 325 Dual Console

An extremely clean, 368 hours and Fresh Water kept DC 325 with a white hull, Bow Thruster, Garmin electronics and sea deck sole in the cockpit. Need we say more? These Pursuit's have great lines, very good performance, seating for several guests, simple and easy maintenance of a real glass windshield, along with a full enclosed head to starboard and port side cabin berth.

Whether you boat from the Long Island Sound, the Chesapeake Bay to the Florida Keys, they are versatile and highly functional boats.

## Manufacturer Provided Description

When boating with family, friends or significant others, the versatility of this vessel gives you the perfect platform to enjoy your adventures on the water. You can camp, fish, dive or just cruise together with luxury, comfort and protection from the elements. The DC 325 embodies all these amenities in classic, timeless, Pursuit style.

The DC 325 combines central utility, a starboard side helm center and tremendous seating functionality with exquisite Pursuit appointments. The DC 325 features an open bow design with full wrap-around seating, plenty of storage and a unique ladder system forward designed for exiting the boat straight to your own private beach. The fully integrated fiberglass hardtop with visor is engineered with a tempered glass windshield system, composite frame forward and bonded to the fiberglass hardtop. Port and starboard glass is fixed in a white, powder-coated aluminum frame complete with recessed enclosure track. The port side wrap-around lounge, double-wide helm seat, cockpit seating and forward bow seating offer plenty of available spaces to satisfy everyone's favorite spots to ride along or run the DC 325. The dual consoles open to reveal port-side dedicated equipment storage and lounging area along with a starboard side head accessed via innovative, dual action door systems.

Everything you need to entertain is right where you want it including 12 volt refrigeration and an optional electric grill. Plus, don't forget the DC 325 will still fish hard when you want and comes complete with insulated fish storage boxes, tackle storage, rod-holders and plenty of cockpit space to catch whatever you desire.

## Standard Equipment

### Hull Features:

- Pursuit® Protection Plan:
- 5-Year Hull and Deck Structural Warranty
- 5-Year Blister Free Warranty
- 2-Year Limited Warranty
- Hand laminated hull with vinyl ester resin and engineered fabrics
- Infused fiberglass structural grid system with molded finish and integrated bilge water management system
- 5-Ply resin infused composite transom system with patented transom reinforcement grid
- Integrally molded thru-stem anchor system with fresh and raw water washdown
- Horizontal anchor windlass with switch at helm and remote
- 316L Stainless steel delta plow style anchor, twist shackle, chain and 200' of 1/2" rode
- 316L Stainless steel through stem anchor roller with 8" mooring cleat, chain binder and aluminum backing plates
- 3.0 hp Bow thruster with group 31 AGM battery

- Trim tabs with indicator lights and auto-retract
- Bronze thru hull fittings below water line
- Chrome over bronze thru hull fittings below 7° heel line
- Stainless clad composite thru hull fittings above the 7° heel line
- Bronze garboard drain
- Integrated transom platforms extensions outboard of engines
- Forward hull compartmentation with one 1100 GPH bilge pump with automatic float switch
- Dedicated transducer location
- High density pvc rub rail with solid 316L stainless steel insert
- ½" 316L Stainless steel bow eye

### **Deck and Cockpit Features:**

- Molded one piece deck and cockpit liner with non-skid pattern area and overboard drains
- Hull and deck joint mechanically fastened
- 10" Pop-Up cleats (2) on stern and 10" pop up cleats spring (2) and bow (2)
- Molded recessed hatches with gaskets and 316L stainless steel latches and overboard drain tracks
- Flush mounted integral anchor locker with fiberglass lid
- One piece 1" welded 316L stainless steel recessed bow grab rail
- Molded forward bow seating with flip down arm rests and insulated storage below
- Port and starboard forward coaming boxes with four (4) drink holders, grab rails, courtesy lights, storage keeper, port stereo remote and speakers
- 316L Stainless steel deck plates for water and waste
- Two (2) 316L stainless steel rod holders in gunwale with four (4) drink holders
- Under gunwale rod storage, starboard
- Molded transom walkthrough and hinged HDPE transom door with 316L stainless steel latch and magnetic catch
- Port and starboard 316L stainless steel transom grab rails
- Molded non-skid steps in splashwell for athwartship access
- Custom cockpit upholstery with dri-fast foam and mesh backing
- Captain's chair with foldable armrests, fore and aft adjustment with storage below
- Molded port bridge lounge seating with footrest
- Pursuit cockpit entertainment system: 12v bluetooth® compatible stereo system, premium speakers (7 total, 4 in hardtop, 2 in bow, and subwoofer), amplifier and zonal remotes (3)
- Molded entertainment center with sink, hot/cold mixing faucet, trash can, drink holders, cutting board and hinged fiberglass lid and door
- 12v, 2.3ft3 Stainless steel drawer refrigerator with 3m protective film
- Lighted oceana blue 24 gallon recirculating live well
- Cockpit tackle center
- Molded aft facing cockpit seat with insulated storage below
- Folding starboard fiberglass boarding step
- Folding port gunwale seat
- Folding transom seat with patented adjusting backrest
- Custom molded cockpit table with dual mounting locations and dedicated storage
- Four (4) 316L stainless steel drink holders on bridges lounge, two (2) acrylic drink holders at helm
- Forward cockpit table/bow sun pad filler
- Port and starboard insulated fish boxes
- Cockpit machinery access hatch
- Bow machinery access hatch
- Mid-Ship machinery access hatch
- Fresh water wash with chrome over brass pull out sprayer

- Raw water outlet in cockpit with quick connect fittings and 25' hose
- LED cockpit accent lights (7) with water proof switch in cockpit
- Port and starboard 2 mile LED navigation lights

#### **Console Interior Port Side:**

- Single motion dual action console access door with gasket and 316L stainless steel locking latch
- Cabin entry step
- Molded console hull liner with pattern area and drainage
- Molded console deck liner
- Dedicated storage for rods (4), bow and cockpit tables, safety gear, and hanging locker
- Padded fishing reel protector for rod storage
- Convertible berthing accommodations/seating with cushions
- Opening port light and screen
- Two switch panel with overhead LED lights (3) LED floor accent light (1)
- Main distribution panel cabinet
- One 12v outlet (1) and dual USB charger
- One 120v outlet (1) with GFI protection
- Fire extinguisher
- CO monitor

#### **Head Starboard Side:**

- Single motion dual action console access door with gasket and 316L stainless steel locking latch
- Enclosed head compartment
- Vacuum flush marine head with 10 gallon holding tank, macerator discharge pump, deck pump-out fitting and bronze through hull fitting
- Fiberglass toilet seat cover
- Two switch panel with overhead LED light (1) LED floor accent light (1)
- Wet gear hanging feature
- Molded sink with corian® countertop, vanity mirror and pull-out hot/cold shower wand
- Under sink storage locker
- Shower sump box drain with automatic discharge and thru hull fitting
- Toilet tissue holder
- Towel ring
- One 120v outlet with GFI protection (1)

#### **Hardtop:**

- Molded fiberglass hardtop integrated visor
- Aft structural hardtop supports
- Custom windshield system with tempered glass
- Combination anchor/stern LED all-around navigation light
- Four (4) tri color LED lights
- Fore and aft facing spreader lights
- 316L Stainless steel fore/aft underside grab rails
- 60 Mil Strataglass™ side curtains
- Integrated stereo speakers (4)
- Electric oval horn with stainless steel cover

#### **Helm:**

- Molded fiberglass aft tilting helm with instrumentation visor electronics mounting surface, fold out fiberglass foot rest/platform, and safety lanyard
- Teleflex tilt sport helm
- 316L Stainless steel steering wheel with control knob and non-slip grip
- 12v Switch panel
- Single windshield wiper with washer control
- Compass
- Trim tab control panel and indicator
- Waterproof stereo remote with full function display
- Glove box drawer with dedicated electronics cover storage
- One 12v outlet (1) and dual USB charger
- Helm fire extinguisher

### **Electrical Systems:**

- UL® rated fully tinned, color coded copper wire
- Custom built, heat sealed, mechanically crimped, color coded battery cables
- Custom built, one piece electrical harness with water proof connectors and chafe protection
- Powder coated, aluminum, screen printed (front & back) main breaker panels
- Bonding system: thru hull fittings below water line, trim tabs, zinc anode and garboard drain
- Single 120v 30 AMP 60 cycle dockside power
- One 120v 30 AMP 50' dockside power cord
- Two 120v GFI outlets (2)
- Two 12v outlets (2) and two USB outlets (2)
- One 40 AMP battery charger
- Four battery system: port engine (1) starboard engine (1), house (1) , bow thruster (1)
- One grounding bus bar
- Electronics fuse block
- Isolation transformer

### **Mechanical Space:**

- Molded interior white gel coat
- Molded hatch with gasket and stainless steel gas spring
- Molded bilge sump area
- Two 1500 GPH bilge pumps with one automatic float switch, one high water float switch and alarm with stainless steel clad composite thru hull fittings
- Fresh water pump with filter
- Raw water pump with sea strainer, sea cock and thru hull fitting fish box evacuation pump with dedicated control valves

### **Fuel System:**

- EPA compliant lined twin rotomolded fuel tanks
- 300-Gallon combined with engine pickups, shutoff valves and digital level indicator.
- Custom built fuel lines with mechanically crimped fittings
- Two Yamaha® water separating fuel filters with primer bulbs

### **Water System:**

- 30-Gallon fresh water tank capacity
- Custom built reinforced color coded water hose

- Pressure sensing pump
- Dockside fresh water inlet with pressure regulator
- 120v/60 Cycle 6-Gallon hot water heater
- Cockpit shower with hot/cold mixing valve
- Fresh water distribution manifold

## Exclusions

- Seller's Personal Belongings

## Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

## Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

























Manufacturer Provided Image







Manufacturer Provided Image