



35' (10.67m) 2019 Pursuit OS 355 Offshore
Boynton Beach Florida United States



OVERVIEW

\$449,900

Manufacturer:	<i>Pursuit</i>		
Engines:	3 Yamaha	Hull Material:	Fiberglass
Engine Model:	F300	Cruise Speed:	Knots
Engine HP:	300	Max Speed:	Knots
Beam:	12' 0"	Cabins/Heads:	/ 1
Max Draft:	3' 3"	Fuel Type:	Gas/Petrol
Water:	50 G (189.27 L)	Fuel:	388 G (1468.74 L)



Steve Gallagher steveg@unitedyacht.com

1-561-718-1300

Data Sheet

Category: Sport Fishing

Condition: Used

Model Year: 2019

Beam: 12' (3.66m)

Max Draft: 3' 3" (0.99m)

Min Draft: 2' 2" (0.66m)

LOA: 37' 11" (11.56m)

Single Berths: 4

Heads: 1

Knots

Knots

Fuel Type: Gas/Petrol

Deadrise: 20°

Hull Material: Fiberglass

Hull Shape: Deep Vee

Hull Warranty: 5 years

Bridge Clearance: 9' 9"

lbs

Dry Weight: 17470 lbs

Fuel Tank: 388 gal (1468.74 liters)

Fresh Water: 50 gal (189.27 liters)

Holding Tank: 22 gal (83.28 liters)

Builder: Pursuit

Engines/Generators

Engine 1

Yamaha

F300

Outboard 4 Stroke

300HP

223.71KW

Fuel: Gas/Petrol

Hours: 530

Location: Port

Engine 2

Yamaha

F300

Outboard 4 Stroke

300HP

223.71KW

Fuel: Gas/Petrol

Hours: 530

Location: Middle

Engine 3

Yamaha

F300

Outboard 4 Stroke

300HP

223.71KW

Fuel: Gas/Petrol

Hours: 530

Location: Starboard

Summary/Description

2019 Pursuit OS 355 Offshore Sportfish and upscale cruiser with yacht quality interior appointments and audio system. Loaded with entertainment and fishing features. Bow thruster for easy docking. Plenty of comfortable seating. Triple 300hp Yamaha outboards for exciting, efficient performance!

Must Be Sold in the Next 30 Days!

Priced below market for a quick sale to make room for the owners new boat.

This boat is pristine and loaded with options! New Panda Generator has only 30 hours. Triple 300 Yamahas with 530 hours and fresh services. Joystick, Bow Thruster, Flir Night Vision, Helm A/C just serviced and descaled, New Batteries, and More....

This one is turn key ready for Summer!

Contact the listing broker directly to take advantage of this great opportunity.

Manufacturer Provided Description

Pursuit delivers an exciting array of Offshore models and the OS 355 takes that winning formula to the next level. A single-piece optically clear windshield, exterior fabrics and finishes with exciting seating arrangements give you every reason to dive into a Pursuit Offshore. Standard triple Yamaha F300 engines give you the power you've been looking for. The increased natural light through stylish hull-side windows, stainless-steel refrigerator and electrically actuated convertible berth/dinette are a few of the cabin features elevating this model with yacht-caliber appointments.

Vessel Walkthrough, Details and Sytems

HULL

- Pursuit® Protection Plan:
- 5-year hull/deck structural warranty
- 5-year blister-free warranty
- 2-year limited warranty
- Pursuit Fresh White Gelcoat
- Hand Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management System
- Foam Filled Structural Grid
- Bronze Thru Hull Fittings Below Water Line
- Chrome over Bronze Thru Hull Fittings Below the 7 Degree Heel Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Bronze Garboard Drain
- Trim Tabs, Lenco Electric with Auto-Retract
- Bow Eye, 5/8" 316L Stainless Steel
- Integrated Transom Platform Extensions Outboard of Engines
- Boarding Ladder, 4-Step Telescopic, Mounted in Hull Platform
- Anchor System, Integrally Molded Thru-Stem

- Horn, Electric, with Oval Stainless Steel Cover
- Bow Thruster, 3.0 HP (2.2 kW) with Group 31 AGM Battery, Switch and Fuse
- Molded Hull Side Frameless Tempered Glass Windows
- Dedicated Transducer Location
- Forward Hull One (1) 1100 GPH Bilge Pump with Automatic Float Switch

DECK

- Hull and Deck Joint: Mechanically Fastened and Includes Aluminum Backing Plates At Cleat Locations
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap, 316L Stainless Steel
- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area
- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Horizontal Anchor Windlass with Switch at Helm and Remote at Anchor Locker
- 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder
- 22lb Stainless Steel Plow Style Anchor, Self-Righting Shackle and 200' Rode (1/2" 8 Plait including 10' of 1/4" G4 Chain)
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, 10" Fixed Spring (2) and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- Molded Transom Walkthrough with Hinged Transom Door, 316L Stainless Steel Latch and Magnetic Catch
- Self-Draining Cockpit with Bronze Ball Valve at Hull Side
- Bow Rail, one-piece, welded 316L Stainless Steel, with 1 1/4" Top Rail and 1" Stanchions
- Foredeck Hand Rails, 316L Stainless Steel
- Transom Grab Rails, 316L Stainless Steel, (port & starboard)
- Navigation Lights, LED, 2 mile
- Molded Non-Skid Steps in Splashwell for Athwartship Access
- Foredeck Hatch, 17" x 17", Flush with Adjuster and Screen
- Opening Port Lights (5) with Screen and Stainless Steel Frame
- Port and Starboard Pantographic Windshield Wipers with Fresh Water Washer System
- 316L Stainless Steel Foredeck Grab Rails (port & Stbd)

COCKPIT

- Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Captain's Chair with Swivel Base, Foldable Armrests, Fore and Aft Adjustment and Flip-up Bolster
- Molded Port Bridge Lounge Seating with Large Backrest, Folding Arm, Molded Footrest & Port Articulating Armrest
- Pursuit Cockpit JL Audio Entertainment System: 12V Bluetooth® Compatible Stereo System, JL Speakers (7 Total, 4 in Hardtop, 2 Interior, & Subwoofer), Amplifier and Remote at Helm
- Molded Entertainment Center with Sink, Hot/Cold Mixing Faucet, Electric Grill, Cutting Board, 120v Outlet with GFI Protection and Hinged Fiberglass Lid and Doors
- Molded Port and Starboard Aft Facing Seats with Insulated Storage Below
- 1.3 cu. ft. Bridgedeck Refrigerator/Freezer with Fiberglass Lid
- Folding Transom Seat with Patented Adjusting Backrest
- Three (3) 316L Stainless Steel Drink Holders on Bridges Lounge, Two (2) Acrylic Drink Holders at Helm and Two (2) 316L Stainless Steel in Gunwale
- Cockpit Machinery Access Hatch
- Fresh Water Wash with Hot/Cold Mixing Valve and Chrome over Brass Pull-out Sprayer at Transom Door
- Raw Water Outlet in Cockpit with Quick Connect Fittings and 25' Hose
- LED Cockpit Accent Lights (7) with Waterproof Switch in Cockpit

FISHING FEATURES

- Rod Holders (4), Stainless Steel, in Gunwale
- Lighted Oceana Blue 28 Gallon Recirculating Livewell
- Under Gunwale Rod Storage (port & starboard)
- Fish Boxes, Insulated, and Diaphragm Pumps with Overboard Discharge (port & starboard)
- Cockpit Tackle Center

HARDTOP and WINDSHIELD

- Molded Fiberglass Hardtop Integrated Visor
- Powder Coated Aft Structural Hardtop Supports with Rod Holders (4)
- Custom Windshield System with Optically Clear Laminated Windshield Glass, Tempered Side Glass with Infused Fiberglass Frame and Electrically Actuated Center Vent Window
- Custom Stainless Steel Ratcheting Anchor/Stern Light with Burgee Rings
- Four (4) Tri Color LED Lights
- Aft Facing Spreader Light
- 316L Stainless Steel Fore/Aft Underside Grab Rails
- 316L Stainless Steel Fore/Aft Topside Grab Rails
- Integrated Stereo Speakers (4)
- 60 mil Strataglass™ Side Curtains
- 3 Piece Drop Curtain
- Integrated Life Jacket Storage
- Integrated Port & Starboard Overhead Glove Boxes
- Horn, Dual Trumpet
- Port and Starboard Ventilation Hatches with Screens
- Fiberglass Hardtop with Dedicated Radar, Antenna and Outtrigger Locations

HELM

- Molded Fiberglass Aft Tilting Helm with Instrumentation Visor, Electronics Mounting Surface, Fold Out Fiberglass Footrest / Platform and Safety Lanyard
- Molded Acrylic Access Door with Secondary Framed Screen Door and 316L Stainless Steel Locking Latch
- 316L Stainless Steel Steering Wheel with Control Knob and Non-Slip Grip on Sport Tilt Plus Helm
- 12V Panel with Illuminated Carling® Rocker Switches
- Port and Starboard Heavy Duty Pantographic Windshield Wiper System with Washer Control
- Compass
- Trim Tab Control Panel and Indicator
- Bow Thruster Joy Stick Control
- Waterproof Stereo Remote with Full Function Display
- Two 12V Outlets (2) and Dual USB Charger (1)
- Helm Drink Holders (2) in Side Panel
- Helm Fire Extinguisher
- Yamaha® Command Link Plus Display

CABIN

- Molded Acrylic Access Door with Secondary Framed Screen Door and 316L SS Locking Latch
- Cabin Entry Steps with Custom Handrail and Wood Treads
- Molded Cabin Hull Liner with Custom Solid Wood Tongue and Groove Floor Accents, Mechanical Access, Drainage and Sound Damping Insulation
- Molded Cabin Deck Liner with Sound Damping Insulation
- 240V/60 Cycle Interior Air Conditioning W/ Reverse Cycle Heat and Sound Shield. 16,000 BTU

- Pursuit Digital Media Ready Entertainment Center with 28" LED TV and Dedicated, Amplified TV Audio System
- JL Audio Stereo Speakers (2)
- Electrically Actuated Custom V-Berth Seating with Fixed Cushions that Converts into Queen size Berth
- Solid Wood Table with Power Adjustable Pedestal
- Forward Hardwood Framed Accent Mirror
- Hull Side Windows Port and Starboard in Forward Berth with Curtains
- Forward Gunwale Storage Shelves Port and Starboard
- Forward Outboard Storage Compartments Port and Starboard
- 7.5 cu. ft. In Floor Storage with Solid Wood Hatch
- Cedar Lined Hanging Locker with Automatic LED Light
- Flush Mounted Opening Foredeck Hatch with Screen
- 316L Stainless Steel Opening Port Lights (3) with Screen
- Mid-berth Recessed, Wood Framed, Full-size 6" Innerspring Mattress with Filler Cushion
- Mid-berth Hanging Locker and Storage to Portside
- Mid-berth Horizontal Rod Storage for (4) Rods
- 12V Outlet (1) and Dual USB Charger (1)
- Six Switch Panel with LED Floor Accent Light (2), Overhead Dinette Lights (3), Fwd Reading Lights (2), Overhead Galley Lights (2), Dedicated Galley Surface Light (1) and Table Actuator
- CO Monitor

GALLEY

- Corian® Galley Counter Top with Backsplash and LED Cabinet Surface Lighting
- Stainless Steel Sink with Cutting Board Cover, Overboard Drain and Stainless Clad Composite Thru Hull Fitting
- Pressurized Hot/Cold Mixing Valve and Faucet
- Galley Lower Storage Cabinet with Maple Drawers (3), Dedicated Storage and Trash Can
- Galley Pantry Storage Locker with Storage Shelves and Hardwood Keepers
- Galley Upper Cabinet Storage with Doors
- 12V, 4.6 cu. ft. Stainless Steel Refrigerator
- 12V LED Overhead Light (2)
- 240V Dual Burner Glass Cook Top with Touch Controls and Pop-up Pot Holders
- 120V 1.1 cu. ft. Stainless Steel Faced Microwave Oven
- 120V Outlet with GFI Protection (1)
- Fire Extinguisher
- 316L Stainless Steel Opening Port Light with Screen

HEAD

- Corian® Galley Counter Top with Backsplash and LED Cabinet Surface Lighting
- Stainless Steel Sink with Cutting Board Cover, Overboard Drain and Stainless Clad Composite Thru Hull Fitting
- Pressurized Hot/Cold Mixing Valve and Faucet
- Galley Lower Storage Cabinet with Maple Drawers (3), Dedicated Storage and Trash Can
- Galley Pantry Storage Locker with Storage Shelves and Hardwood Keepers
- Galley Upper Cabinet Storage with Doors
- 12V, 4.6 cu. ft. Stainless Steel Refrigerator
- 12V LED Overhead Light (2)
- 240V Dual Burner Glass Cook Top with Touch Controls and Pop-up Pot Holders
- 120V 1.1 cu. ft. Stainless Steel Faced Microwave Oven
- 120V Outlet with GFI Protection (1)
- Fire Extinguisher
- 316L Stainless Steel Opening Port Light with Screen

ELECTRICAL

- UL® Rated Fully Tinned, Color Coded Copper Wire
- Custom In-House Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom In-House Built, One-Piece Electrical Harness with Water Proof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front and Back) Battery Switch and Breaker Panel
- Bonding System: Thru Hull Fittings Below Water Line, Trim Tabs, Zinc Anode and Garboard Drain
- Six Battery System: Port Engine (1), Center Engine (1), Starboard Engine (1), Bow Thruster (1) (AGM) and House (2) (AGM)
- Single 240V 50 Amp 60 Cycle Dockside Power Connection
- 240V 50 Amp 50' Dockside Power Cord with Wireless/Switch Operated Electric Cord Retract Reel
- Isolation Transformer
- One (1) 40 Amp Battery Charger for House, Electronics and Bow Thruster Batteries
- One (1) 20 Amp Battery Charger for Engine Cranking Batteries
- One Grounding Bus Bar
- Electronics Fuse Block

MECHANICAL

- Molded Interior White Gel Coat
- Molded Hatch with Gasket and Stainless Steel Gas Spring
- Molded Bilge Sump Area
- Mechanical Space Access Step
- One Low Profile 900 GPH Bilge Pump with Integrated Float Switch, One 1500 GPH Bilge Pump with High Water Float Switch and Alarm w/ SS Clad Composite Thru Hull Fittings
- Fresh Water Pump with Filter
- Raw Water Pump with Bronze Sea Strainer, Seacock and Thru Hull Fitting
- Livewell Cyclone Pump with Bronze Sea Strainer
- Dedicated Fishbox Diaphragm Evacuation Pumps
- Teleflex Power Steering Pump

GENERATOR

- 240V/60 Cycle 8.0 kW Fischer Panda® Diesel Generator with Sound Shield and Service Slide
- EPA Compliant Lined 24 Gallon Rotomolded Fuel Tank with Engine Pickup, Shutoff Valves, Digital Level Indicator, Water Separating Fuel Filter and 316L Stainless Steel Deck Fill Plate
- Fire Suppression System

FUEL SYSTEM

- 240V/60 Cycle 8.0 kW Fischer Panda® Diesel Generator with Sound Shield and Service Slide
- EPA Compliant Lined 24 Gallon Rotomolded Fuel Tank with Engine Pickup, Shutoff Valves, Digital Level Indicator, Water Separating Fuel Filter and 316L Stainless Steel Deck Fill Plate
- Fire Suppression System

WATER SYSTEM

- 50 Gallon Water Tank with Level Indicator and 316L Stainless Steel Deck Fill Plate
- Premium Sea Tech Color Coded Water Hose System with Mechanically Crimped Ends
- Pressure Sensing/Variable Speed Pump
- Fresh Water Distribution Manifold with Dedicated Valves
- Dockside Fresh Water Inlet with Pressure Regulator

- 6 Gallon Stainless Steel Water Heater, 240V/60 Cycle
- Cockpit Shower with Hot/Cold Mixing Valve

Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.























