





37' (11.28m) 2021 Pursuit S378 Miami Florida United States



OVERVIEW

Manufacturer: Pursuit

Engines: 3 Yamaha Hull Material: Fiberglass

Engine Model: XF425 Cruise Speed: Engine HP: 425 Max Speed: Beam: 12' 0" Cabins/Heads:

Beam: 12' 0" Cabins/Heads: /
Max Draft: " Fuel Type: Gas/Petrol

Water: 45 G (170.34 L) Fuel: 427 G (1616.37 L)



Call for Price



Data Sheet

Category: Center Consoles

Condition: New Model Year: 2021 Beam: 12' (3.66m) LOA: 40' 5" (12.32m) Fuel Type: Gas/Petrol Hull Material: Fiberglass

Air Conditioning: Yes

Dry Weight: 18000 lbs Bow Thruster: Yes

Fuel Tank: 427 gal (1616.37 liters) Fresh Water: 45 gal (170.34 liters) Holding Tank: 22 gal (83.28 liters)

Stock #: S7105 In Stock: Yes

Engines/Generators

Engine 1

Yamaha XF425 Outboard 4 Stroke

425HP Fuel: Gas/Petrol **Engine 2**

Yamaha XF425

Outboard 4 Stroke

425HP

Fuel: Gas/Petrol

Engine 3

Yamaha XF425

Outboard 4 Stroke

425HP

Fuel: Gas/Petrol

1-305-858-9700 Apex Marine Sales rudy@apexmarine.co



Summary/Description

Just In!! The S 378 is the newest addition to Pursuit's popular Sport family and features advanced innovations as well as the quality, fishability and versatility that you've come to expect. Enjoy a full day of fishing from the ample cockpit until it's time to socialize. Then experience our ground

Factory Installed options

- Yamaha Helm Master with set point
- Neptune Grey Hull
- LED Spotlight with remote at helm
- Cockpit A/C 16,000 BTU
- All Color SeaBlaze UW Lights (4)
- Garmin Electronic Package, GPSMAP 8616xsv 16" Display, 8616 Display, B175 1 kW CHIRP Transducer ,VHF 315.
- Garmin GMR 424 XHD2 Radar
- Garmin Auto Pilot
- Hardtop Rod Holders (6)
- Taco Grand Slam 380 Outriggers 18'
- Transom Fishing Package
- Makefast Sunshade aft electric
- Med Forward shade

Standard Equipment

HULL FEATURES

- Pursuit® Protection Plan:
- 5 Year Hull and Deck Structural Warranty
- 5 Year Blister Free Warranty
- 2 Year Limited Warrant
- Hand Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management System
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Integrated Transom Platform Extensions Outboard of Engines
- Integrally Molded Thru-Stem Anchor System with Fresh and Raw Water Washdown
- · Vertical Anchor Windlass with Switch at Helm and Remote Switch at Anchor Locker
- 35lb 316L Stainless Steel Plow Style Anchor, 20' of G-4 Chain, 300' of 5/8", 8 Plait Rode and Self-Righting Swivel
- 316L Stainless Steel Through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder and Aluminum Backing Plates
- LED Courtesy Light in Anchor Locker
- Bronze Thru Hull Fittings Below Water Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Chrome over Bronze Thru Hull Fittings Below 7 Degree Heel Line
- T-Handle Bronze Garboard Drain
- High Density White PVC Rubrail with Solid 316L Stainless Steel Insert, Molded Rubrail Corners and 316L Stainless Steel Transom Cap

Apex Marine Sales rudy@apexmarine.co



- ½" 316L Stainless Steel Bow Eye
- 4 Step Telescopic Boarding Ladder Mounted in Hull Platform
- Tempered Glass Hull Side Windows Port and Starboard
- Lenco™ Electric Trim Tabs, Control pad with Indicator Lights and Auto-Retract
- Two (2) 1500 GPH Bilge Pump with High Water Float Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Forward Hull Compartmentation with One (1) 900 GPH Bilge Pump with Automatic Float Switch

DECK & COCKPIT FEATURES

- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area and Overboard Drains
- Hull and Deck Joint Mechanically Fastened and Thru-Bolted at Cleat Locations
- (6) 10" 316L Stainless Steel Pop Up Cleats (2) on Stern, (2) on Spring and (2) on Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- 316L Stainless Steel Deck Plates for Water, Waste and Diesel
- Combination 2 mile LED Navigation light
- LED Cockpit Accent Lights (8) with Water Proof Switch in Cockpit
- LED Blue Mid-Level Accent Lighting (8)
- Custom Tuned JL® Audio System: JL® Audio Stereo System with 12V Bluetooth® Compatible Head Unit, Premium Speakers (8 Total, 6 x 6.5" Exterior Speakers with 2 x 10" Subwoofers), and Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Port and Starboard 316L Stainless Steel Transom Grab Rails
- Single Level Splashwell Deck with Non-Skid Pattern Area
- 316 L Stainless Steel Shore Power Inlet with Electric Cord Retracting Reel and 50ft Cord
- Dockside Freshwater Inlet with Pressure Regulator
- Molded 2" Transom Walkthrough and Hinged Acrylic Transom Door with 316L Stainless Steel Latch and Positive Catch
- Transom Rod Holders (2)
- 316 L Stainless Steel Pump out for Waste
- 316 L Stainless Steel Outboard Engine Flush Inlet
- Folding Transom Seat with Full Height Rotating Backrest and Integrated Grab Rails
- Aft Facing, Molded Cockpit Seat with Dedicated Storage Below
- · Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Full Cockpit Breathable Coaming Bolsters with High Density Foam
- Custom Molded Cockpit Table with Dedicated Storage Location in Leaning Post
- 316L Stainless Steel Cockpit Extra Deep Drink Holders (6)
- Custom Molded Side Boarding Door (Starboard) with Heavy Duty 316 L Stainless Steel Hardware and Deck
 Mounted 316 L Stainless Steel Dive Style Telescoping Ladder with dedicated storage in the Machinery Space
- Lighted Oceana Blue 36 Gallon Recirculating Livewell
- Cockpit Tackle Center with Storage for Four (4) Plano® Boxes
- Port and Starboard 41 Gal Insulated Fishboxes in Cockpit with Dedicated Diaphragm Discharge Pumps
- Under Gunwale Rod Storage, Port (3-Rods) and Starboard (2-Rods)
- Four (4) 316L Stainless Steel Rod Holders in Gunwale
- Four (4) 316L Stainless Steel Rod Holders in Bow
- Aluminum Reinforcement Plates and Wiring for Downrigger Installation, Port and Stbd
- Molded Entertainment Center with Corian Accents, Molded Sink, Hot / Cold Mixing Faucet, Electric Cockpit Grill, Cutting Board, Dedicated Storage, 120V Outlet with GFI Protection, Hinged Fiberglass Lids
- 1.3 ft3 Top Load Refrigerator (or Freezer) with Thermostat Control and Fiberglass Lid
- Powered Aft Seat / Entertainment Center that Allows for Transformation of Cockpit into Configurations Suited for Cruising, Entertaining or Fishing. Rocker Switch Directional Control of Electric Actuation with 316 L Stainless Steel



Hardware and Concealed Slide Mechanism. Patent Pending.

- LED Blue Mid-Level Accent Lighting (3)
- Cockpit Machinery Access Hatch with Access Step
- Fresh Water Wash with Hot / Cold Mixing Valve and Pull out Sprayer in Aft Cockpit
- Raw Water Outlet(s) in Cockpit (Livewell & Transom Door) with Quick Connect Fittings and 25' Coil Hose
- 316L Stainless Steel Deck Plates for Water, Waste and Diesel
- Self-Draining Cockpit with Molded Water Management, with Scupper Drains Bronze Ball Valves and Elbows
- 12 lb. Galvanized Stern Anchor with 30' 1/2" 8 Plait Rode
- Center Captain's Helm Seat with Vertical and Fore, Aft Adjustment
- Port and Starboard Companion Seats with Dedicated Footrests
- Bridge Machinery Access Hatch
- Drawer Cabinet Concealing Trash Bin
- Hinged Semi-Rigid Drop Curtain Feature
- Flush Mounted Integral Anchor Locker with Fiberglass Lid
- Two-Piece Welded 316L Stainless Steel Forward Deck Grab Rail Recessed into Deck
- Two-Piece Welded 316L Stainless Steel Mid-ship Grab Rail Recessed into Deck
- Bow Seating Port and Starboard with Electrically Actuated Forward Facing Backrests and Extra Deep Drink Holders
 (4)
- Insulated Storage Under Bow Seating Area Port and Stbd
- Fwd. Fiberglass Table with Stowage under Forward Seat Cushion
- Bow Sunpad Chaise for (2) with Tilt-up Leg Rest, Armrests and Drink Holders
- Forward Facing Centerline Seat
- Forward Gear Locker with Dedicated Storage Below Deck

HARDTOP

- Molded Fiberglass Full Beam Hardtop with Visor
- White Powder Coated Hardtop Supports
- Custom Tempered Windshield Glass, Tempered Side Glass with Powder Coated Structural Frame
- Single Heavy Duty Pantograph Windshield Wiper with Fresh Water Washer
- Hinging 316L Stainless Steel Combination Anchor / Stern LED All-around Navigation Light with Burgee/Flag Rings and Embroidered American Flag
- Six (6) Tri Color LED Lights
- Two (2) Aft Facing Spreader Lights, One (1) Fwd. Facing Spreader Light
- Ventilation and Access Hatch (24in x 24in)
- Underside Rod Storage for Two (2) Rods on both the Port and Starboard
- Powder Coated Trumpet Air Horn with 316L Stainless Steel Mount
- 316 L Stainless Steel Aft Grabrails Port and Starboard
- Overhead Electronics Display Flat
- Yamaha® Display
- Optional Autopilot Display

HELM

- Molded Fiberglass Aft Tilting Helm with Instrumentation Visor, Electronics Mounting Surface, and Safety Lanyard
- Fold Down Platform Step for Secondary Standing Operating Position
- Yamaha® Electronic Steering Control with Programable Steering Friction
- Edson 316L Stainless Steel Steering Wheel with Textured Grip and Control Knob
- Top Load Glovebox with USB Charger
- Pursuit Custom Triple Captain's Seats with Folding Armrests, 3 Sculpted Flip-Up Bolsters and Lumbar Support, One (1) medium on ramping actuator, Two (2) small stationary, Color Matched Acrylic Backrests



- JL Media Master Head Unit
- Independently Switched Red LED light for Nighttime Helm Visibility
- Single Windshield Wiper Washer Control
- Ritchie® Navigator Compass
- 12V Switch Panel
- Trim Tab Control Panel and Indicator Lights
- 2 drink holders
- Dual USB Charger (1)
- 12V Outlet at Helm
- Nonskid Helm Floor Area

INTERIOR CABIN

- Full Fiberglass Cabin Deck Liner
- Full Fiberglass Hull Liner with Sound Damping Insulation
- Cabin Entry Steps with Custom Handrail and Wood Treads
- Custom Solid Wood Tongue and Groove Floor Accents
- Solid Wood Veneers on Interior Cabinetry
- Solid Wood Interior Table with Fixed Table Leg
- 19" LED TV
- Interior Rod Storage, 2 Head Bulkhead/2 Starboard
- Forward Berth with 4" Foam Cushions and Filler
- Port and Starboard Forward Outboard Storage
- Vista View Console Side Windows Port and Starboard that Allow Sightlines through the Hull Side Windows
- 12V Outlet (1), Dual USB Charger (1) and Inductance Phone Charger
- Companionway 2-Switch Panel: (2) Accent Floor Lights, (1) Overhead LED at Companionway (4) Overhead LED at berth
- 240V/60 Cycle Cabin Air Conditioning W/ Reverse Cycle Heat. 6,000 BTU Self Contained Unit with Bronze Sea Strainer, Seacock and Thru Hull Fitting
- 0.7 ft3 120V Microwave Oven
- 120V Outlet with GFI Protection (1)
- CO Monitor
- Fire Extinguisher
- AC Distribution Panel

HEAD (STARBOARD)

- Fiberglass Private Head Compartment with Non-Skid Pattern Area
- Solid Surface Countertop with Sink and Storage Cabinet Below
- Tempered Glass Console Side Window
- Vacu-Flush Porcelain Elongated Bowl Marine Head with 22 Gallon Holding Tank, Macerator Discharge Pump, 316L
 Stainless Steel Deck Pump-out Fitting and Bronze Through Hull Fitting
- Fiberglass Head Cover
- Upper Vanity Mirror
- Head Door Gear Hook
- Toilet Tissue Holder
- Towel Rack
- Shower Sump Box Drain with Automatic Discharge
- Shower with Hot/Cold Mixing Valve, Shower Wand
- Two Switch Panel with Overhead LED Light (1) LED Floor Accent Light (1)
- 120V Outlet with GFI Protection (1)



Shower Curtain with Storage Cover

ELECTRICAL SYSTEMS

- UL® Rated Fully Tinned, Color Coded Copper Wire
- Custom Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom Built, One Piece Electrical Harness with Water Proof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front & Back) Main Breaker Panels
- Bonding System: Thru Hull Fittings Below Water Line, Trim Tabs, Zinc Anode and Garboard Drain
- 240V 50 Amp 60 Cycle Dockside Power Connection
- Electrically Retractable Shore Power Cord Reel with 50ft Cord
- Three 120V Outlets with GFI Protection (3)
- One 40 AMP Battery Charger For House, Electronics, and Bow Thruster Bank
- One 20 AMP Battery Charger for Engine Bank
- Isolation Transformer
- Four 12V Outlets (4) and Four Dual USB Chargers (4)
- Five (5) Battery System: Port Engine (1) Center Engine (1) Starboard Engine (1), House (AGM) (1), Electronics (AGM) (1)
- One Grounding Bus Bar

GENERATOR

- 240V/60 Cycle 8.0 kW Fischer Panda® Diesel Generator with Sound Shield and Service Slide
- EPA Compliant Lined 24 Gallon Fuel Tank with Engine Pickups, Shutoff Valves and Digital Level Indicator

AFT MECHANICAL SPACE

- Molded Interior White Gel Coat Structural Foundation
- Molded Hatch with Gasket and Stainless Steel Gas Spring
- Molded Bilge Sump Area
- Two (2) 1500 GPH Bilge Pump with High Water Float Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Bilge High Water Alarm
- Livewell Cyclone Pump with Bronze Sea Strainer, Sea Cock and Thru Hull Fitting
- Raw Water Pump with Bronze Sea Strainer, Sea Cock and Thru Hull Fitting
- Dedicated storage for 5 Gallon Bucket
- Dedicated Storage for 12lb Stern Anchor
- Dedicated Storage for Dive Door Ladder
- 316L Stainless Steel Battery Service Slide System Port and Starboard

FORWARD MECHANICAL

- Fresh Water Pressure Sensing Pump with Filter
- One 900 GPH Bilge Pump with Automatic Float Switch

FUEL SYSTEMS

- EPA Compliant Lined 427 Gallon Rotomolded Fuel Tank with Engine Pickups (3), Shutoff Valves (3) and Digital Level Indicator (1).
- Custom Built Fuel Lines with Mechanically Crimped Fittings
- Three Yamaha® Water Separating Fuel Filters with Primer Bulbs



WATER SYSTEMS

- 45 Gallon Water Tank W/Level Indicator
- Custom Built Reinforced Color Coded Water Hose
- Fresh Water Pressure Sensing Pump with Filter
- Dockside Fresh Water Inlet W/ Pressure Regulator
- 6 Gallon Stainless Steel Hot Water Heater 240V 60 Cycle
- 16 Circuit Water Distribution Manifold with Dedicated Valves

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

Apex Marine Sales rudy@apexmarine.co























































Apex Marine Sales rudy@apexmarine.co