







42' (12.80m) 2023 Pursuit S 429 Sport Boca Raton Florida United States



OVERVIEW

Manufacturer: Pursuit

Engines: 4 Yamaha Hull Material: Fiberglass

Engine Model: 425 Cruise Speed: Engine HP: 425 Max Speed:

Beam: 13' 0" Cabins/Heads: / 1

Max Draft: 3' 9" Fuel Type: Gas/Petrol

Water: 70 G (264.98 L) Fuel: 547 G (2070.62 L)







Data Sheet

Category: Center Consoles

Condition: Used Model Year: 2023

Beam: 13' Max Draft: 3' 9" Min Draft: 2' Hull Shape: Deep Vee

10" LOA: 43' 9" (13.34m)

Heads: 1

Fuel Type: Gas/Petrol Deadrise: 22 degrees°

Hull Material: Fiberglass Hull Shape: Deep Vee

Bridge Clearance: 9' 2

Dry Weight: 23600 lbs

Fuel Tank: 547 gal (2070.62 liters) Fresh Water: 70 gal (264.98 liters) Holding Tank: 22 gal (83.28 liters)

HIN/IMO: PURS1155F223

Engines/Generators

Engine 1	Engine 2	Engine 3	Engine 4
Yamaha	Yamaha	Yamaha	Yamaha
425	425	425	425
Outboard	Outboard	Outboard	Outboard
425HP	425HP	425HP	425HP
316.92KW	316.92KW	316.92KW	316.92KW
Fuel: Gas/Petrol	Fuel: Gas/Petrol	Fuel: Gas/Petrol	Fuel: Gas/Petrol
Hours: 135	Hours: 135	Hours: 135	Hours: 135
Year: 2023	Year: 2023	Year: 2023	Year: 2023
Lasatian, Dant	La aabiana Mialalla	La antino. Midalla	Landian. Charlenan

Location: Port Location: Middle Location: Middle Location: Starboard



Summary/Description

The size, power and amenities built into the S 428, deem it the epitome of a legend—with the ability to fish, cruise and entertain in unrivaled style and comfort. The S 428 is the most powerful Pursuit ever built.

Hull

- Pursuit® Protection Plan:
- 5 Year Hull and Deck Structural Warranty
- 5 Year Blister Free Warranty
- 2 Year Limited Warrant
- Pursuit Fresh White Gelcoat and Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management System
- · Foam Filled Structural Grid
- Bronze Thru Hull Fittings Below Water Line
- Chrome over Bronze Thru Hull Fittings Below the 7 Degree Heel Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Bronze Garboard Drain
- Zipwake Trim Control System, Series S Interceptors, Fully Automatic Pitch and Roll Control
- Bow Eye, 5/8" 316L Stainless Steel
- Integrated Transom Platform Extensions Outboard of Engines
- Boarding Ladder, 3-Step Telescopic, Mounted in Hull Platform
- Molded Hull Side Frameless Tempered Glass Windows
- Anchor System, Integrally Molded Thru-stem
- Dedicated Transducer Location
- Forward Hull Compartmentation with One (1) 900 GPH Bilge Pump with Automatic Float Switch
- Two (2) 1500 GPH Bilge Pumps with Electric Switches
- Bow Thruster, 5.4 HP (4.0kW) with Group 31 AGM Battery, Switch and Fuse

Deck

- · Hull and Deck Joint: Mechanically Fastened and Thru-Bolted at Cleat Locations
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap, 316L Stainless Steel
- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area and Overboard Drains
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, (4) Spring and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Vertical Anchor Windlass with Switch at Helm and Remote at Anchor Locker, 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder, 35lb Stainless Steel Plow Style Anchor, Self-Righting Swivel, 320' Rode (5/8" 8 Plait Including 20' of G4 Chain), Fresh and Raw Water Quick Connect Fittings and a LED Courtesy Light
- Self-Draining Cockpit with Molded Water Management and 316L Stainless Steel Drainage Grates
- Bow to Mid-ship Grab Rails, 316L Stainless Steel (Port and Starboard)
- Transom Grab Rails, 316L Stainless Steel (Port and Starboard)
- Single Level Splashwell Deck with Non-Skid for Athwartship Access
- Shore Power Inlet, 316L Stainless Steel
- Dockside Fresh Water Inlet



Cockpit

- Molded Forward Bow Seating with Insulated Storage Below, Electric-Actuating Hinged Forward Facing Backrests for Port and Starboard Seats with Clear Passage Forward (removable jump seat)
- Bow Tables (Fiberglass) with Removable Bases and Designated Storage
- Bow Sunpad Chaise for Two (2) with Adjustable Backrests, Armrests and Drink Holders
- Forward Facing Seating with Adjustable Backrest for Two (2) Forward of Chaise
- Bow Floor Access Hatch with Dedicated Gear Locker/Storage Below Deck (Access to Bow Thruster components)
- Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Full Cockpit Breathable Coaming Bolsters with Dri-Fast Foam
- Pursuit Cockpit JL Audio Custom Tuned Entertainment System: JL Media Master 12V Bluetooth® Compatible Stereo System, Premium JL Audio Speakers Eight (8) Total, Six (6) 7.7" Exterior and Two (2) 10" Subwoofers, Two (2) Amplifiers, Remote at Bow and Ext Antenna
- Pursuit Custom Triple Captain's Seats with Dedicated Folding Armrests, Three (3) Articulating Flip-Up Bolsters and Lumbar Support, Center Seat has Fore, Aft and Vertical Adjustments
- Helm Seat Box Content: Slide-out Trash Can Access (Port Side) DC Panel and Battery Switch Access (Starboard Side)
- Bridge/Helm Machinery Access Hatch
- Molded Cockpit Entertainment Center with Corian Accents, Molded Sink, Hot/Cold Mixing Faucet, Electric Cockpit
 Grill, Top Load Refrigerator/Freezer (11 gallon) with Digitally Controlled Thermostat, Sliding Storage Tray, Hinged
 Fiberglass Lids, Cutting Board, Dedicated Storage Drawers and 120V Outlet with GFI Protection
- Aft Facing Molded Mezzanine Seat with Armrests and Dedicated Storage Below and Secondary Row of Forward-Facing Bridge Seats (2) (Entire Assembly is Power Sliding Fore/Aft)
- Custom Molded Cockpit Table with Dedicated Storage
- Folding Transom Seat with Patent-pending Flipping Backrest
- Extra Deep Drink Holders, 316L Stainless Steel, Eleven (11)
- Cockpit Machinery Access Hatch
- Fresh Water Cockpit Shower with Hot/Cold Mixing Valve and Pull Out Sprayer
- Raw and Fresh Water Outlets in Cockpit with Quick Connect Fittings and 25' Coil Hose
- Yamaha Electronic Engine Flush Hose Connection
- Side Boarding Door, Inward Opening (Port Side)
- Side Boarding Door Swim/Dive Ladder Receiver
- Side Boarding Platform, Outward Opening, Electrically Actuated (Starboard Side) with Swim/Dive Ladder Receiver
- LED Cockpit Courtesy Lights (10) with Waterproof Switch in Cockpit
- LED Mid-Level Cockpit Accent Lights (10), Full Spectrum, with Control Panel
- Cockpit Fire Extinguisher Under Gunwale
- Bow Seat Cover Stamoid® Light
- Chaise Seat Cover, Front of Console Stamoid® Light
- Entertainment Center and Seat Cover Stamoid® Light
- Aft Facing Cockpit Seat Cover Stamoid® Light

Fishing Features

- Rod Holders, Ten (12) Total, Stainless SteelFour (4) in Gunwale, Four (4) in Transom
- Four (4) in Bow
- Transom Livewells, Lighted Oceana Blue (36 gallons Each) Recirculating and Insulated with Fiberglass Lid and Acrylic Window (Port and Starboard)
- Cockpit Tackle Center with Storage for Four (4) Plano Trays and Tackle Drawer (Port and Starboard)
- Fish Boxes, Three (3) Totaling 134 gallonsTransom (68 gallon) Insulated, Refrigerator/Freezer with Digitally Controlled Thermostat and Overboard Drain



- Cockpit Floor (42 gallon) Insulated, Diaphragm Pump with Overboard Discharge (Port)
- Cockpit Floor (24 gallon) Insulated, Diaphragm Pump with Overboard Discharge (Starboard)
- Rod Storage, Lockable, Under Port Gunwale for Three (3) with Custom Embroidered Reel Pad
- Rod Storage, Under Bow Gunwale for Two (2) with Custom Embroidered Reel Pad (Port and Starboard)
- Rod Storage, Under Hardtop for Two (2) (Port and Starboard)
- Rod Storage, Lockable, in Cabin for Four (4)
- Aluminum Reinforcement Plates and Wiring for Downrigger Installation, Aft Gunwale (Port and Starboard)

Hardtop and Windshield

- Molded Fiberglass Full Beam Hardtop with Visor
- Powder Coated Hardtop Structural Supports Integrated Ladder Rungs for Access to Hardtop
- Custom Windshield System with Optically Clear Laminated Windshield Glass with Electrically Actuated Vents (Port and Starboard), Tempered Side Glass with Powder Coated Structural Frame and Grab Rails, 316L Stainless Steel (Port and Starboard)
- Pantograph Windshield Wiper with Fresh Water Washer
- Anchor/Stern LED Lights with Burgee Rings and USA Flag with Electrically Actuated Mount
- External AM/FM Antenna with Electrically Actuated Mount
- Six (6) Tri Color LED Lights
- Two (2) Aft Facing Spreader Lights, One (1) Forward Facing Spreader Light
- Integrated Stereo Speakers, Four (4)
- Rod Storage, Under Hardtop for Two (2) (Portand Starboard)
- Overhead Electronics Display Flat, Yamaha® CL7 Display (CL7 deletes with optional Garmin® Electronics)
- Fiberglass Hardtop with Dedicated Radar, Antenna, Outrigger Locations and Grab Rails, 316L Stainless Steel (Port, Starboard and Aftwartship)
- Hardtop Access/Ventilation Sliding Hatches (Port and Starboard)
- Horn, Trumpet
- Navigation Lights, LED, 2 Mile

Helm

- Molded Fiberglass Aft Tilting Helm with Instrumentation Visor, Electronics Mounting Surface, Fold Out Fiberglass Footrest/Platform and Safety Lanyard
- 12V Switch Panel with Illuminated Rocker Switches and Backlit Function
- Steering Wheel, 316L Stainless Steel, with Control Knob and Non-Slip Grip on Yamaha Electric Steering Control with Programable Steering Friction
- Custom Helm Accents with Upholstery and Blue LED Lighting
- Top Load Glovebox (Contains JL Audio USB Port and Wireless Phone Charger)
- Custom Grab Rail, 316L Stainless Steel
- Bow Thruster Joystick Control
- Single Windshield Wiper with Washer Control
- Ritchie® Navigator Compass
- Port Fold-down Footrest
- Zipwake Trim System Control Panel
- JL Audio Media Master Full Function Display
- Helm Drink Holders (2) Extra Deep and (2) Regular, 316L Stainless Steel
- 12V Outlets (1) and Dual USB Charger (1)
- Helm Fire Extinguisher Under Gunwale
- Yamaha® Command Link Plus Display (Overhead CL7 deletes with optional Garmin Electronics)
- Helm Instrument Cover Stamoid® Light
- Helm/Companion Seat Cover Stamoid® Light



Helm Mechanical Space Access Hatch with Nonskid and Synthetic Teak Accents

Cabin

- Molded Acrylic Access Door with Secondary Framed Screen Door and 316L Stainless Steel Locking Latch
- Full Fiberglass Cabin Deck Liner
- Full Fiberglass Hull Liner with Sound Dampening Insulation
- Cabin Entry Steps with Custom Handrail and Wood Treads
- Custom Solid Wood Tongue and Groove Floor Accents
- Solid Wood Veneers on Interior Cabinetry
- Solid Wood Interior Table with Fixed Table Leg, 316L Stainless Steel
- · Hanging Locker
- 240V/60 Cycle Cabin Air Conditioning w/Reverse Cycle Heat, 8,000 BTU
- 32" LED TV with Custom Cabinetry Surround
- Forward Berth with 5" Foam Cushions and Filler
- Removable Settee Backrests with Outboard Storage and Indirect Accent Lighting (Port and Starboard)
- Vista View Forward Console Side Windows (Port and Starboard) Allow Sightlines through Hull Side Windows
- Aft Console Side Windows (Port and Starboard) with Integrated Flush Portlights
- Custom Window Trim with Accordion Style Blinds
- Interior Rod Storage, Head Bulkhead (2) and Starboard Side (2)
- Overhead Skylight with Custom Upholstered Accent
- 12V Outlet. One (1), Dual USB Charger, Three (3)
- Companionway Switch PanelAccent Floor Lights, Two (2)
- Overhead LED at Companionway, One (1)
- Overhead LED at Berth, Four (4)
- Indirect Strip Lighting, Three (3)
- Storage Drawer with Integrated Prep Surface
- 120V Microwave Oven (1.1 cu. ft.)
- 120V Outlet with GFI Protection
- CO Monitor
- Fire Extinguisher
- AC Distribution Panel

Head

- Fiberglass Private Head Compartment with Non-Skid Pattern Area
- Corian® Countertop with Sink, Hot/Cold Faucet and Storage Cabinet Below
- Vacuum Flush Elongated Marine Head with 22 Gallon Holding Tank, Macerator Discharge Pump, 316L Stainless
 Steel Deck Pump-out Fitting and Bronze Thru Hull Fitting with Seacock
- Fiberglass Toilet Seat Cover
- Upper Vanity Mirror
- Toilet Tissue Holder
- Towel Rack
- Shower Sump Box Drain with Automatic Discharge Pump
- Shower with Hot/Cold Mixing Valve and Shower Wand
- Tempered Glass Console Side Window with Vented Portlight and Privacy Screen
- 120V Outlet with GFI Protection
- Two-Switch Panel with Overhead LED Lights, Three (3) and Floor LED Accent Light Two (2)
- Head Door Gear Hook
- Shower Curtain with Storage Cover



Electrical

- UL® Rated Fully Tinned, Color Coded Copper Wire
- Custom In-House Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom In-House Built, Electrical Harness with Waterproof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front and Back) Battery Switch and Breaker Panel
- Bonding System: Thru Hull Fittings Below Water Line, Zinc Anode and Garboard Drain
- Eight Battery System: Port Engine (1), Port Center Engine (1), Starboard Center Engine (1), Starboard Engine (1), Electronics (1) (AGM), House (2) (AGM) and Bow Thruster (1) (AGM)
- One (1) 40 Amp Battery Charger for House, Electronics and Bow Thruster Batteries
- One (1) 20 Amp Battery Charger for Engine Batteries
- 12V Outlets, Two (2) and Dual USB Chargers, Four (4)
- One Grounding Bus Bar
- Single 240V 50 Amp 60 Cycle Dockside Power Connection
- 240V 50 Amp 50' Dockside Power Cord with Switch or Wireless Remote Operated Electric Cord Retract Reel
- Isolation Transformer
- 120V Outlets with GFI Protection, Three (3)
- Pursuit Custom 12V and 120V Interior MDP Switch Panel for Cabin Interior Circuits

Mechanical

AFT MECHANICAL SPACE

- Seakeeper 6 Gyro Stabilizer: Includes Comprehensive Structural Integration, Seakeeper Factory Certified Installation, Recreation Gold Warranty (4 Year or 3000 Hours, Direct Seakeeper Support)
- Molded Interior White Gel Coat
- Molded Hatch with Gasket and Stainless Steel Gas Spring
- Molded Bilge Sump Area
- Mechanical Space Access Steps (Port and Starboard)
- One (1) 1500 GPH Bilge Pump with Electronic Switch and One (1) 1500 GPH Pump with High Water Electronic Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Raw Water Pump with Inline Filter, Seacock and Thru Hull Fitting
- Livewell Cyclone Pump with Bronze Sea Strainer, Seacock and Thru Hull Fitting (Port and Starboard)
- Dedicated Fish Box Diaphragm Evacuation Pumps
- Dedicated Storage for Side Door/Platform Boarding Dive Style Telescoping Ladder
- Dedicated Storage for 12 lb. Fluke Style Anchor with 30' of 1/2" 8-plait Line and Poly Storage Rack
- Dedicated Storage for 5 Gallon Bucket
- Battery Service Slide System, 316L SS (Port and Starboard)

FWD MECHANICAL SPACE

- One Low Profile 900 GPH Bilge Pump with Integrated Float Switch, with Stainless Steel Clad Composite Thru Hull Fitting
- Fresh Water Pressure Sensing Pump with Filter

Fuel

- EPA Compliant 574 Gallon Aluminum Fuel Tank with Engine Pickups, Shutoff Valves, Digital Level Indicator, and Deck Fuel Fill Plate (Port Side)
- Custom Built Premium Fuel Feed Lines with Mechanically Crimped Fittings
- Four (4) Yamaha® Water Separating Fuel Filters with Primer Bulbs



Water

- 35 Gallon Water Tanks (2) with Single Point Level Indicator and 316L Stainless Steel Deck Fill Plate (starboard side)
- Premium Sea Tech Color Coded Water Hose System with Mechanically Crimped Ends
- Pressure Sensing/Variable Speed Pump
- Fresh Water Distribution Manifold with Dedicated Valves
- Dockside Fresh Water Inlet with Pressure Regulator
- 6 Gallon Stainless Steel Water Heater, 240V/60 Cycle



























































































































