



40' (12.19m) 2023 Nordic Tugs #7
Washington United States



OVERVIEW

Manufacturer:	Nordic Tugs		
Engines:	1 Volvo	Hull Material:	Fiberglass
Engine Model:	Penta D6	Cruise Speed:	
Engine HP:	380	Max Speed:	
Beam:	13' 0"	Cabins/Heads:	2 / 1
Max Draft:	"	Fuel Type:	Diesel
Water:	144 G (545.1 L)	Fuel:	320 G (1211.33 L)

Call for Price



Data Sheet

Category: Trawlers

Condition: New

Model Year: 2023

Beam: 13' (3.96m)

Min Draft: 4' 2" (1.27m)

LOA: 43' (13.11m)

LWL: 38' 2" (11.63m)

Cabins: 2

Heads: 1

Fuel Type: Diesel

Hull Material: Fiberglass

Dry Weight: 22600 lbs

Fuel Tank: 320 gal (1211.33 liters)

Fresh Water: 144 gal (545.1 liters)

Holding Tank: 32 gal (121.13 liters)

Stock #: 7

Engines/Generators

Engine 1

Volvo

Penta D6

380HP

Fuel: Diesel

Year: 2021



Summary/Description

Boating is simply better when you are among friends and family. And there is no better place to enjoy quality time than on the Nordic Tug 40. The two-stateroom layout on this tug is perfect for occasional guests to share the adventure.

Manufacturer Provided Description

The Nordic Tugs 40 combines advanced design and technology with legendary performance and master craftsmanship. Exciting features will have you confident and comfortable at sea.

Hull

- Color - White gel coat hull w/colored inset & waterline
- Structural lamination multi-directional knitted fiberglass w/ vinyl ester skin coat
- Stringers - Fiberglass encapsulated full length composite stringers
- Boarding platform w/telescopic ladder
- Hull Guards - UV-stabilized PVC-guards: anchor, hull and sheer, 316 SS inset on hull side guard
- Fasteners - All exterior fasteners 316 stainless steel
- Bottom Paint - Ablative antifouling (2 coats/black)
- Bilge Pumps - 3 ea. 2000 GPH w/auto/manual switches at helm
- Bonding System - bonding anodes on transom plus rudder, shoe and thruster anodes

Deck

- Color - White gel coat
- Deck - Molded textured surface in walking & work areas
- Deck - Raised walk-around side decks
- Scuppers - cockpit
- Anchor Roller Assembly - Stainless steel
- Windlass - 12VDC LOFRANS® TIGRES® LW400AN, 1200W anchor windlass w/foot controls at bow and remote control at helm
- Storage - Bow, 2 compartment anchor & separate storage
- Storage - Under cockpit staircase
- Recessed fender holders

- Storage - Deck hatch to lazarette w/sealing gasket and gas-assist lifts
- Bow Rails - Deck, 1-1/4", 316 stainless steel
- Hand Rails - 1-1/4" 316 stainless steel full length hand rails over pilot house doors
- Hand Rails - 1-1/4" 316 stainless steel 30" high on salon cabin top (removable starboard)
- Boat deck access w/hatch - molded staircase/ 316 stainless steel open rail w/wide treads from cockpit to boat deck portside
- Transom boarding - hinged door, center
- Hand Grabs - Cockpit 316 stainless steel
- Hand Grabs - 316 stainless steel, (2) forward and (2) aft of pilot house doors
- Hand Grab - "Molded in the swim platform" over swim ladder
- 12" tall transom top stainless steel hand rail
- Windows - DIAMOND SEA GLAZE® Powder- coated finish, sliding windows in salon and pilothouse
- Doors - DIAMOND SEA GLAZE® Powder-coated: two sliding pilot house entry doors
- Doors - DIAMOND SEA GLAZE® Powder-coated: double sliding aft entry door (optional man door w/window)
- Portlights - 8" 316 stainless steel round w/screens and drains in forward cabin trunk (5)
- Cleats - 12" cap rail mounted 316 stainless steel mooring cleats (8)
- Deck Fittings, 316 stainless steel - 2" fuel fill (2), 1-1/2" water fills (2), 1-1/2" waste suction
- Light - Aft deck (1) LED overhead light w/switch on fixture
- Lights - Boarding platform LED (2)
- Outlet - 110VAC GFCI [cockpit]
- Pennant Staff receiver - in bow rail
- Sea water deck wash down hose bibs fore & aft
- Lazarette vents polished stainless steel

Propulsion / Engine Room

- Engine - Single Volvo Penta D6-380 HP @ 3500 RPMS w/ electronic controls

- Alternator - 150 amp (12V)
- Fuel Filter - 10 micron primary element/ 2 micron secondary on engine
- Exhaust - 6" dual stage water lift muffler transom exit for main engine
- Propeller – Left Hand, tuned to class S ISO-484 pitch tolerances
- Propeller Shaft - 2" stainless steel w/PSS® drip-less shaft seal
- Seawater Strainers - bronze
- Generator Fuel Filter - 10 micron primary/ 2 micron secondary on engine
- Sound Insulation - Hush kit, 1" barrier silver Mylar
- Lights - engine room (3) LED
- Outlet - 110VAC GFCI

Heating

- Furnace - Diesel Hydronic heat system & hot water plumbed to 3-zones, 40,000 BTU

Galley

- Cooktop - 3-burner electric FORCE-10®
- Microwave, Convection - under cooktop
- Refrigerator/freezer – Nova Kool 6.8 cf AC/DC stainless steel face
- Countertop – Acrylic solid surface countertop w/coved backsplash & sea rail
- Sink – Large single basin stainless steel, under counter mount. w/single lever spray extension faucet and soap dispenser.
- Cabinets - Sapele flush face frames & drawer faces; doors & drawers are equipped w/push type sea locks
- Pantry outboard of refrigerator
- Storage - Multiple drawers, cabinet & upper aft corner cabinet w/smoke glass door
- Drawers - full extension ball bearing tracks & push locks
- Lights – Overhead w/ dimmer 12VDC LED w/stainless steel bezel (4)
- Outlets - 110VAC GFCI protected (2)

Salon

- Table - Sapele table with extension, Hi/lo post & moveable base

- Stereo - 2 speakers
- Settee - L-shaped & converts to berth w/storage.
- Valances - Sapele
- Lights - Overhead, 12VDC LED w/stainless steel bezel (3)
- Light - Sconce, 12VDC LED
- Lights - Red LED step lights at each riser
- Outlet - 110VAC, 12VDC/ USB

Pilothouse

- Helm seat - LLEBROC® chair w/slide, footrest and adjustable pedestal, UltraLeather® black fabric
- Seat, Port Bench - w/fabric same as salon settee
- Chart table laminate top, chart drawer w/sapele face flush
- Full width Sapele overhead instrument console
- Engine Control - Volvo electronic single lever throttle/shift
- Engine Instrumentation - Volvo 7" LCD digital color monitor
- Systems monitoring - all liquid tanks
- Bow Thruster Control - joystick
- Compass - flush mount
- Windshield wipers - pantograph style, adjustable speed, self- parking and washer system (3)
- Defrost - 12VDC w/two speed fan
- Overhead console Fusion Stereo and accessory pre-wire
- Lights - Overhead, 12VDC LED W/stainless steel bezel red/white(2)
- Lights - Overhead, 12VDC LED w/stainless steel bezel (4)
- Light - Chart, LED red/white
- Outlet - 110VAC (2), 12VDC/ USB (2)
- Hatch - 20" w/screen (non-flybridge only)
- Stereo Speakers (2)

Master Cabin

- Queen-size island berth w/ innerspring hinged mattress & storage under the forward end of berth
- Drawers - flush face, under berth w/push latches (4)
- Hull side hanging lockers w/automatic lights, with laminate tops
- Cedar lined inside hanging Lockers (side walls)
- Hull side storage cabinets w/open shelves forward
- Mirror - full length next to entry door with sapele trim
- Lights - Reading, 12VDC LED, over berth (2)
- Lights - Overhead, 12VDC LED w/stainless steel bezel (3)
- Outlets - 110VAC (2), 12VDC/ USB (2) both sides of berth
- Hatch - 22" w/screen

Guest Cabin

- Double- size berth w/foam mattress'
- Hanging Locker - w/automatic light and sapele door
- Cedar lined inside hanging locker (upper cabinet)
- Door, Entry - Sapele sliding w/mirror
- Cabinet - Sapele w/adjustable shelf.
- Hatch - 12" w/ screen
- Lights - Overhead, 12VDC LED w/stainless steel bezel (2)
- Lights - Reading, 12VDC LED (2)
- Outlet - 110VAC, 12VDC/ USB

Head Compartment

- Toilet - electric fresh water flush
- Cabinet - vanity with storage below, sapele doors, acrylic solid surface with sea rail
- Sink - Acrylic Cameo White w/faucet
- Shower - molded FRP w/seat, shelf & café style clear acrylic doors & light inside
- Hatch - 12" w/ screen
- Mirror - Over sink, sapele trim
- Fixtures - towel ring & bar w/toilet paper holder

- Door - Entry - Sapele sliding
- Floor - AMTICO
- Lights - Overhead, LED (2)
- Outlet - 110VAC GFCI

Interior Finish & Trim

- Upholstery - Choice of materials & colors (TBD)
- Carpet - Color (TBD)
- Flush sapele cabinet door and drawer faces
- Valances, Sapele - Salon
- Sapele interior passageway doors and trim
- Overhead - Foam backed vinyl
- Walls - Sapele wainscot paneling & foam backed vinyl upper walls

Lazarette

- Gel coated and ventilated
- Storage space
- Lighting - 12VDC LED

Steering System

- Steering System - manual hydraulic
- Rudder and Shoe - Stainless Steel w/sacrificial Anodes
- Rudder port bearing and shaft lip seal
- Tiller Arm - Bronze w/rudder stops
- Helm Wheel - Hardwood w/ Stainless Steel spokes
- Valves and fitting for autopilot hydraulic pump connection
- Bow Thruster - SIDE-POWER® SE80/185T-12V, 176lb thrust

12V DC Electrical System

- Battery Charger - 70 amp 3-outputs
- Batteries, Start - 12V AGM Group-31 (2) w/boxes, 950 CCA @ 32 degrees
- Batteries, House - 6V AGM deep cycle golf- cart type (4) w/boxes, 440 amp hours



- Batteries, Thruster/Windlass - 12V AGM Group-31 (2) w/boxes, 200 amp hours
- Breaker Panel, BLUE SEAS 360® - w/LED lights
- Master house bank circuit breaker switched at DC Panel
- Battery parallel switch at helm
- Wire - marine grade tinned copper throughout

110V AC Electrical System

- Generator - Northern Lights 5kW 110VAC/60Hz with sound shield, water lift muffler, water separator exhaust system
- Shore power connection - SMARTPLUG® 30A, with 50' cord, starboard
- Breaker panel - BLUE SEAS® 360 panel 110VAC with LED lights ELCI main CB w/digital multi-meter

Safety Package

- Fire Extinguishing System - FIREBOY-XINTEX® CG2-500-227 in engine room w/auto shut down
- Fire Extinguishers, (2) 5 LB and (1) 2 LB
- High bilge water alarm
- Smoke & CO2 detector in each cabin & central seating area
- Radar reflector - located in stack
- Horn - Dual Electric
- Light - Anchor, LED, USCG approved
- Lights - Navigation, LED, USCG approved
- NMMA Certification to ABYC Standards
- Canadian Declaration of Conformity

Tankage

- Fuel tanks - 320-gallon in two tanks w/crossover line, shutoff valves, & sight gauge
- Potable Water Tank Polyethylene - 130-gallon
- Gray Water Tank - 9-gallon in keel w/auto 12VDC pump
- Black Water Tank - 32-gallon in keel, w/deck suction
- Tank Level Monitoring - all liquids, at helm



- Fresh water pump – 12VDC variable pressure
- Heater, Water - 11-gallon electric/engine heat

Dimensions

- Length Overall – 43' including (swim platform & bow roller)
- Waterline length – 38' 11"
- Length Overall w/optional Bow Pulpit - 44' 3" / 12.58m
- Beam - 12' 11" / 3.93m
- Draft - 4' 4" / 1.32m
- Height - Waterline to stack top 10' 11" / 3.32m
- Displacement Weight - 22,600 lbs / 10,260kg
- Headroom - Salon 6' 7" / 2.00m
- Headroom - Forward Cabin 6' 7" / 2.00m
- Headroom - Pilot House 6' 6" / 1.98m

Owner's Package

- Engine & Reduction Gear manuals
- Component owners manuals
- Nordic Tug Operators Manual
- 10-micron fuel filter element for main engine
- Matched gel coat touch-up kit
- Multi-Bit Screwdriver & stainless steel Deck Fitting Key
- Fenders & Docking lines
- Shaft Seal Collar O-Ring Kit
- Container box w/ lid

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.































































