



62' (18.90m) 2005 Azimut 62 Evolution  
Lighthouse Point Florida United States



## OVERVIEW

**\$545,000**

Manufacturer:	Azimut		
Engines:	2 CAT	Hull Material:	Fiberglass
Engine Model:	C18	Cruise Speed:	28 Knots
Engine HP:	1015	Max Speed:	31 Knots
Beam:	16' 7"	Cabins/Heads:	3 / 3
Max Draft:	4' 6"	Fuel Type:	Diesel
Water:	265 G (1003.13 L)	Fuel:	988 G (3739.99 L)



## Data Sheet

Category: Motor Yachts  
Condition: Used  
Model Year: 2005  
Beam: 16'7" (5.05m)  
Max Draft: 4' 6" (1.37m)  
LOA: 65' 1" (19.84m)  
LWL: 53' 8" (16.36m)  
Cabins: 3  
Single Berths: 2  
Double Berths: 2  
Head Room: 6' 10"  
Heads: 3

Maximum Speed: 31 Knots  
Cruise Speed: 28 Knots  
Fuel Type: Diesel  
Deadrise: 17°  
Hull Material: Fiberglass  
Bridge Clearance: 19' 9"

Dry Weight: 67872 lbs  
Fuel Tank: 988 gal (3739.99 liters)  
Fresh Water: 265 gal (1003.13 liters)  
Holding Tank: 92 gal (348.26 liters)

## Engines/Generators

### Engine 1

CAT  
C18  
Inboard  
1015HP  
Fuel: Diesel  
Hours: 2600

### Engine 2

CAT  
C18  
Inboard  
1015HP  
Fuel: Diesel  
Hours: 2600

## Summary/Description

Beautiful boat - Nice & clean, and well taken care of and ready for a new owner. Raymarine electronics, new interior, and many more great features. The owner is a motivated seller, ready to hear your best offer!

Beautiful boat - Nice & clean, and well taken care of and ready for a new owner. Raymarine electronics, new interior, and many more great features. The owner is a motivated seller, ready to hear your best offer!

## Manufacturer Provided Description

Experience this new and glorious yacht that goes beyond the concept of form following function. The Azimut 62; Setting the standard for design- again and again.

## Electronics and Navigation

- 1 VHF Shipmate RS 8400 (wheelhouse, repeater on fly bridge)
- 1 Raymarine RL70RC PLUS radar (wheelhouse)
- 1 Raymarine Raychart 520 PLUS plotter repeater (flybridge)
- 1 Raymarine Raypilot ST6001 PLUS automatic pilot(wheelhouse)
- 1 Watertight Raymarine ST6001 PLUS automatic pilot repeater (fly bridge)
- 1 Raymarine ST 60 Tridata depth and speed indicator (wheelhouse)
- 1 Raymarine ST 60 Multi depth and speed indicator(fly bridge)
- 1 Raystar 112 LP-ST GPS antenna
- 1 Radar antenna 24 nm

## Salon

- Deluxe curtain / Salon door
- Salon furniture with TV Hi/Lo system
- Cherry wood table
- U-shaped settee
- U-shaped dinette

## Galley

- 220 V 4 burner ceramic hob with fiddle-rail
- Microwave oven + grill
- Granulon galley worktop with two sinks and hot and cold water mixer
- Extractor hood
- 230 l (60 gal) refrigerator with freezer
- Storage cabinets under worktop with pullout stainless steel baskets
- Hanging cherry wood units
- Storage for pots and pans under microwave oven
- Wooden floor
- Storeroom, service compartments, tableware, cutlery, and glassware storage cabinet
- Ice maker

## Master Stateroom

- Full beam master with large oval portholes to each side
- En suite head
- Queen bed with drawer unit
- Double-door mirrored wardrobe on foreside
- Column unit with drawers
- Built-in vanity unit with drawers
- (3) Large-sized oval portholes (12" x 24")
- Cherry wood doors and frames
- Walk-in wardrobe with drawers and hanging rail
- Curtains, upholstery and carpet
- Azimut reading lights
- Diffused lighting under bed and behind pelmets
- TV

## VIP Cabin

- En suite head
- Queen bed
- Mirrored headboard
- Shelves above portholes
- Walk-in wardrobe with hanging rail and shelves
- Two round portholes
- Deck hatch with shade and mosquito screen
- Curtains, upholstery and carpet
- Azimut reading lights

## Guest Cabin

- Twin beds
- Bedside table and switches
- Azimut reading lights
- Wardrobe with drawers and shelves
- Curtains, carpet and upholstery
- Round porthole

## Deck

- Non-slip walkways
- 2 bites halfway (one each side)
- Handrails and accessories in ovalized stainless steel
- 2 fuel fillers with protective cover (one each side)
- One fresh water fillers (starboard side)
- Navigation lights
- Impact resistant stainless steel and PVC fender bar
- Tempered plate glass windows set in GRP frame, mirror finish

## Safety

### BILGE SYSTEM

- Four 24 V automatic electric pumps, maximum flow-rate: 224 l/min (60 gal/min)
- Two manual pumps, maximum flow-rate: 49 l/min (13 gal/min)

- Emergency bilge exhaust discharge through engines (maximum flow rate: 334 l/min ? 88 gal/min)

#### FIRE FIGHTING SYSTEM

- Controlled via emergency panel in cockpit, which includes the following direct controls:
- Engine battery disconnect
- Fuel delivery solenoid valve shutoff
- Fans and extractors shutoff
- Fan grid closure
- Fire extinguisher discharge
- Two 12 kg powder cylinders with spray nozzles on engines and gearboxes (type approved for the Italian market according to Directive 94/25/CE,ISO9094)

## Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.































