



Sunchaser

35' (10.67m) 2011 Beneteau First 35
Sodus Point New York United States



OVERVIEW

\$119,000

Manufacturer: *Beneteau*

Engines:

Engine Model:

Engine HP:

Beam:

Max Draft:

Water:

Hull Material:

Cruise Speed:

Max Speed:

Cabins/Heads:

Fuel Type:

Fuel:

Fiberglass

/

Diesel



Data Sheet

Category: Cruiser-Racer
Condition: Used
Model Year: 2011
LOA: 35' (10.67m)

Fuel Type: Diesel
Hull Material: Fiberglass

HIN/IMO: BEYCC121D111

Engines/Generators

Summary/Description

The First 35 is a Farr design to the IRC rule, intended not just to blast around the buoys but to compete in longer races and also to cruise in comfort. (SAIL Magazine). This boat is very well equipped and maintained...Ready to go fresh water example.

GENERAL SPECIFICATIONS

- L.O.A 35' 7"
- Hull length 34'12"
- L.W.L. 30' 7"
- Beam 11'11"
- Air draft (min) classic 56' 7"
- Standard keel (min) - Optional equipment: - Cast iron 5' 11"
- Standard keel ballast 4,431 lbs.
- Deep keel (min) - Standard - Cast iron 7' 3"
- Deep keel ballast 3,682 lbs.
- Light displacement (EC) (Standard keel) 13,360 lbs.
- Light displacement (Deep keel) 12,125 lbs.
- Freshwater capacity 53 gal
- Fuel tank capacity 20 gal
- Engine power 29 HP

CLASSIC MAST DIMENSIONS / REGATTA (OPTIONAL)

- Mainsail 446 sq ft
- Genoa (108 %) 334 sq ft
- Symmetric spin 1109 sq ft
- I 47' 3"
- J 13' 1"
- P 45' 11"
- E 15' 9"

CONSTRUCTION

Design made following European Directive requirements and according to EC certification.

- Monolithic hull design in polyester
- Structural hull liner made with unidirectional fabrics laminated and glued evenly to hull
- Injection molded hull (Sandwich / Glass fiber / Balsa wood / Polyester resin)
- Accessible areas covered in a "diamond point" type non-slip surface
- Deck hull joint screwed, glued and banded with 1 solid wood bulwark plain
- The keel is fixed to the boat by a system of bolts and stainless steel washers
- Keel Shallow draft keel (optional) - Bulb - in cast iron
- Keel Deep draft keel (Standard) - T-shape - in cast iron
- Hung rudder - Self-aligning rocker bearings - Glass fibre compound stock / resin
- White colored hull - Anthracite grey hull decoration

RIGGING

- Standard electro-polished aluminum mast - 2 Aft swept spreaders - keel stepped
- Socket fitting - Swivel blocks
- 1 Swinging boom track mounted on mast
- Anodized aluminum boom
- Boom vang - Adjusted with tiered tackle
- Standing rigging Cable wire rigging
- Single backstay - Adjusted with tiered tackle
- Double groove hollow stay on cable fitted
- 1 Mainsail sheet track in aluminum with ball-bearing traveler on cockpit sole - Sheet trimming type "German System"
- 2 Genoa sheet tracks - Ball-bearing genoa car - Genoa sheet trim tackle - Return block
- Rigging run back to cockpit
- Complete running rigging - Genoa halyard Low Stretch -
- 2 Twin-braided genoa sheets - Genoa sheet trim tackle -
- 1 Main halyard Low Stretch - 1 Mainsail sheet twin-braided -
- 1 Mainsail foot - 2 reef lines

- Fastenings pre-fitted for spinnaker rigging
- 3 DOUBLE CLUTCH To port - 2 DOUBLE CLUTCH
- + 1 Single to starboard
- 6 Sheaves each side

WINCHES

Aluminum winches Harken self-tailing:

- 2 Maneuvering winches (H 40.2 STA)
- 2 Primary winches (H 46.2 STA)
- 2 Mainsheet winches (H46.2 STA)
- 2 Aluminum winch handles
- 2 Winch handle holders

MOORING - ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- 1 Stainless steel bow fitting - 1 Removable roller
- 6 Aluminum mooring cleats - Stainless steel dock line

protection

DECK SECURITY

- 1 Stainless steel pulpit
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole mounting
- Double lifelines and stainless steel stanchions
- 2 Handrails in natural solid wood

COCKPIT

- Cockpit, self-bailing

- 1 Life raft locker in cockpit sole
- 1 Safe storage starboard
- 1 Gas bottle locker to port
- Cockpit seats decked in natural solid wood
- Steering wheel column - 1 Stainless steel steering wheel - Diameter 1600 - leather covered - on console - Cable transmission system
- 1 Emergency tiller
- 1 Steering compass on steering consoles
- Engine controls and instrument panel to starboard
- Companionway doors (3 sections) - Sliding hatch made of PMMA

TRANSOM

- 1 Stainless steel swimming ladder - solid wood steps
- Stern deck open

FITTINGS

- Light colored Alpi Mahogany
- Parquet type laminated floors

COMPANIONWAY

- Headroom: 6' 2"
- Companionway in wood and stainless steel - Hung steps in moulded wood with non-slip surface
- 2 Stainless steel handrails

FORWARD CABIN

- Headroom: 6'
- Double bed (6' 7" x 6' 5" x 2' 1") - Foam mattress - Fabric cover
- 2 Hanging lockers - Cubby hole lockers
- 1 Opening deck hatch with shade

- 2 fixed hull portholes

FORWARD HEAD

- Headroom: 6'5"
- 1 Moulded shower tray
- 1 Manual marine toilet
- Washbasin with pressurized cold water mixer
- 2 Mirrors
- Toilet accessories: Towel rail - Rubbish bin - Paper dispenser - Peg
- 1 Closed cubby hole
- 1 Opening porthole in coaming
- 1 Opening cockpit porthole

SALOON

- Headroom: 6' 1"
- 2 Saloon bench seats - High density foam - Cover PVC
- 1 Wooden saloon table - 2 flaps
- Storage - Bar cupboard - Cubby hole lockers
- 2 Stainless steel handrails
- 1 Opening hatch with shade
- 2 Opening portholes in coaming

CHART TABLE TO STARBOARD

- Headroom: 6' 1"
- Control panel with hinged door along the hull
- Retractable navigator seat - PVC cushion
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Storage cupboard (Door and shelf) - glove boxes

- 1 Opening porthole in coaming

GALLEY TO PORT

- Headroom: 6' 1"
- L-shaped kitchen
- Stainless steel sink 1 Rectangular stainless steel basin
- 1 Mixer tap cold/hot water
- Sea water foot pump
- 2 Gas burners stove
- 1 3.5 cu. ft. ice box top opening - Drained by foot pump
- 1 Cutlery drawer
- Storage - Closed cubbyholes
- 1 Trash Bin
- 1 Porthole opening onto coaming

PORT AFT CABIN

- Headroom: 6' 1"
- 1 Double bed (6' 6" x 5' 10" x 4' 11") - Foam mattress - Fabric cover
- Hanging locker - Cubby hole locker - Storage space - Glove box
- 1 Opening cockpit porthole
- 1 Fixed hull porthole

ENGINE

- Engine YANMAR Diesel 29 hp
- Transmission Sail Drive
- Flush engine control in aluminum - Instrument panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 2 air intakes and 1 air outlet
- 1 Alternator 12 V 80 Amperes
- 1 Rotomolded diesel tank 20 gal (Under aft berth) - Electronic gauge - Low level alarm - 1 Deck filler

- Filters: sea water and diesel
- Folding dual-blade propeller
- 1 Engine access through companionway - 1 Access through aft cabin - 1 Engine access panel in head

ELECTRICITY

- 12V circuit
- 1 Service battery (110 Amperes) - 1 Battery for engine (70 Amperes)
- Isolator
- 12 V Electrical panel (Circuit breaker - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 1 12 V Outlet
- Lighting: Halogen ceiling lights - Swivel reading lamps - Adjustable spotlight
- Navigation lights LED: 1 Three-colour lights on masthead - 1 Fire bicolor half-mast

PLUMBING

- 2 Rotomolded freshwater tanks (2 x 26 gal under the port and starboard saloon bench seats) - 2 Deck fillers - Tank selection with ¼ turn valves
- Water pressure system - Expansion tank - System protection filter
- 1 Rigid waste tank 21 gal
- Sea water foot pump / Icebox drainage
- Electric shower drain pump
- 1 Manual bilge pump - 1 Electric bilge pump

GAS

- 1 Tank storage in cockpit sole
- 1 Regulator and solenoid

US Specifications

29HP Yanmar 3YM30 Saildrive

Deep Draft Iron Keel

Light Oak Tinted Alpi Interior Joinery

2 Burner Gimballed Propane Stove with Oven

LED Nav and Interior Lighting

1 110 Amp House Battery

1 70 Amp Engine Start Battery

80 Amp Alternator

White hull with Gray Stripes

Tapered Aluminum Mast, Twin Spreaders

Dyform Wire Standing Rigging

Dyneema Halyards

Adjustable Backstay Tackle

2 Reefing Lines Led Aft

Mechanical Boom Vang with Cascade Tackle

Mainsheet Traveler on Cockpit Sole

Leather Covered 1600 MM Wheel

2 Blade Folding Prop

Swim Ladder

Open Transom

Ambition Trim Level

Genoa Furling System with Removable Drum

12V refrigeration unit in icebox with top opening

Water Heater 6.6 gal

Removable Stern Beam

Removable Saloon folding table

Hot/Cold water cockpit shower

Curtains (Salon + Cabins)

110V Shore Power with 40 Amp Battery Charger

2nd House Battery 110 Amp

Trajan Navy Upholstery Upgrade

Upgrade 2 Cabin top Winches to H46.2STA (in lieu 40STA)

Raymarine ST70 LS40 Autopilot with Compass

Upgrade to Facnor Low Profile Tape Drive Furler

Rigid Boom Vang in Lieu

Regatta Pack

Rod Standing Rigging

PBO Backstay

Rigid Boom Vang

Symmetrical Spinnaker Gear

Carbon Spinnaker Pole

Jib Sheet In-Haulers

Windex on Masthead

Quantum Sails Carbon Sport Main and Jib - NEW 2021

Ullman Sail Inventory

Mainsail Cover

Heavy RF Jib

.75 Asymmetric Spinnaker

.6 Symmetrical Spinnaker

Dousing Sock

Lazy Jack System for Mainsail with Vectran Topping Lift

Mainsail halyard - new 2021

Jib sheets - new 2021

Electronics

9" Raymarine Chartplotter and Radar - new 2021

Scanstrut stern mounted radome pole - new 2021

3 Raymarine ST70 Maxi MFDs on Mast

Depth, Speed, Wind transducers

Cockpit Remote Control

Carbon Mast Pod Mount

Raymarine VHF Radio at Nav Station

VHF Remote in Cockpit (not operational)

Raymarine Evolution Autopilot

Additional:

Tides Marine Mainsail Luff Slide System

Docking Package

Anchor Package

Safety Gear Package

Custom Made Painted Steel Cradle

Custom Winter Cover & Frame

Dodger - new 2021

Cockpit Cushions - new 2021

Boom Tent - new 2021

Port and starboard opening lifeline gates - new 2021

2 group 31 deep cycle house batteries - new 2021

1 group 24 starting battery - new 2021



















































