



Nelleke I

42' (12.80m) 1980 Moody
Shelburne Nova Scotia Canada



OVERVIEW

Manufacturer:	Moody	
Engines:		Hull Material: Fiberglass
Engine Model:		Cruise Speed:
Engine HP:		Max Speed:
Beam:		Cabins/Heads:
Max Draft:	"	Fuel Type: / Diesel
Water:		Fuel:

Call for Price



Data Sheet

Category: Motorsailers
Condition: Used
Model Year: 1980
LOA: 42' (12.80m)

Fuel Type: Diesel
Hull Material: Fiberglass

Engines/Generators

Summary/Description

Designed as an offshore cruiser; heavily built fbg hull; Treadmaster on decks; sleeps two couples with ensuite head compartments (fore & aft); two heads w/Vacuflush w/c's & showers.

Dimensions

Length at Waterline: 36

Beam: 13.3'

Max Draft: 5.5'

Engines

Yanmar 4JH-2E with Filter Boss fuel scrubbing system

Tanks

Fuel: 90 Imp Gal

Water: 120 Imp Gal

Construction

White fiberglass hull; white fiberglass decks w/Treadmaster non-skid; burgundy sheer stripe; burgundy boot stripe; antifouling; fin keel; skeg rudder; wheel steering; emergency tiller; bow & stern pulpit; double lifelines; two gates; five opening hatches; two opening ports; six fixed ports.

Accommodations

This yacht sleeps eight (8). Vee berth forward. Next aft to port are upper & lower settees and bureau in private cabin. Opposite to starboard is hanging locker and Perko marine head w/holding tank, overboard discharge, sink & shower. Next aft to port is the galley. The galley is equipped with two burner propane stove & oven, sink, Isotherm fridge; Engles dual voltage chest freezer;. Opposite to starboard is inside helm station w/electronics & heated "clear view" window. Next aft to port is "U" shaped settee and table with extension. Opposite to starboard is single settee with add on table. Next aft is the owner's cabin w/double berth to port and Perko marine head, sink & shower to starboard. There is also a hanging locker and storage cabinets. Interior appointments include: burgundy fabric upholstery; muted blue carpet; blue w/burgundy accents curtains; off white vinyl and teak headliner throughout; Seaward hot water heater.

Engine & Electrical

Yanmar 4JH-2E; filter boss fuel scrubbing system;; 90 Imp. gal fuel tank capacity; three bladed prop; plus spare prop; cruising speed 7.5 knots; bilge blower; fume detector. The electrical system is maintained by a 2000AH 24VDC house

bank and a 24VDC and 12VDC starter batteries; alternator; selector switch; fused electrical panel; battery charger; lightning grounded. This yacht is equipped with cabin, navigation, spreader and anchor/masthead lights; 2Kw Yamaha EF2000 Generator; 2 x 200w 24VDC solar panels w/ MPPT 75/10 & 75/15 controllers; 200w 24VDC wind generator.

Electronics

Standard Horizon CP180 Chartplotters(2); Marinetek Depthshouter; Star depth sounder; echo pilot FLS Bronze depth sounder; Raymarine Autopilot; ICOM M-802 SSB w/backstay antenna; ICOM M-504 VHF with CommandMic III; Two Compasses.

Sails

Main

Main storm staysail

Mizzen

Mizzen staysail

2 x asymmetrical spinnakers

Heavy weather jib

Storm jib

Genoa

Main and mizzen have custom made stack packs.

Rigging

Aluminum main & mizzen mast; aluminum booms; stainless steel standing rigging; dacron running rigging; Harken roller furling; 6 winches; 2 winch handles; topping lift; five snatchblocks; sheets; flag halyard; internal halyards; mainsheet traveller; backstay adjuster.

General

Surviva 4 pers life raft

Sea anchor

Dual drogue

CQR anchor (primary) 200' chain rode

Danforth anchor (stern) 200' rope rode with chain lead

Manta anchor (secondary) 200' rope rode with chain lead

Lofrans 1000 anchor windlass

Monitor self steering vane system with two blades

Swim ladder; four docklines; four fenders; radar reflector; lifesling; lifejackets; bilge pump; flares; horn; two fire extinguishers; boat hook; BBQ; manoverboard pole; clock; barometer; first aid kit; search light; Home Entertainment System; three propane heaters; USB plugs; wifi booster; two 30lb propane tanks; Pur 6 GPH Watermaker.

Plastimo inflatable dingy; 2.5hp Suzuki 4 stroke outboard





































































