





62' (18.90m) 2022 Beneteau Grand Trawler 62 Fort Lauderdale Florida United States



Manufacturer: Beneteau

Engines: Hull Material: Fiberglass 2 MAN 9 Knots Engine Model: i6-730 Cruise Speed: Engine HP: Max Speed: 20 Knots 730 Beam: 17' 9" Cabins/Heads: 3 / 4 Max Draft: 4' 8" Fuel Type: Diesel

Water: 222 G (840.36 L) Fuel: 1022 G (3868.69 L)



\$2,100,000



Murray Yacht Sales Info@MurrayYachtSales.com

800-826-2807



Data Sheet

Category: Trawlers Condition: Used Model Year: 2022 Beam: 17'9" (5.41m) Max Draft: 4' 8" (1.42m)

LOA: 62' (18.90m)

Cabins: 3 Heads: 4

Year: 2022

Maximum Speed: 20 Knots Cruise Speed: 9 Knots Range NM: 1044

Fuel Type: Diesel

Hull Material: Fiberglass Bridge Clearance: 24' 1

Year: 2022

Displacement: 61729 Fuel Tank: 1022 gal

(3868.69 liters)

Fresh Water: 222 gal (840.36 liters)

HIN/IMO: BEYGGO02H122

Stock #: B93404

Engines/Generators

Engine 1 Engine 2

MAN
i6-730
inboard
730HP
544.36KW
Fuel: Diesel
Hours: 737
MAN
i6-730
inboard
730HP
544.36KW
Fuel: Diesel
Hours: 737

Location: Port Location: Starboard



Summary/Description

The Grand Trawler 62 is one of the most attractive and practical designs out there, which is why it won the European Powerboat of the Year Award on debut there in 2022.

The Grand Trawler 62 is one of the most attractive and practical designs out there, which is why it won the European Powerboat of the Year Award on debut there in 2022.

"Opilio" is the first pre-owned Grand Trawler 62 on the market. Her owners have enjoyed "Opilio" on trips all throughout the Keys and the Bahamas chains and have cared for her with an open checkbook, as well as keeping her in indoor storage when not in use.

The 62 has the 3 Stateroom/ 3 head Layout, as well as Crew Quarters for 2 and a 4th Head plus Shower (which can be used for swimmers in an Owner/Operator setup).

The Flying bridge is the biggest and best in class with dual entry points and includes an opening sunroof.

Some of the most **Attractive Features** on "Opilio" are the following:

- 20+ knots top speed, Over 1000 Nm range at 9 knots with 10% reserve
- Preferred Straight Shaft Reliability
- Three Helms
- Quick Gyroscopic Stabilizer
- Bow and Stern Thrusters plus optional **Joystick** Control
- Hydraulic Swimming Platform/Dinghy Launch
- Full Upstairs Galley with Deck Entrance for service.
- Flying Bridge Davit for Tender
- KVH Satellite TV an Sat Nav
- FLIR Night Vision Camera (Plus Engine room Camera)
- Fresh Watermaker
- Washer/Dryer
- Sun Awnings for Flying Bridge, Foredeck and Aft deck
- Solar Panels plus Inverter
- Transferable Beneteau Warranty until January 2025
- MAN Limited Warranty until January 2027

Call to Reserve a Private Showing

Additional Information

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Gel coat: RAL 9010
- Composition:
- Sandwich (polyester resin fiberglass balsa core)

Murray Yacht Sales Info@MurrayYachtSales.com



- Structural hull counter molding in monolithic laminate (polyester resin fiberglass) Molding by infusion
- 15 Opening portholes (incl. 3 in crew/lazerette space)

DECK

- Gel coat: RAL 9010
- Composition:
- Sandwich (polyester resin fiberglass balsa core)
- Molding by infusion
- Diamond tip type non-slip surface

DECK EQUIPMENT

- Stainless steel radar stand
- Navigation lights
- · Courtesy lighting (Catwalks, Steps & Aft transom)
- MOORING ANCHORING GEAR
- Stainless steel bowsprit
- Electric windlass (24 V 2 300 W)
- Windlass remote control in the chain locker + windlass control from the helm position in the wheelhouse and on the flybridge, anchor locker, 2 lockers for fenders on forward deck, mooring lines lockers
- 2 Forward cleats, 4 central and 4 aft in stainless steel

SAFETY ON DECK

- Stainless steel pulpits
- Stainless steel pulpit surrounding all flybridge
- Stainless steel handrails for access to catwalk steps 1 Hand rail on rear table

FOREDECK

- Fender stowage to port and starboard Chain locker to port and starboard
- Position for seat and sun deck

FLYBRIDGE

- Grey tinted windscreen in PMMA
- · Access panel to interior and exterior flybridge stairs
- Steering station including: MAN 5.5" screens for 2 engines, engine controls, steering compass, tiller angle indicator, autopilot, helm, fuel gauge, 12 V
- socket
- Space for 3 multifunction 16" screens
- Operating controls: windlass, lighting, navigation lights, bilge pumps
- 2 Speakers
- 1 Adjustable pilot seat, with cover
- 2 Cup holders & Storage
- Position for sun deck in front of steering station with 2 cup holder
- L-shaped bench seat to port
- U-shaped bench seat for 8 people to port
- Folding solid natural wood table with 4 built-in cup holders
- Exterior galley: corian work top, with 5 built-in cup holders, space for an electric grill (optional), stowage, bin
- LED courtesy lighting



PVC Marlin Brilliant White upholstery, Open cell foam

COCKPIT

- Access via doors (to port and starboard)
- Lockers with stowage (to port and starboard)
- Gangway doors (to port and starboard)
- PMMA catwalk doors, painted grey (to port and starboard)
- Access hatch to large stowage locker (standard) or skipper cabin (optional) to the aft port side
- Second access hatch to large stowage locker (standard) or skipper cabin (optional) in the cockpit
 Cockpit shower (with hot/cold water mixer tap)
- Flybridge access ladder, with solid wood treads
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Swimming platform steps with access hatch to shore power socket and shore freshwater supply Direct and indirect LED lighting
- 2 Speakers

WHEELHOUSE

- Headroom: 2,02 m / 6'71/2"
- · Curtain, Aft window door
- Wooden Venetian blinds
- Direct and indirect LED lighting Electrical panel
- Wheelhouse side door to port

STEERING STATION

- · Direct and indirect LED lighting
- Clear glass windscreen
- Grey tinted glass side windows
- 3 Windscreen wipers with washers
- · Defogging system
- Charcoal grey leather adjustable pilot seat, with bolster
- Side bench seat
- 4 Cup holders & Storage
- Instrument panel with vinyl finish
- MAN 5.5" screen for 2 engines
- MAN engine controls and gauges
- Auto pilot
- · Steering compass
- · Rudder angle indicator
- Operating controls: windscreen wipers, demister, horn, navigation
- · lights, electric windlass
- Glove box
- Space for 3 multifunction 16" screens
- 1 12 V Power outlet

WHEELHOUSE (DINING ROOM)

- Headroom: 2,02 m / 6'71/2"
- L-shaped bench seat for 5 people to starboard, PVC Marlin Brilliant
- White upholstery



- 4 Folding chairs (internal and external use), Dedicated stowage
- beneath starboard bench seat
- Sliding table with hand rail
- Storage locker
- SALON
- Headroom: 2,02 m / 6'71/2"
- U-shaped bench seat to port, PVC Marlin Brilliant White upholstery Coffee table
- · Sideboard to starboard
- Place for 50 TV with pre-wiring
- FUSION RA210 with 4 speakers
- 110 V Power outlet & USB socket

GALLEY

- Headroom: 2,02 m / 6'71/2"
- Starboard side door
- Stainless steel sink with mixer tap
- 3 burner induction stove
- Multi-function microwave oven (40 L / 11 US Gal)
- Exhaust fan
- Corian Rain Cloud countertop
- Fridge/freezer (255 L / 67.36 US Gal)
- Covered stowage drawer
- Cupboards, drawers, high storage units and bottle rack Recycling bin with external access
- Position for Dishwasher option
- 110 V Power outlet

OWNER'S CABIN (AFT) - 3 cabin layout

- Headroom: 2,00 m / 6'63/4"
- Full beam cabin
- Double berth (2 m x 1,7 m / 6'63/4" x 5'7")
- Marine mattress with slatted base
- 2 Bedside tables with drawer
- 2 Hanging cupboards with lighting
- Direct and indirect LED
- 2 Panoramic hull windows with built-in portholes, fitted with white
- Venetian blinds
- Place for 50 TV with pre-wiring
- Storage cupboards (port and starboard) Storage space under bed
- Desk or dressing table
- 1 Seating
- 110 V Power outlet & USB socket

OWNER'S HEAD COMPARTMENT

Headroom: 2,00 m / 6'63/4" • Electric toilet Tecma

- Rain Cloud corian shower with basin, separated by door with stainless
- steel profile



- Mixer tap with shower head and rainfall shower fitting
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 110 V Power outlet
- Hull window with opening porthole
- Towel rail and hooks

VIP CABIN (FORWARD)

- Headroom: 1,99 m / 6'61/4"
- Double berth (2 m x 1,55 m / 6'63/4" x 5'1")
- · Marine mattress with slatted base
- 2 Bedside tables
- 1 Hanging locker with lighting
- Direct and indirect LED
- 2 Panoramic hull windows with built-in portholes, fitted with white
- Venetian blinds
- Place for 32 TV with pre-wiring
- · Storage cupboards
- Storage space under bed
- 110 V Power outlet & USB socket

VIP HEAD COMPARTMENT

- Headroom: 1,96 m / 6'51/4"
- Electric toilet Tecma + shared rigid holding tank (170 L / 45 US Gal)
- Rain Cloud corian shower with basin, separated by door with stainless
- · steel profile
- Shower with mixer tap
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 110 V Power outlet
- Hull window with opening porthole + 1 Opening porthole
- · Towel rail and hooks

GUEST CABIN

Headroom: 2,02 m / 6'71/2"

- 2 Single beds convertible into double beds (1,96 m x 0,75 m /
- 6'51/4" x 2'51/2")
- Marine mattresses
- Bedhead
- · Hanging locker with lighting
- · Direct and indirect LED
- Panoramic hull window with built-in opening porthole, fitted with white
- Venetian blind
- Storage space under bed



• 110 V Power outlet & USB socket

GUEST HEAD COMPARTMENT

- Headroom: 2,02 m / 6'71/2"
 Electric toilet Tecma
- Rain Cloud corian shower with basin, separated by door with stainless
- · steel profile
- Shower with mixer tap
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 110 V Power outlet
- Hull window with built-in opening porthole
- · Towel rail and hooks

AFT STOWAGE

- Headroom: 1.78 m / 5'10"
- (1,92 m / 6'31/2" in the shower compartment)
- · Laminate floor
- Cupboards and door to create dedicated stowage spaces
 Opening portholes
- Access door to the engine compartment

ENGINE

SHAFT PROPULSION

- MANi6-730 2x730HPDiesel(2x537kW)
- Fuel filter with decanter
- Sea water filter
- Air intakes on the hull for cooling the engine compartment
- Hot air extraction forced by electric ventilators
- · Engine room foam soundproofed
- Fire extinguishing system activated from the steering station
- (wheelhouse)
- 2 Stainless steel fuel tanks with capacity of 1 935 L/511 US Gal each

STEERING SYSTEM

- Electric-hydraulic steering
- 2 stainless steel rudder blades Bow thruster (300 kgf)
- Lenco Flaps
- MAN DETAILS
- Trip computer Cruise control Single lever
- ELECTRICITY
- 24 V 110 V Electrical panel
- 4 AGM engine batteries (12 V 140 Amp)
- 4 AGM bow thruster and electric windlass batteries (12 V 100 Amp)
- 6 service batteries (12 V 140 Amp) AGM optional extra
- Radio-controlled wireless switches (without battery)



- 115V-50Hz63Ahshorepowersocketwith15mcable(or2110V/60
- Hz shore power sockets, depending on country)
- 3 Bilge pumps: 2 Electric bilge pumps + 1 manual
- 1 Extinguisher
- Load balancer
- Battery charger: 24 V 2 x 40 Amp
- 110V Sockets: Salon, Galley, heads, Cabins
- USB sockets: Salon, Galley, heads, Cabins
- 12V Sockets: Steering stations (wheelhouse & Flybridge)
- Direct and indirect LED lighting (inside and out)

PLUMBING

- 32x320+1x200L/2x85+1x53 US Gal Roto molded water tanks (total = 840 L / 222 US Gal)
- Stainless steel water fill
- Water pump for pressurizing hot/cold water system
- 80 L/21 US Gal water heater
- 170 L/45 US Gal black water tank
- Grey water tank (45 L/12.9 US Gal) with sea discharge valves Owner
- cabin and head, Galley
- Grey water tank (45 L/12.9 US Gal) with sea discharge valves VIP and
- guest cabins and heads

SMART BOARD

- "SEANAPPS" smart technology:
- For monitoring the boat's status and receiving alerts as well as
- maintenance advice via the associated mobile applicatio.
- The type of information collected (GPS position, batteries, engine info,
- navigation data, etc.) varies according to the boat's configuration.

MISCELLANEOUS ITEMS

Smoke detector

EXTERIOR

HULL

- Hull paint
- Underwater lights (4 on aft transom)

DECK

- Delta anchor 50 kg, 100m chains (14 mm diameter), 8 Fenders, 4 Inflatable fenders & 8 Moorings lines (22 mm diameter) Forward deck seat and sun deck with adjustable backrests, with cover
- Forward sunshade
- Forward towing winch and electric winches to port and starboard
- L-shaped cockpit bench seat and cockpit table, with cover
- 3rd steering station in the cockpit
- Hydraulic bathing platform with solid wood access steps and built-in tender struts (400 kg / 882 lbs SWL) •



Retractable telescopic gangway (3,2 m / 10'6")

- 2 Fresh water deck washing pumps (stern and forward decks)
- 115 V/60 Hz air conditioning shore power socket
- 115 V/60 Hz air conditioning shore power socket System Cablemaster
- · Full aft cockpit closing
- Black sunworker curtains for windscreens and side windows

FLYBRIDGE

- Additional pilot seat, with cover
- Flybridge crane (400 kg / 882 lbs SWL)
- Flybridge T-top with lighting
- Electrif soft top roof for flybridge T-top
- Aft flybridge sun awning
- Sunworker roll-up side shades in flybridge
- Covers for cushions, table and steering console
- Sun deck forward of flybridge, with cover
- 6 Solar panels for the T-top
- Metallic grey paint for the T-top
- Raymarine radome radar
- Raymarine Open scanner radar
- Raymarine ClearCruise (augmented reality)
- Raymarine Wind vane anenometer
- 2 Domes for satellite antennae with pre-wiring as standard (coaxial satellite cable for TV to starboard) Deck searchlight and aft spotlight
- Ice maker
- Drawer refrigerator (65 L / 17 US Gal)
- Electric grill with stainless steel cover

Order sheet

EQUIPMENT HULL/DECK

- L shaped cockpit bench Dolce 51, cockpit table and covers
- Foredeck sun awning black sunworker
- Flybridge T-top electric soft-top roof
- Flybridge aft sun awning
- Flybridge crane (4000KG 882lbs SWL)
- Exterior covers portside flybridge seating, table, helm
- Copilot seat fly Dolce 51 with cover \$1,210.00 \$1,210.00

EXTERIOR CUSHIONS

- Forward seat & sunpad in bow & cover, Dolce 51
- Flybridge front sunpad with cover Dolce 51
- Sunworker black exterior wheelhouse covers

STEERING SYSTEM



Gyroscopic stabilizer quick MC

ELECTRICAL EQUIPMENT

- Shore power w/automatic retractable reel-house service
- Shore power w/automatic retractable reel-air con/heat
- 6 solar panels on flybridge T-top
- Upgraded generator 21_5KVA 230V60HZ

GALLEY APPLIANCES

- Wine cabinet-Oak
- Washer/Dryer

HEATING/COOLING

- Skipper cabin 6KBTU air conditioning
- Reverse cycle air conditioning 96k BTU Tropical

INTERIOR EQUIPMENT

- 12 Place crockery, cutlery & glassware set
- Safe in aft owner cabin

INTERIOR UPHOLSTERY

• Additional pilot seat in wheelhouse

PROPULSION SOUNDPROOFING

- Lenco electric flaps autoglide 2 posts
- Joysticks in aft cockpit
- Man spare box EXP

HULL

• White hull STD

DOCUMENTS & LABELS

• English owner's manual EXP



ENTERTAINMENT SYSTEMS

- Entertainment pack owner's cabin-3 cabin layout oak
- entertainment VIP cabin
- Pack entertainment upgraded salon & exterior

NAVIGATION INSTRUMENTS

- Ray marine clearcruise
- Raymarine open scanner radar
- Cartography Raymarine US exp

SAFETY EQUIPMENT

• Automatic fire extinguisher in engine room

VENTILATION FROM C.ROOF

• Mosquito screens in wheelhouse

EXTERIOR WOOD

- Teak decking with black joints front deck
- Teak decking with black joints flybridge

AFTER MARKET

- KVH satellite TV plus SATNAV
- Watermaker
- FLIR nightvision camera
- Engine room camera
- Liferaft
- EPIRB

EXCLUSIONS

• Williams jet tender

Disclaimer



The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Murray Yacht Sales Info@MurrayYachtSales.com

















































































































































