



Amazing Grace

32' (9.75m) 2023 Pursuit 325 Off Shore
CROWNSVILLE Maryland United States



OVERVIEW

\$485,000

Manufacturer:	<i>Pursuit</i>	Hull Material:	Fiberglass
Engines:	2 Yamaha	Cruise Speed:	
Engine Model:	F300NSB2	Max Speed:	
Engine HP:	300	Cabins/Heads:	2 /
Beam:	10' 10"	Fuel Type:	Gas/Petrol
Max Draft:	2' 8"	Fuel:	300 G (1135.62 L)
Water:	30 G (113.56 L)		



Data Sheet

Category: Cruisers
Condition: Used
Model Year: 2023
Beam: 10'10" (3.30m)
Max Draft: 2' 8" (0.81m)
LOA: 34' 6" (10.52m)
Cabins: 2
Double Berths: 1
Queen Berths: 1

Fuel Type: Gas/Petrol
Hull Material: Fiberglass
Hull Shape: Deep Vee
Hull Finish: Gel Coat
Hull Warranty: 4 years
Air Conditioning: Yes
Bridge Clearance: 9' 2

Displacement: 12430 lbs
Fuel Tank: 300 gal (1135.62 liters)
Fresh Water: 30 gal (113.56 liters)
Holding Tank: 18 gal (68.14 liters)
HIN/IMO: PURY2349E223

Engines/Generators

Engine 1

Yamaha
F300NSB2
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Hours: 90
Hours Date: 03-26-2024
Year: 2023
Location: Port

Engine 2

Yamaha
F300NSB2
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Hours: 90
Hours Date: 03-26-2024
Year: 2023
Location: Starboard

Generator 1

Fischer Panda
5KW
Hours: 10
Hours Date: 03/26/2024

Summary/Description

2023 Pursuit 325 OS, like new, engines fully serviced & oil changed before winterization and shrink wrap when delivered to Crownsville from Michigan fall of 2023. Less than 100 hours use, every option including dark blue hull w/ceramic coating! Yamaha 300's transferrable warranty till 8/13/2028!

Effective date: August 1, 2023

HULL FEATURES

- Pursuit® Protection Plan:
- 5-year hull/deck structural warranty
- 5-year blister-free warranty
- 2-year limited warranty
- Pursuit Fresh White Gelcoat
- Hand Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management System
- Foam Filled Structural Grid
- Bronze Thru Hull Fittings Below Water Line
- Chrome over Bronze Thru Hull Fittings Below the 7 Degree Heel Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Bronze Garboard Drain
- Trim Tabs, Lenco Electric with Auto-Retract
- Bow Eye, 5/8" 316L Stainless Steel
- Integrated Transom Platform Extensions Outboard of Engines
- Boarding Ladder, 4-Step Telescopic, Mounted in Hull Platform
- Anchor System, Integrally Molded Thru-Stem
- Bow Thruster, 3.0 HP (2.2 kw) with Group 31 AGM Battery, Switch and Fuse
- Dedicated Transducer Location
- Forward hull compartmentation with one (1) 1100 GPH bilge pump with automatic float switch
- Molded Hull Side Frameless Tempered Glass Windows

DECK FEATURES

- Hull and Deck Joint Mechanically Fastened
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap, 316L Stainless Steel
- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area
- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Horizontal Anchor Windlass with Switch at Helm and Remote at Anchor Locker, 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat and Chain Binder 22lb Stainless Steel Plow Style Anchor, Self-Righting Shackle and 200' Rode (1/2" 8 Plait including 20' of 3/4" G4 Chain)
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, 8" Pop Up (2) Aft Spring, 10" Fixed Forward Spring (2) and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- Molded Transom Walkthrough with Hinged Transom Door, 316L Stainless Steel Latch and Magnetic Catch
- Self-Draining Cockpit with Bronze Ball Valve at Hull Side
- Bow Rail, one-piece, welded 316L Stainless Steel, with 1 1/4" Top Rail and 1" Stanchions

- Transom Grab Rails, 316L Stainless Steel, (Port and Starboard)
- Molded Non-Skid Steps in Splashwell for Athwartship Access
- Navigation Lights, LED, 2 Mile
- Foredeck Hatch, 17" x 17", Flush with Adjuster and Screen
- Opening Port Lights (5) with Screen and Stainless Steel Frame
- 316L Stainless Steel Foredeck Grab Rail

COCKPIT FEATURES

- Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Captain's Chair with Swivel Base, Foldable Armrests, Fore and Aft Adjustment and Flip-up Bolster
- Molded Port Bridge Lounge Seating with Molded Footrest and Equipment Storage Area
- Pursuit Cockpit JL Audio Entertainment System: 12V Bluetooth® Compatible Stereo System, JL Speakers (7 Total, 4 in Hardtop, 2 Interior, and Subwoofer), Amplifier, Remote at Helm and Ext Antenna
- Molded Entertainment Center with Sink, Hot/Cold Mixing Faucet, Cutting Board, Dedicated Bucket Storage 120v Outlet with GFI Protection and Hinged Fiberglass Lid and Doors
- Cockpit Tackle Center with Lure Tube, Tackle Tray
- Molded Aft Facing Cockpit Seat with Insulated Storage Below
- Folding Transom Seat with Patented Adjusting Backrest
- Cockpit Machinery Access Hatch
- Fresh Water Wash with Hot/Cold Mixing Valve and Chrome over Brass Pull-out Sprayer at Transom Door
- Raw Water Outlet in Cockpit with Quick Connect Fittings and 25' Hose
- LED Cockpit Accent Lights (6) with Waterproof Switch in Cockpit
- Two (2) 316L Stainless Steel Drink Holders in Gunwale

FISHING FEATURES

- Rod Holders (4), Stainless Steel, in Gunwale
- Lighted Oceana Blue 24 Gallon Recirculating Livewell with Dedicated Bronze Strainer and Overboard Discharge
- Under Gunwale Rod Storage (Port and Starboard)
- Fish Boxes, Insulated, and Diaphragm Pumps with Overboard Discharge (Port and Starboard)
- Cockpit Tackle Center

INTERIOR CABIN

- Molded Acrylic Access Door with Gasket and 316L Stainless Steel Locking Latch
- Cabin Entry Steps with Custom Handrail and Wood Treads
- Molded Cabin Hull Liner with Custom Solid Wood Tongue and Groove Floor Accents, Mechanical Access, Drainage and Sound Damping Insulation
- Molded Cabin Deck Liner with Sound Damping Insulation
- Custom V-Berth Seating that Converts into Berth with Storage Space Below Starboard Cushion
- Solid Wood Table with Power Adjustable Pedestal
- Pursuit Digital Media Ready Entertainment Center with 19" LED TV
- Flush Mounted Foredeck Hatch with Screen
- Mid-berth Full-size 3" Foam Mattress and Quilted Cover
- Mid-berth Hanging Locker and Storage to Portside
- 316L Stainless Steel Opening Port Lights (4) with Screen
- JL Audio Stereo Speakers (2)
- Four Switch Panel with Overhead LED (2), Reading (2) and LED Floor Accent (2) Lights
- Horizontal Rod Storage for (4) Rods

- CO Monitor

GALLEY (PORT)

- Corian® Galley Counter Top
- Molded sink with Cutting Board Cover, Overboard Drain and Stainless Clad Composite Thru Hull Fitting
- Pressurized Hot/Cold Mixing Valve and Faucet
- Galley Lower Storage Cabinet with Drawers (3), Dedicated Storage and Trash Can
- Galley Pantry Storage Locker with Storage Shelves and Hardwood Keepers
- Galley Upper Cabinet Storage with Doors
- 12V, 1.9 cu. ft. Stainless Steel Refrigerator
- 12V LED Overhead Light (2)
- 12V Outlets (2) and dual USB Charger (1)
- 120V Single Burner Glass Cook Top with Touch Controls and Pop-up Pot Holders
- 120V 1.1 cu. ft. Stainless Steel Faced Microwave Oven
- 120V Outlet with GFI Protection (1)
- Fire Extinguisher
- 316L Stainless Steel Opening Port Light with Screen

HEAD (STARBOARD)

- Fiberglass Private Head Compartment with Non-Skid Pattern Area
- Custom 1 1/4" Wood Framed Entrance Door with Custom Latch and Mirror
- Designer Sink with Corian® Countertop, Vanity Mirror and Hot/Cold Pull-out Shower Wand
- Vanity with Storage Cabinet
- Overhead Storage Cabinet with Shelf and Dual Mirrors
- Vacuum Flush Marine Head with 18 Gallon Holding Tank, Macerator Discharge Pump, Stainless Steel Deck Pump-out Fitting and Bronze Thru Hull Fitting with Seacock
- Fiberglass Toilet Seat Cover
- Shower Curtain with Track
- 316L Stainless Steel Opening Port Light with Screen
- Vanity Storage Cabinet with Shelves
- Toilet Tissue Holder
- Shower Sump Box Drain with Automatic Discharge Pump
- Two Switch Panel with Overhead LED Lights (2) LED Floor Accent Light (1)
- 120V Outlet with GFI Protection (1)

HARDTOP & WINDSHIELD

- Molded Fiberglass Hardtop with Integrated Visor
- Powder Coated Aft Structural Hardtop Supports with Rod Holders (4)
- Custom Windshield System with Optically Clear Laminated Windshield Glass, Tempered Side Glass with Infused Fiberglass Frame and Electrically Actuated Center Vent Window
- Port and Starboard Heavy Duty Pantographic Windshield Wiper System with Washer Control
- Custom Stainless Steel Ratcheting Anchor/Stern Light with Burgee Rings and USA Flag
- Four (4) Tri Color LED Lights
- Indirect Lighting Over Dash
- Aft Facing LED Spreader Light
- 316L Stainless Steel Fore/Aft Underside Grab Rails
- Powder Coated Fore/Aft Topside Grab Rails

- 60 mil Strataglass™ Side Curtains
- Integrated Stereo Speakers (4)
- Horn, Trumpet
- Integrated Glove Box Over Helm Area
- Integrated Life Jacket Storage
- Port and Starboard Ventilation Hatches with Screens
- Fiberglass Hardtop with Dedicated Radar, Antenna and Outrigger Locations

HELM

- Molded Fiberglass Aft Tilting Helm with Instrumentation Visor, Electronics Mounting Surface, Fold Out Fiberglass Footrest/Platform and Safety Lanyard
- 316L Stainless Steel Steering Wheel with Control Knob and Non-Slip Grip on Sport Tilt Plus Helm
- 12V Panel with Illuminated Carling® Rocker Switches
- Compass with light
- Trim Tab Control Panel and Indicator
- Bow Thruster Joystick Control
- Waterproof Stereo Remote with Full Function Display
- 316L Stainless Steel Grab Rail
- One 12V Outlets (1) and Dual USB Charger (1)
- Helm Drink Holders (2) in Side Panel
- Helm Fire Extinguisher

ELECTRONICS

- Garmin® Electronics Package: Dual GPSMAP 8612 [1 XSV], Airmar B175M 1KW CHIRP Transducer, NMEA 2000 Starter kit, Pursuit Custom Dash Panel, Yamaha Gateway w/cable, VHF Antenna, Garmin® 315 VHF Radio

ELECTRICAL SYSTEMS

- UL® Rated Fully Tinned, Color Coded Copper Wire
- Custom In-House Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom In-House Built, One-Piece Electrical Harness with Waterproof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front and Back) Battery Switch and Breaker Panel
- Bonding System: Thru Hull Fittings Below Water Line, Trim Tabs, Zinc Anode and Garboard Drain
- Five Battery System: Port Engine (1), Starboard Engine (1), Bow Thruster (1) (AGM), House (1) (AGM) and Electronics (1) (AGM)
- Single 120V 30 Amp 60 Cycle Dockside Power Connection
- One (1) 120V 30 Amp 50' Dockside Power Cord
- 120V Outlets (2) with GFI Protection
- 12V Outlets (3) and Two Dual USB Chargers (2)
- 40 Amp Battery Charger for House, Electronics and Bow Thruster Batteries
- 20 Amp Battery Charger for Engine Cranking Batteries
- One Grounding Bus Bar
- Electronics Fuse Block

MECHANICAL SPACE

- Molded Interior White Gel Coat
- Molded Hatch with Gasket and Stainless Steel Gas Spring

- Molded Bilge Sump Area
- One Low Profile 900 GPH Bilge Pump with Integrated Float Switch, One 1500 GPH with Electronic Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Fresh Water Pump with Filter
- Raw Water Pump with Bronze Sea Strainer, Seacock and Thru Hull Fitting
- Livewell Cyclone Pump with Bronze Sea Strainer
- Dedicated Fish Box Diaphragm Evacuation Pumps
- Teleflex Hydraulic Power Steering Pump

FUEL SYSTEM

- EPA Compliant Lined 150 Gallon (Port and Starboard) Rotomolded Fuel Tanks (2) with Engine Pickups, Shutoff Valves, Digital Level Indicator and Deck Fuel Fill Plates
- Custom Built Premium Fuel Feed Lines with Mechanically Crimped Fittings
- Two (2) Yamaha® Water Separating Fuel Filters with Primer Bulbs

WATER SYSTEM

- 30 Gallon Water Tank and 316L Stainless Steel Deck Fill Plate
- Premium Sea Tech Color Coded Water Hose System with Mechanically Crimped Ends
- Pressure Sensing/Variable Speed Pump
- Centrally Located Fresh Water Connections
- Dockside Fresh Water Inlet with Pressure Regulator
- 6 Gallon Stainless Steel Water Heater, 120V/60 Cycle
- Cockpit Shower with Hot/Cold Mixing Valve





















































































































































