



37' (11.28m) 2023 Pursuit S-378
Jacksonville Florida United States



OVERVIEW

\$649,900

Manufacturer:	<i>Pursuit</i>		
Engines:	3 Yamaha	Hull Material:	Fiberglass
Engine Model:	425 XTO	Cruise Speed:	40 MPH
Engine HP:	425	Max Speed:	60 MPH
Beam:	12' 0"	Cabins/Heads:	1 /
Max Draft:	2' 7"	Fuel Type:	Gas/Petrol
Water:		Fuel:	427 G (1616.37 L)



Data Sheet

Category: Center Consoles
Condition: Used
Model Year: 2023
Beam: 12' (3.66m)
Max Draft: 2' 7" (0.79m)
LOA: 40' 5" (12.32m)
Cabins: 1
Sleeps: 2

Maximum Speed: 60 MPH
Cruise Speed: 40 MPH
Fuel Type: Gas/Petrol
Deadrise: 21°
Hull Material: Fiberglass
Hull Shape: Deep Vee
Hull Finish: Gel Coat

Dry Weight: 18000 lbs
Fuel Tank: 427 gal (1616.37 liters)
HIN/IMO: PURS7174E223

Engines/Generators

Engine 1

Yamaha
425 XTO
Outboard 4 Stroke
425HP
316.92KW
Fuel: Gas/Petrol
Hours: 75
Year: 2023
Location: Port

Engine 2

Yamaha
425 XTO
Outboard 4 Stroke
425HP
316.92KW
Fuel: Gas/Petrol
Hours: 75
Year: 2023
Location: Middle

Engine 3

Yamaha
425 XTO
Outboard 4 Stroke
425HP
316.92KW
Fuel: Gas/Petrol
Hours: 75
Year: 2023
Location: Starboard

Generator 1

Fischer Panda
8KW
8KW
Hours: 50

Summary/Description

New Listing - Pictures & specs now online. The S 378 is one of the most popular members of Pursuit's award-winning Sport family and features advanced innovations as well as the quality, fishability and versatility that you've come to expect. Enjoy a full day of fishing from the ample cockpit unti

Major Price Reduction! Seller wants this to be the next S-378 sold!

Dimensions

LOA: 37 ft 0 in

Beam: 12 ft 0 in

Maximum Draft: 2 ft 10 in

Bridge Clearance: 9 ft 4 in

Deadrise: 22 ° at Transom

Dry Weight: 18000 lbs

Engines

Total Power: 1275 HP

Engine 1:

Engine Brand: Yamaha

Year Built: 2023

Engine Model: XF425NSB2

Engine Type: Outboard 4S

Location: Center

Engine Hours: 65

Propeller: 3 blade propeller

Engine Power: 425 HP

Engine 2:

Engine Brand: Yamaha

Year Built: 2023

Engine Model: XF425NSB2

Engine Type: Outboard 4S

Engine/Fuel Type: Gas/Petrol

Location: Port

Engine Hours: 65

Propeller: 3 blade propeller

Engine Power: 425 HP

Engine 3:

Engine Brand: Yamaha

Year Built: 2023

Engine Model: XF425NSB2

Engine Type: Outboard 4S

Location: Starboard

Engine Hours: 65

Propeller: 3 blade propeller

Engine Power: 425 HP

Cruising Speed: 38 mph @ 4000 RPM

Maximum Speed: 60 mph

Tanks

Fresh Water Tanks: Plastic (45 Gallons)

Fuel Tanks: Plastic (427 Gallons)

Holding Tanks: Plastic (22 Gallons)

Accommodations

Number of heads: 1

Options on This Boat

- Helm Master EX Joy Stick System w/Auto Pilot
- Gulfstream Blue Hull Sides w/ White Bottom & Navy Boot Stripe
- Gulfstream Blue Helm & Underside of Hardtop
- White Sport Upholstery
- Underwater Transom Lighting
- LED Spotlight
- Cockpit Air Conditioning
- Upgraded Stereo
- Dual Garmin 16" 8616 Displays
- Garmin 315 VHF
- Garmin 72 Mile Fantom Radar
- Garmin Satellite Weather/XM Antenna
- Garmin Aft Facing Camera
- 18' Outriggers
- Hardtop Rocket Launcher for 8 Rods
- Electric Cockpit Sunshade
- Bow Sun Shade
- Stamoid Seat & Helm Covers

Factory Standard Features

- HULL FEATURESBalance of the following Pursuit® Protection Plan:
- 5 Year Hull and Deck Structural Warranty
- 5 Year Blister Free Warranty
- 2 Year Limited Warrant
- Pursuit Fresh White Gelcoat and Laminated Hull with Vinyl Ester Resin and Engineered Fabrics
- 5 Ply Resin Infused Composite Transom System with Patented Transom Reinforcement Grid
- Infused Fiberglass Structural Grid System with Molded Finish and Integrated Bilge Water Management System
- Foam Filled Structural Grid
- Bronze Thru Hull Fittings Below Water Line
- Chrome over Bronze Thru Hull Fittings Below the 7 Degree Heel Line
- Stainless Clad Composite Thru Hull Fittings Above the 7 Degree Heel Line
- Bronze Garboard Drain with T-handle
- Trim Tabs, Lenco Electric with Auto-Retract
- Bow Eye, 5/8" 316L Stainless Steel
- Integrated Transom Platform Extensions Outboard of Engines
- Boarding Ladder, 4-Step Telescopic, Mounted in Hull Platform
- Molded Hull Side Frameless Tempered Glass Windows
- Anchor System, Integrally Molded Thru-stem
- Dedicated Transducer Location
- Forward Hull Compartmentation with One (1) 900 GPH Bilge Pump with Automatic Float Switch
- Two (2) 1500 GPH Bilge Pumps with Electric Switches
- Bow Thruster, 3.0 HP (2.2kW) with Group 31 AGM Battery, Switch and Fuse
- DECK FEATURES
- Hull and Deck Joint: Mechanically Fastened and Includes Aluminum Backing Plates at Cleat Locations
- Rub Rail: High Density PVC with Solid 316L Stainless Steel Insert
- Transom Cap, 316L Stainless Steel

- Molded One Piece Deck and Cockpit Liner with Non-Skid Pattern Area and Overboard Drains
- Flush Mounted Integral Anchor Locker with Fiberglass Lid including: Vertical Anchor Windlass with Switch at Helm and Remote at Anchor Locker, 316L Stainless Steel through Stem Anchor Roller with 8" Mooring Cleat, Chain Binder, 35lb Stainless Steel Plow Style Anchor, Self-Righting Swivel, 320' Rode (5/8" 8 Plait Including 20' of G4 Chain), Fresh and Raw Water Quick Connect Fittings and a LED Courtesy Light
- Cleats, 316 Stainless Steel, 10" Pop Up (2) Stern, (2) Spring and (2) Bow
- Molded Recessed Hatches with Gaskets and 316L Stainless Steel Latches and Overboard Drain Tracks
- Molded Transom Walkthrough with Hinged Transom Door, 316L Stainless Steel Latch and Magnetic Catch
- Self-Draining Cockpit with Molded Water Management and Bronze Ball Valves at Hull Sides
- Bow Grab Rails, 316L Stainless Steel (Port and Starboard)
- Mid-ship Grab Rails, 316L Stainless Steel (Port and Starboard)
- Transom Grab Rails, 316L Stainless Steel (Port and Starboard)
- Single Level Splashwell Deck with Non-Skid for Athwartship Access
- Shore Power Inlet, 316L Stainless Steel
- Navigation Lights, LED, 2 Mile
- COCKPIT FEATURES Molded Forward Bow Seating with Insulated Storage Below, Electric-Actuating Hinged Forward Facing Backrests for Port and Starboard Seats with Clear Passage Forward (Removable Jumpseat)
- Forward Table (Fiberglass) with Removable Base and Designated Storage
- Bow Sunpad Chaise for Two (2) with Tilt-up Leg Rest, Armrests and Drink Holders
- Forward Facing Seating for Two (2) Forward of Chaise
- Custom Cockpit Upholstery with Dri-Fast Foam and Mesh Backing
- Pursuit Cockpit JL Audio Custom Tuned Entertainment System: JL Media Master 12V Bluetooth® Compatible Stereo System, Premium JL Audio Speakers Eight (8) Total, Six (6) in Exterior and Two (2) Subwoofers, Two (2) Amplifiers, Remote at Bow and Ext Antenna
- Molded, Electric Sliding (aft), Entertainment Center with Corian® Accents, Molded Sink, Hot/Cold Mixing Faucet, Electric Cockpit Grill, 1.3 cu ft Top Load Refrigerator/Freezer with Hinged Fiberglass Lids, Cutting Board, Three (3) Entertainment Dedicated Storage Drawers and 120V Outlet with GFI Protection
- Aft Facing Molded Cockpit Seat with Armrests and Dedicated Storage Below
- Folding Transom Seat with Patent-pending Flipping Backrest
- Triple Helm Seat Configuration with Dedicated Folding Armrests/Footrests for Each Seat, Center Seat has Fore, Aft and Vertical Adjustments.
- Helm Seat Box Content: Slide-out Trash Can Access (Port Side) DC Panel and Battery Switch Access (Starboard Side) and Dedicated Storage for Cockpit Table and Pedestal (Aft Side)
- Bridge Machinery Access Hatch
- Extra Large Drink Holders, 316L Stainless Steel, Six (6)
- Cockpit Machinery Access Hatch
- Fresh Water Cockpit Shower with Hot/Cold Mixing Valve and Pull Out Sprayer
- Raw and Fresh Water Outlets in Cockpit with Quick Connect Fittings and 25' Hose
- Full Cockpit Breathable Coaming Bolsters with Dri-Fast Foam
- Inward Opening Side Boarding Door (Starboard Side) with Removable/Storable Ladder for Water Play
- Seven (7) LED Cockpit Courtesy Lights:
 - Two (2) Lights at Bridge Deck, Three (3) Lights at Bow Seating and Walkways, Two (2) Lights at Cockpit Steps
 - Six (6) LED Blue Mid-level Accent Lights
- Cockpit Fire Extinguisher Under Gunwale
- Dockside Fresh Water Inlet with Pressure Regulator
- Bow Seat Cover - Stamoid® Light
- Chaise Seat Cover, Front of Console - Stamoid® Light
- Entertainment Center and Seat Cover - Stamoid® Light
- FISH FEATURES Rod Holders, Ten (10) Total, Stainless Steel Four (4) in Gunwale, Two (2) in Transom, Four (4) in Bow

- Lighted Oceana Blue 36 Gallon Recirculating Insulated Livewell with Fiberglass Lid and Acrylic Window
 - Under Gunwale Rod Storage, Three (3) Port and Two (2) Starboard
 - Under Hardtop Rod Storage, Two (2) Port and Two (2) Starboard
 - (2) Fish Boxes, (41 gallon) Insulated with Diaphragm Pumps with Overboard Discharge (Port and Starboard)
 - Lockable Rod Storage in Cabin
 - Cockpit Tackle Center with Storage for Four (4) Plano Trays
 - Aluminum Reinforcement Plates and Wiring for Downrigger Installation, Aft Gunwale (Port and Starboard)
 - HARDTOP & WINDSHIELD Molded Fiberglass Full Beam Hardtop with Visor
 - Fiberglass Hardtop with Dedicated Radar, Antenna, Outtrigger Locations and 316L Stainless Steel Grab Rails (Port and Starboard)
 - Powder Coated Hardtop Structural Supports
 - Custom Windshield System with Tempered Side Glass and Grab Rails, 316L Stainless Steel (Port and Starboard)
 - Windshield Wiper with Fresh Water Washer
 - Custom Stainless Steel Ratcheting Anchor/Stern Light with Burgee Rings and USA Flag
 - Six (6) Tri Color Overhead LED Lights
 - Indirect Lighting Over Dash
 - Two (2) Aft Facing Spreader Lights, One (1) Forward Facing Spreader Light
 - Integrated Stereo Speakers (4)
 - Area for Overhead Displays
 - Hardtop Access/Ventilation Hatch (24" x 24")
 - Horn, Trumpet
 - HELM Molded Fiberglass Aft Tilting Helm with Instrumentation Visor, Electronics Mounting Surface, Fold Out Fiberglass Footrest/Platform and Safety Lanyard
 - 12V Panel with Illuminated Carling® Rocker Switches
 - 316L Stainless Steel Steering Wheel with Control Knob and Non-Slip Grip on Yamaha Electric Steering Control with Programable Steering Friction
 - Top Load Glovebox (Starboard Side), (Contains USB Wireless Phone Charger)
 - Pursuit Custom Triple Captain's Seats with Folding Armrests, Three (3) Sculpted Flip-Up Bolsters and Lumbar Support, One (1) Medium on Ramping Actuator, Two (2) Small Stationary
 - Bow Thruster Joystick Control
 - Single Windshield Wiper with Washer Control
 - Compass
 - Port Fold-down Footrest
 - Trim Tab Control Panel and Indicator
 - JL Audio Media Master Full Function Display
 - Helm Drink Holders (2), 316L Stainless Steel
 - 12V Outlets (1) and Dual USB Charger (1)
 - Helm Fire Extinguisher
 - Helm Instrument Cover - Sunbrella®
 - Helm/Companion Seat Cover - Sunbrella®
 - ELECTRONICS Garmin® Package: Dual GPSMAP 8616 [1 XSV], Airmar B175M 20 Degree 1KW CHIRP Transducer, NMEA 2000 Starter kit, Pursuit Custom Dash Panel, Yamaha Gateway w/cable, VHF Antenna, Garmin® 315 VHF Radio
-
- CABIN Molded Acrylic Access Door with Secondary Framed Screen Door and 316L Stainless Steel Locking Latch
 - Full Fiberglass Cabin Deck Liner with Sound Damping Insulation
 - Full Fiberglass Hull Liner with Sound Damping Insulation
 - Cabin Entry Steps with Custom Handrail and Wood Treads

- Custom Solid Wood Tongue and Groove Floor Accents, Mechanical Access and Drainage
- Solid Wood Veneers on Interior Cabinetry
- Solid Wood Interior Table with Fixed Table Leg
- 240V/60 Cycle Cabin Air Conditioning with Reverse Cycle Heat, 6,000 BTU
- 19" LED TV
- Forward Berth with 4" Foam Cushions and Filler
- Port and Starboard Forward Outboard Storage
- Vista View Console Side Windows (Port and Starboard) Allow Sightlines through Hull Side Windows
- 12V Outlet one (1), Dual USB Charger one (1)
- Companionway 2-Switch Panel:Two (2) Accent Floor Lights
- Two (2) Overhead LED at Companionway four (4)
- Overhead LED at berth
- 120V Microwave Oven
- CO Monitor
- Fire Extinguisher
- AC Distribution Panel
- HEAD (STARBOARD SIDE)Fiberglass Private Head Compartment with Non-Skid Pattern Area
- Corian® Countertop with Sink, Hot/Cold Faucet and Storage Cabinet Below
- Vacuum Flush Elongated Marine Head with 22 Gallon Holding Tank, Macerator Discharge Pump, 316L Stainless Steel Deck Pump-out Fitting and Bronze Thru Hull Fitting with Seacock
- Fiberglass Toilet Seat Cover
- Upper Vanity Mirror
- Toilet Tissue Holder
- Towel Rack
- Shower Sump Box Drain with Automatic Discharge Pump
- Shower with Hot/Cold Mixing Valve and Shower Wand
- Tempered Glass Head Window
- Two-Switch Panel with One (1) Overhead LED Lights, One (1) LED Floor Accent Light
- One (1) 120V Outlet with GFI Protection
- Head Door Gear Hook
- Shower Curtain with Storage Cover
- ELECTRICAL SYSTEMUL® Rated Fully Tinned, Color Coded Copper Wire
- Custom Built, Heat Sealed, Mechanically Crimped, Color Coded Battery Cables
- Custom In-House Built, Electrical Harness with Waterproof Connectors and Chafe Protection
- Powder Coated, Aluminum, Screen Printed (Front and Back) Battery Switch and Breaker Panel
- Bonding System: Thru Hull Fittings Below Water Line, Trim Tabs, Zinc Anode and Garboard Drain
- Six Battery System: Port Engine (1), Center Engine (1), Starboard Engine (1), Electronics (1) (AGM), Bow Thruster (1) (AGM) and House (1) (AGM)
- Single 240V 50 Amp 60 Cycle Dockside Power Connection
- 240V 50 Amp 50' Dockside Power Cord with Wireless Remote/Switch Operated Electric Cord Retract Reel
- Pursuit Custom 12V and 120V Interior MDP Switch Panel for Cabin Interior Circuits
- Three (3) 120V Outlets with GFI Protection
- Four (4) 12V Outlets and four (4) Dual USB Chargers
- One (1) 40 Amp Battery Charger for House, Electronics and Bow Thruster Batteries
- One (1) 20 Amp Battery Charger for Engine Batteries
- One Grounding Bus Bar
- AFT MECHANICAL SPACEMolded Interior White Gel Coat
- Molded Hatch with Gasket and Stainless Steel Gas Spring
- Molded Bilge Sump Area
- Aft Mechanical Space Access Step

- One (1) 1500 GPH Bilge Pump with Electronic Switch and One (1) 1500 GPH Pump with High Water Electronic Switch and Alarm with Stainless Steel Clad Composite Thru Hull Fittings
- Raw Water Pump with Bronze Sea Strainer, Seacock and Thru Hull Fitting
- Livewell Cyclone Pump with Bronze Sea Strainer
- Dedicated Fish Box Diaphragm Evacuation Pumps
- Battery Service Slide System, 316L Stainless Steel (Port and Starboard)
- FWD MECHANICAL SPACEOne Low Profile 900 GPH Bilge Pump with Integrated Float Switch, with Stainless Steel Clad Composite Thru Hull Fitting
- Fresh Water Pressure Sensing Pump with Filter
- FUEL SYSTEMEPA Compliant Lined 427 Gallon Rotomolded Fuel Tank with Engine Pickups, Shutoff Valves, Digital Level Indicator, and Deck Fuel Fill Plates
- Custom Built Premium Fuel Feed Lines with Mechanically Crimped Fittings
- Three (3) Yamaha® Water Separating Fuel Filters with Primer Bulbs
- WATER SYSTEM45 Gallon Water Tank with Level Indicator and 316L Stainless Steel Deck Fill Plate
- Premium Sea Tech Color Coded Water Hose System with Mechanically Crimped Ends
- Pressure Sensing/Variable Speed Pump
- Fresh Water Distribution Manifold with Dedicated Valves
- Dockside Fresh Water Inlet with Pressure Regulator
- 6 Gallon Stainless Steel Water Heater, 240V/60 Cycle
- Cockpit Shower with Hot/Cold Mixing Valve
- GENERATOR240V/60 Cycle 8.0 kW Fischer Panda® Diesel Generator with Sound Shield and Service Slide
- EPA Compliant Lined 24 Gallon Rotomolded Fuel Tank with Engine Pickup, Shutoff Valves, Digital Level Indicator, Water Separating Fuel Filter and 316L Stainless Steel Deck Fill Plate
- Fire Suppression System

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.





































































