





Highfield Ultralite 340

10' (3.00m) 2022 Highfield Ultralite 340 Fort Lauderdale Florida United States



OVERVIEW

Manufacturer: Highfield

Engines: Hull Material: Aluminum

Engine Model: Cruise Speed: Engine HP: Max Speed:

Beam: 5' 8" Cabins/Heads: /

Max Draft: " Fuel Type: Other

Water: Fuel:



Call for Price



Data Sheet

Category: Tender

Subcategory: Rigid Inflatable Boats

Condition: New Model Year: 2022

Beam: 5'8" (1.73m) LOA: 10' 11" (3.00m) Fuel Type: Other Deadrise: 15°

Hull Material: Aluminum

Dry Weight: 117.01935 lbs HIN/IMO: HFM340ULD121

Stock #: Tender

Engines/Generators



Summary/Description

For Sale

Customizable Boat: Fort Lauderdale

The Highfield Ultralite 340 has a maximum rating of 20 HP with 10 HP recommended. At 11'2, it weighs in at 117 pounds. Its lightweight design is ideal for those who would usually opt for a soft bottom tender, as the rigid hull of the Ultralite delivers a superior and more stable ride without a substantial weight gain. The high tensile chromated and powder coated hull is durable enough to beach and trailer the UL 340 without worry of damage.

Standard features include Hypalon or PVC tubes, flush mount non-return valves, a self-draining deck, a removable seat, lifting points and towing eyes, tow bridle points, a non-skid deck, a light weight rub rail, a full length keel guard, an under seat bag, and a dry bag, a repair kit, oars, and a foot pump.

*Engine and optional features not included at base price.

Come test drive a Highfield Boats tender at these Florida locations:

Dania Beach / Ft. Lauderdale and Palm Beach.

Standard Features

- ORCA® Hypalon or Valmex® PVC tubes Welded seams (PVC)
- Flush mount non-return valves
- Fuel tank shelf in bow (new for 2020)
- High tensile chromated & powder coated aluminum hull
- Self-draining cockpit
- · Removable seat
- Lifting points and towing eyes Tow bridle points
- Anti-slip deck
- Light weight rub strake
- Full length keel guard
- Padded under-seat bag
- Highfield dry bag
- Foot pump, oars, repair kit











