





72' (21.95m) 2025 Princess S72 West Palm Beach Florida United States





OVERVIEW

Manufacturer: Princess

Engines: 2 MAN Hull Material: Fiberglass
Engine Model:V12-1650 Cruise Speed: Knots
Engine HP: 1650 Max Speed: Knots
Beam: 18' 1" Cabins/Heads:4 / 3
Max Draft: " Fuel Type: Diesel

Water: 240.13 G (909 L)Fuel: 1188.77 G (4500 L)

Call for Price





Data Sheet

Category: Motor Yachts Subcategory: Sports Cruiser

Condition: New Model Year: 2025

Beam: 18'1" LOA: 75' 9" (23.09m)

Cabins: 4
Single Berths: 2
Double Berths: 2

Heads: 3

Crew Cabins: 1 Crew Sleeps: 2

Knots Knots

Fuel Type: Diesel

Hull Material: Fiberglass

Fuel Tank: 1188.77 gal (4500 liters) Fresh Water: 240.13 gal (909 liters)

HIN/IMO: S72535

Engines/Generators

Engine 1 Engine 2
MAN MAN
V13.1650

V12-1650
Inboard
Inboard
1650HP
Fuel: Diesel
Serial #: null

V12-1650
Inboard
Inboard
1650HP
Fuel: Diesel
Fuel: Diesel
Serial #: null

Mike O'Hara mohara@pyamerica.com

609-661-2114



Summary/Description

For Sale

AVAILABLE FOR DELIVERY SPRING 2025

Dynamic extended styling lines synonymous with the Princess S Class are featured onboard the S72. Equipped with twin MAN V12 engines at 1650 or 1800 horsepower and a resin-infused deep-V hull, she delivers dynamic performance and smooth handling at speeds of up to 36 knots.

Available for co-brokerage contact Mike O'Hara at 609-661-2114

Standard Options

DECK FITTINGS

- · Teak-laid transom platform, cockpit deck, flybridge,flybridge stairway and steps to side decks
- Self-stowing 50kg/110lbs Delta anchor with 60m of chain
- · Reversible electric anchor winch with foredeck, helm position and flybridge controls
- · Stainless steel cleats, fairleads and handrails
- Twin electric-powered sternline mooring winches
- Freshwater deck/anchor wash
- · Foredeck seating and sunbathing area
- Storage lockers for fenders and ropes
- LED deck level lighting

COCKPIT

- · U-shaped seating with folding teak table
- Twin transom gates leading to bathing platform with electro-hydraulic raise/lower mechanism, foldaway swimming ladder, hot and cold shower
- Transom seat with storage locker



- Lockable gas strut assisted hatch to engine room/lazarette
- Access to aft lazarette/optional crew cabin via transom door
- Liferaft storage locker
- Locker housing 220/240v shore support inlet
- · Cockpit cover

FLYBRIDGE

- Dual station instrumentation, controls and alarm system including VHF/RT, speed and distance log, echo sounder with alarm and autopilot
- Large U-shaped seating area with teak table
- L-shaped seat (converts to a sunbed)
- · Sunpad aft with storage below
- Twin helm seats with fore and aft adjustment for helmsman
- Wetbar with barbecue, sink and drawer fridge
- Naim audio system with waterproof speakers
- Console, table and seat covers

LOWER HELM POSITION

- Twin helm seats with fore and aft adjustment for helmsman
- · Helmsman's door to side deck
- Full engine instrumentation including fuel gauges, exhaust temperature and engine warning system and rudder position indicator
- Navigation system including colour radar, GPs and chartplotter, VHF/RT, speed and distance log, echo sounder with alarm, autopilot and high speed

magnetic compass

- Controls for bow thruster, windscreen wipers, bilge pump and Princess active ride control
- 24v and 240v control panel
- 12v outlet
- Red night lighting

DECK SALOON



- · Stainless steel framed sliding doors to aft cockpit with integrated opening window aft of galley
- U-shaped seating area with coffee table
- Two-seater sofa
- Entertainment center incorporating 49" UHD LED TV on electric raise/lower mechanism and audio system with streaming capability and Blu-ray player connected to speakers
- L-shaped sofa opposite helm area
- Sideboard unit with bottle and glass storage
- Refrigerator
- Aft dining area

GALLEY

- 4-zone ceramic hob
- Hob extractor
- Combination microwave/convection oven with grill
- Twin stainless steel sink with mixer tab
- Full-height fridge/freezer
- Icemaker
- Dishwasher
- Storage cupboards, drawers and lockers

ACCOMMODATION

- All cabins and bathrooms feature opening portholes and air conditioning outlets
- All cabins feature 220/240v power points
- All mattresses pocket sprung (excluding crew)
- All bathrooms feature full shower stalls, electric freshwater toilets, extractor fan and 240v shaver points
- A combination washer/dryer is fitted in the stateroom lobby

OWNER'S STATEROOM

Large double bed with drawers below



- Dressing area with wardrobes and drawer storage
- Dressing table with stool
- Sofa
- · Built-in safe
- 49" UHD LED TV and DVD Blu-ray system with Naim audio system
- Storage lockers and drawers
- En suite bathroom
- Dedicated access with lobby area

FORWARD GUEST CABIN

- Large double bed with drawers below
- Wardrobe with shelves
- Vanity unit
- Storage lockers and drawers
- Deck hatch
- En suite bathroom

STARBOARD GUEST CABIN

- Two single beds with drawers below (with option of sliding berths)
- Wardrobe with shelves
- Storage lockers and drawers

PORT GUEST CABIN

• Two single beds with drawers below (with option of

sliding berths)

- Wardrobe with shelves
- Storage lockers and drawers
- En suite bathroom (with day access)



CREW CABIN

- Two single berths with storage below
- Wardrobe with shelf
- En suite bathroom with stall shower

INTERIOR FINISH

- Furniture in Rovere Oak or alba Oak with a satin finish. Walnut or silver Oak available as an option
- Solid surface worktops and floors in all guest bathrooms
- Galley worktops in choice of granite or quartz
- Choice of high quality carpet and upholstery fabric from extensive range
- Blinds or sunscreens to all windows and portholes
- Timber-laid galley and helm floors

POWER AND DRIVE SYSTEMS

- 5-bladed propellers in nickel aluminum bronze
- Princess active ride control
- Bow thruster (250kgf/551lbf)
- Power-assisted electro-hydraulic steering system with hydraulic back-up
- Electronic engine and gear shift controls
- Electronic engine controls
- Dripless shaft seals
- Engine room extractor fan with electronic time delay

ELECTRICAL SYSTEMS

24 Volt:

- 4 x heavy duty batteries for engine starting
- 6 x heavy duty auxiliary batteries
- 2 x 60 amp battery charger charges both banks of batteries via an automatic switch charging system
- Remote battery master switches with control switch at main panel
- LED lighting throughout



220/240 Volt:

- 22.5kW diesel generator in own sound shield with water cooled specially silenced exhaust
- 63 amp shore support inlet
- Earth leakage safety trip, polarity check system, circuit breakers on all circuits
- · Power points in all areas

FUEL SYSTEM

- Fuel tanks (in Ns8 marine grade alloy) with interconnection system giving 990 gal/
- 1,189 Us gal/4,500l capacity
- Fuel fillers on port and starboard side decks
- · High capacity duplex fuel filters/water traps with audible and visual fuel contamination warning system
- Remote fuel isolation controls in cockpit locker

WATER SYSTEM

- 184 gal/221 Us gal/836l plus 16 gal/19 Us gal/73l hot water calorifier, heated by engines and 240v immersion heater
- · Water level gauge
- Deck filler
- Electric freshwater WC system with 88 gal/106 Us gal/400l holding tank

FIRE EXTINGUISHERS

- Automatic/manual override fire extinguishers in engine room with warning system at both helm positions
- Hand-operated fire extinguishers in all cabins, galley and lower helm (6)

BILGE PUMPS

- Automatic electric bilge pumps (6)
- High capacity manual bilge pump with valve system and suction points in same areas

OTHER ITEMS SUPPLIED AS STANDARD

- Set of cutlery, crockery and glasses (8)
- Set of towels (8 large, 8 small)



- Ensign staff
- Fenders (6) and wraps (4)
- First aid kit
- Set of manuals
- Tool kit

Full Description

DECK FITTINGS

- Teak laid transom platform, transom steps, cockpit deck, sportbridge & sportbridge stairway areas. Allure teak nosings are standard on >70' boats. Teak laid side deck & foredeck walkthrough areas are optional.
- · Reversible electric anchor winch with foredeck, main helm and sportbridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing 50kg/110lbs Delta anchor with 60m of 12mm chain
- Twin electric sternline mooring winches
- · Deck hatch access to chain locker
- Bow rope stowage locker
- Freshwater deck/anchor wash
- · Stainless steel bow and stern fairleads
- Stainless-steel bow, stern and spring cleats (2 pairs)
- Stainless-steel pulpit and guard rails
- Stainless steel coachroof and sportbridge handrails
- · Foredeck escape hatch
- Foredeck U-shaped seating area
- Foredeck sunbathing area, twin sunbeds with integrated adjustable headrests with aft facing seat conversion. Storage locket between sunbeds with optional cool box.
- Twin coachroof lockers for storage of fenders, ropes and covers
- PVC rubbing band with stainless-steel insert
- LED deck level lighting integrated into scene selection lighting control
- Illuminated crown logo on transom
- Full set of IMCO navigation lights



- Riding light
- Stern docking lights
- Twin beam searchlight with dual station remote controls
- Loudhailer
- Twin electric horns
- Ensign socket and pole
- Fuel and water fillers
- Holding tank dockside discharge connection

AFT COCKPIT AND BATHING PLATFORM

- Self-draining
- Upholstered U-shaped seating & sun pad. Forward sections movable to reconfigure cockpit.
- Folding table with drink rings, solid surface top with timber edge
- Servery unit
- LED overhead and deck level lighting integrated into scene selection lighting control
- · Stainless-steel handrails
- · Garage to take tender 3.9m with electro- hydraulic door and tender launch system with electric winch
- Top hinged door to aft crew cabin
- Lockable gas strut assisted hatch to engine room/lazarette
- Liferaft stowage locker
- Rope storage lockers
- Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers (to include gas ram)
- Integral stairway to sportbridge with teak step treads
- Cockpit cover
- Twin transom gates leading to bathing platform
- Retractable bathing ladder (manual) in side of hydraulic platform
- Transom steps to access stern from bathing platform when in lowered position
- Hot and cold transom shower



- 220/240v shore support inlet
- Electro-hydraulic raise/lower teak laid bathing platform (450kg SWL)
- Standard teak with Princess logo (small)
- Armstrong ladder or alternative
- · Bathing platform aft rail
- Transom locker with internal rail in garage door

SPORTBRIDGE

- Dual station instruments and controls (see Lower Helm Position) & USB sockets (2)
- Power assisted electro hydraulic steering with adjustable wheel
- Audible and visual alarm for bilge pumps
- Engine-room fire extinguisher warning system
- Twin helm seats with fore and aft adjustment for helmsman
- Port L-shaped seating (converts to sunbed)
- Large U-shaped upholstered seating
- Cup holders between L-shaped and U-shaped seating
- Folding table with cup holders, solid surface top with timber edge
- · Wet-bar with barbecue, sink, waste bin and storage
- Storage locker & navigator seat pedestal with integrated cool box
- Naim Uniti Atom audio unit with JL Audio M6-650X-L waterproof speakers (2)
- Clear view hatch to aft cockpit with stainless safety rail with glass balustrade
- Wind deflector screens
- · Stainless-steel handrails
- LED deck level lighting integrated into scene selection lighting control
- GRP radar arch
- Twin matching whip aerials for VHF R/T and radio
- Console, table and seat covers
- · Optional GRP hardtop panel



WHEELHOUSE

- Twin leather helm seats with fore and aft adjustment for helmsmans seat
- Instrument console with LED display incorporating engine instruments, fuel gauges, alarms and rudder position indicator
- Dual station instruments and controls at Sportbridge and Lower Helm Positions:
- Power-assisted electro-hydraulic steering
- Adjustable steering wheel
- High-speed magnetic compass
- Electronic engine controls
- Bow thruster control
- Electric anchor winch remote control
- Color radar (with scanner) and GPS/ chartplotter
- Autopilot
- · Speed and distance log
- Echo sounder with alarm
- VHF with DSC R/T with intercom
- Remote control searchlight
- Horn button
- Controls for standard trim tabs
- Böning system integrated with the following functionalities (displayed on separate dedicated display at helm):
- Engine instrumentation (including fuel levels & fuel flow)
- Digital boat alarms
- Scene selection lighting controls
- AC/DC control & monitoring
- Drinks holders
- Toughened glass screen (clear for night vision) with windscreen demist system
- Windscreen wipers with freshwater windscreen wash
- Black mesh sunscreens
- Bilge pump controls with visual pump running warnings



- 24v and 240v electrical control panel
- · Riding light, helm and navigation light control switches
- USB connection point
- LED overhead lighting (24V) and night lighting integrated into scene selection lighting control
- Pantograph helmsman's door to starboard side deck
- 'V' groove planked timber flooring

DECK SALOON

- U-shaped sofa
- · Coffee table
- Arm-chair to port
- L-shaped sofa opposite helm area with fold-out companion table & 220/240v outlet
- Sideboard unit with bottle and glass storage
- Refrigerator
- UHD LED TV (55") on rise and fall
- Blu-ray with Naim audio system paired with speakers (2) and subwoofer
- Electric drop window to port
- Venetian blinds to all windows
- Dimmable LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Access stairway to lower accommodation
- Separate access stairway to master stateroom
- Fitted carpet

DINING AREA

- L-shaped sofa
- Folding dining table, solid surface top with timber edge
- Stainless steel framed sliding patio door to cockpit with integrated hinging window aft of galley
- Venetian blinds to windows and manual skysol blind to patio door
- Dimmable LED overhead and concealed lighting (24V) integrated into scene selection lighting control



'V' groove planked timber flooring

GALLEY

- Solid surface worktop
- Solid surface bar top to cockpit
- Ceramic 4-zone induction hob
- Hob extractor
- Combination microwave/convection oven with grill
- Twin-bowl stainless-steel sink with mixer tap
- Chopping board
- Full height refrigerator/deep freeze
- Dishwasher
- Icemaker
- Waste bin
- Drawers and storage cupboards
- Venetian blinds to window
- LED overhead and task lighting (24V) integrated into scene selection lighting control
- 220/240v outlets (4)
- 'V' groove plank timber flooring

ACCOMMODATION

- · All cabins and bathrooms feature opening portholes and air conditioning
- All cabins feature 220/240v power points
- All bathrooms feature electric freshwater toilets and 240v shaver points

MASTER STATEROOM LOBBY

- Access stairway to master stateroom
- Panoramic window with venetian blind
- A washer/dryer with cupboard above is fitted in the forward passageway in the guest accommodation (a separate



washer and dryer may be optionally installed in place of the standard unit)

- · LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Fitted carpet

MASTER STATEROOM

- Large double bed with drawers below
- Twin bedside tables
- Dressing area with wardrobes and storage
- Built in safe
- · Dressing table with stool
- Mirror
- Sofa
- Storage lockers and drawers
- 50" UHD LED TV
- DVD Blu-ray with Naim audio system paired with speakers (2)/subwoofer
- Panoramic windows including opening portholes with venetian blinds
- Dimmable LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (2)
- · USB connection point
- Fitted carpet

EN-SUITE BATHROOM

- Twin washbasins and worktop in thermoformed Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole and manual tension venetian blind



- LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Bathroom accessories
- Flooring in Solid Surface

FORWARD STATEROOM

- Large double bed with drawers below
- · Wardrobe with shelves
- Dressing table
- Mirror
- Storage lockers and drawers
- Window with opening portholes and venetian blind
- Deck hatch
- LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (4)
- USB connection point
- Fitted carpet

EN-SUITE BATHROOM

- Washbasin and worktop in thermoformed Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole and venetian blind
- LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- · Bathroom accessories
- Flooring in Solid Surface



PORT & STARBOARD GUEST CABIN

- Two single beds with drawers below (with option of double bed conversion)
- Bedside table
- · Wardrobe with shelves
- Mirror
- Storage lockers and drawers
- · Window with opening portholes and venetian blind
- LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (2)
- USB connection point
- Fitted carpet

EN-SUITE BATHROOM (PORT SIDE)

- Washbasin and worktop in thermoformed Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole and venetian blind
- · LED overhead and concealed lighting (24V) integrated into scene selection lighting control
- · Bathroom accessories
- Flooring in Solid Surface
- Day access door from passageway (port side)

CREW CABIN

- Top hinge door access from transom
- Two single beds with storage below
- Wardrobe with shelf



- Mirror
- Storage lockers and drawers
- Opening portlight
- LED overhead lighting (24V)
- Individual berth lights
- 220/240v outlets (2)
- USB connection point
- Non-slip safety flooring (note wood flooring upgrade option available as part of premium aft cabin fit out)
- White laminate furniture (note boat timber upgrade option available as part of premium aft cabin fit out)

CREW BATHROOM

- Washbasin with Carrara white Solid Surface worktop (gloss finish)
- Mirror
- · Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- LED overhead lighting (24V)
- · Bathroom accessories
- · Non-slip flooring
- Standard aft lazarette incorporates overhead lighting, access hatch with adder and storage space via transom top hinged door

POWER AND DRIVE SYSTEMS

- Engine room soundproofed
- High volume air intakes
- Engine room extractor fan with electronictime delay
- Engine exhaust silencers and water-cooledexhausts
- Engine beds integrally moulded with hullfor strength and vibration absorption
- Forward and aft engine room bulkheads integrally bonded



- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminum bronze
- High speed balanced rudders
- Cathodic protection for sterngear
- Sterngear, engines, fuel tank fillers, etc all electrically bonded
- Bow thruster (250kgf/551lbf) with dual-station controls
- Engine room lighting
- Engine room access and ladder
- Power-assisted electro-hydraulic steering system
- Trim tabs with indicators
- · Electronic engine and gear shift controls
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

ELECTRICAL SYSTEMS

24 Volt:

- 4 x heavy duty batteries for engine starting
- 6 x heavy duty auxiliary batteries
- Battery link facility with remote control at helm position
- Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 2 x 60-amp 24v float battery chargers
- 6-amp battery charger for generator battery
- Remote battery isolator control switches at main switch panel position
- Circuit breakers on all circuits
- 24v to 12v converters for certain navigation and radio circuits



- 24v to 240v/50Hz inverter for saloon A/V, galley fridge and telephone system
- Galvanic isolation system 220/240 Volt:
- 22.5kW generator in own sound shield with water-cooled and specially silenced exhaust
- Automatic fire extinguisher situated by generator
- 63-amp shore power inlet
- Shore power/generator change over control operated from main control panel
- · Polarity check system
- Earth leakage safety trip, circuit breakers on all circuits
- Power points (240v) in all cabins and living areas, helm position and galley
- Shaver points in washrooms
- Smoke detectors (galley, stateroom, lower lobby & crew area)
- · Böning system

AIR CONDITIONING

- Air conditioning/heating reverse cycle
- 128,000 BTU chiller with 128,000 BTU fan capacity
- Suitable for ambient temperature to 40°C (e.g. Tropical)
- Controls in all cabins and outlets in all areas (includes outlets in bathrooms and crew cabin)
- Standard 22.5kW generator is suitable (N.B This has sufficient capacity for Gyro stabilisers as well as air conditioning)

FUEL SYSTEM

- Fuel tanks (in NS8 marine grade alloy) with interconnection system giving 990 gallons/1189 US gallons/4500 liters capacity
- Fuel fillers on port and starboard side decks
- High-capacity duplex fuel filters with water traps and change-over valves, water warning sensors connected to warning lights at lower helm
- · Remote fuel cocks in cockpit locker
- Fuel gauges at main helm console

WATER SYSTEM



- Water tanks totaling 184 gallons/221 US gallons/836 liters plus 16 gallons/19 US gallons/73 liters hot water calorifier
- Water heated by engines and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- · Water level gauge
- Deck filler
- Electric quiet flush WC system with 88 gallons/106 US gallons/400 liters holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

EXTINGUISHERS / FIRE CONTROL SYSTEMS

- Automatic/manual override fire extinguishers in engine room
- Hand operated fire extinguishers (7) in owner's stateroom, forward stateroom, port and starboard guest cabins, galley, lower helm position and aft cabin

BILGE PUMPS

- Automatic/manual override electric bilge pumps in engine room (2), rudder area and forward accommodation (6 in all)
- · High-capacity manual bilge pump with valve system and suction points in same areas
- Electric bilge pumps have controls and warning lights at main helm and warning light with audible alarm at sportbridge helm

OTHER STANDARD EQUIPMENT

- · Ensign staff
- Fenders (8)
- Mooring warps (4)
- · Boat hook
- First Aid kit
- Tool kit
- Owner's manual and engine manual
- Functional bed linen supplied to all cabins (except optional crew cabin)
- Set of towels (8 large, 8 hand)



- Set of glassware (8 settings consisting of tumbler and wine glasses)
- Set of Princess china (8 settings consisting of plate, side plate, bowl, cup & saucer)
- Set of cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces)
- Ship's document case

FINISHES

- Teak-laid decks to transom platform, steps to flybridge and sportbridge
- 'V' groove planked timber floor to galley, dinette and helm
- Furniture in choice of Rovere oak or Alba oak in satin finish. Silver oak or walnut in satin or gloss finishes available as an option
- · Solid Surface floors in all bathroom suites
- Thermoformed Solid Surface wash hand basin counter tops in all bathroom suites
- Galley worktop in solid surface
- Choice of high-quality carpet and upholstery fabric from extensive range
- Blinds or sunscreens to all windows, doors and portholes
- · Crew cabin has timber flooring, crew bathroom floor is Solid Surface with Solid Surface countertops

*Please note the right is reserved to add

modify or delete from this preliminary

specification*

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

SPECIFICATION DISCLAIMER

This specification is subject to change. the right is reserved to make changes, without notice, at anytime, in equipment, materials, and specifications. Photos may show some optional equipment.

Photos shown here are stock photography and not necessarily representative of the the decor and equipment specified.



Generator and dockside service are not intended to supply power for all standard and optional equipment. Load must be limited to generator output rating and available dockside power. Variation in wood grain and color are natural and cannot be controlled in manufacturing process.























