




42' (12.80m) 2017 Boston Whaler 420 Outrage
Elberta Alabama United States



OVERVIEW

| | | | |
|---------------|------------------|----------------|-------------------|
| Manufacturer: | Boston Whaler | Hull Material: | Fiberglass |
| Engines: | 4 Mercury Verado | Cruise Speed: | Knots |
| Engine Model: | DTS Four-Stroke | Max Speed: | Knots |
| Engine HP: | 300 | Cabins/Heads: | / 1 |
| Beam: | 13' 0" | Fuel Type: | Gas/Petrol |
| Max Draft: | " | Fuel: | 600 G (2271.25 L) |
| Water: | 60 G (227.12 L) | | |

\$649,000



Matt Parson mattp@unitedyacht.com

1-251-599-1309

Data Sheet

Category: Sport Fishing
Subcategory: Cruisers
Condition: Used
Model Year: 2017
Beam: 13' (3.96m)
Min Draft: 2' 7" (0.79m)
LOA: 42' 6" (12.95m)
Heads: 1

Knots
Knots
Fuel Type: Gas/Petrol
Deadrise: 22°
Hull Material: Fiberglass
Hull Shape: Deep Vee
Air Conditioning: Yes
Bridge Clearance: 12' 5

lbs
Dry Weight: 22000 lbs
Fuel Tank: 600 gal (2271.25 liters)
Fresh Water: 60 gal (227.12 liters)
Holding Tank: 20 gal (75.71 liters)
Imported: No
Builder: Boston Whaler

Engines/Generators

Engine 1

Mercury Verado
DTS Four-Stroke
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Location: Port

Engine 2

Mercury Verado
DTS Four-Stroke
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Location: Middle

Engine 3

Mercury Verado
DTS Four-Stroke
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Location: Middle

Engine 4

Mercury Verado
DTS Four-Stroke
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Location: Starboard

Summary/Description

The 2017 Boston Whaler 420 Outrage is feature rich & versatile with state-of-the-art Mercury systems for easy & efficient operation & luxurious comfort, whether day or overnight cruising, rafting up at the sandbar, offshore fishing, sunning or entertaining! Amazing Fusion/JL audio system! Quad 300s.

Manufacture Provided Description - 2017 Boston Whaler 420 Outrage

Huge comfort, legendary capability and unmatched state-of-the-art features make the flagship 420 Outrage® a boat like no other. From the expansive bow with innovative seating galore, to the beautifully designed convertible helm and cockpit areas, to the gracious, well-equipped cabin with enclosed head, the 420 is a champion at onboard entertaining and pleasure cruising, whether close to home or way offshore. With so many inviting spaces to settle in for the day, this is the yacht you'll want to enjoy with family and friends.

Deluxe Leaning Post / Bait Prep Center

- 120-V Outlets (2)
- Bait prep area with cutting board
- Drink holders (2)
- Electric grill with hinged solid surface lid over grill providing counter surface when not in use
- Freshwater sink with hot and cold water
- Leaning post cushion on forward side of prep-station that also converts to a 3 person bench seat providing a second row of seating
- Lighting – LED task lighting
- Live well – pressurized with viewing window, clear lid, blue interior and red LED light
- Pump switch panel with 12-V outlet (insulated 40 gallons)
- Rail – grab rail – stainless steel
- Refrigerator – stainless steel drawer 12-V/120-V (2.3 cubic ft) (starboard side)
- Solid surface countertop
- Storage lid with tool holders, storage nets and leader holders
- Tackle storage drawers (3) (port side)

Hardtop / Windshield System

- Custom powder coated frame integrated into the deck providing clean unobstructed walkways
- Electronics box with locking latch above helm
- Ladder access to hardtop integrated into hardtop frame, port side
- Lighting – LED flood lights bow (1), cockpit (2)
- Lighting – LED navigation lights
- Lighting – LED overhead courtesy/chart light (red and white)
- Lighting – LED overhead lighting (blue)
- Open tempered side glass with upper removable rigid acrylic canvas curtain
- Outrigger ready
- Rod holders integrated onto hardtop supports (6)
- Sunshade for cockpit – telescoping polished stainless steel frame retracts and deploys electrically (black Sunbrella® canvas)
- Windshield – full tempered glass, full height with electric actuated center vent
- Windshield wipers – (1) stainless steel pantograph with wash-system

Storage Exterior

- Bilge storage aft
- Bow anchor locker with drains
- Coaming storage pockets with acrylic doors in port and starboard fore deck area (4)
- Coaming storage pockets with net retainers in port and starboard helm deck area (4)
- Forward lounge storage – miscellaneous gear, fender storage or optional dive tank storage
- Insulated built-in storage/cooler compartment at forward end of the console lounge
- Insulated in-floor fishboxes with drains, helm deck (2)
- Insulated in-floor storage/fishbox with drains, fore deck (2)
- Insulated in-floor storage/fishboxes with pump-out, cockpit (2)
- Life jacket or weather curtain storage in overhead hardtop storage compartment
- Lighting – LED lighting in storage compartments
- Lockable electronics box in hardtop
- Lockable glove box
- Prep station side pockets (2)
- Prep station storage drawers
- Storage under bow seating

Storage Interior

- Companionway hanging locker
- Galley – cabinet aft of microwave
- Galley – hinged lid integrated into countertop providing access to storage compartment
- Galley – pull-out waste receptacle and dish storage
- Head cabinetry
- Storage under interior seating

Seating

- Flip-up backrest at forward end of lounge providing wraparound seating
- Fold-away stern bench seat
- Forward console lounge with fold-down armrests, drink holders (4), backrests and removable cushion
- Forward port and starboard seats with folding backrests and drink holders (4) with stereo remote and 12-V receptacle on port side
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated) (port and starboard seats rotate to face aft)
- Leaning post cushion on forward side of the prep station that also converts to 3 person bench seat providing a second row of seating behind the helm

Cabin Interior

- 120-V Receptacle – port side
- 12-V USB charging ports – port and starboard sides
- 28" Flat screen HDTV
- Air conditioner (12,000 BTU)
- Carbon monoxide detector
- Central vacuum system with hose and attachments with dedicated storage
- Console side windows with (2) opening port lights with shades
- Convertible double berth with filler cushion; comes with fitted sheet, comforter and two regular size pillowcases
- Convertible pull-out settee

- Digital vessel control; iPad with inductive charging case, CZone App (monitor vessel systems and control DC circuits)
- Easy to clean interior materials
- Elite interior color and material package (standard)
- Hanging locker
- Hardwood cabin sole
- Hull side windows with shades
- Lighting – LED diffused courtesy lights (blue)
- Lighting – LED diffused overhead lights (white)
- Lighting – LED reading lights (2)
- Rod storage (4)
- Skylight with integrated shade system
- Stereo - includes: FUSION® integration into Raymarine with Navigation Package, FUSION® stereo DVD/CD/AM/FM/VHF, USB AUX input, iPod/iPhone/Android compatible via integrated Bluetooth, Sirius XM option ready, stereo remote controls – helm and bow, MP3/Aux input, JL Audio waterproof speakers – exterior, 7.7" aft cockpit (2), helm deck (4), bow (2), 10" subwoofer, helm deck (2), JL Audio amplifiers (2), JL Audio speakers – interior, 6.5" cabin (4)
- Table – wood table that lowers to support filler cushion for forward double berth
- Throw pillows (3)

Galley

- 120-V Receptacle
- 12-V Receptacle
- Dedicated dish storage in pull-out drawer below sink and in a cabinet above the sink
- Microwave
- Pull-out waste receptacle
- Rail – hand rail – stainless steel
- Refrigerator/freezer – stainless steel 12-V/120-V (1.7 cubic ft)
- Sink filler – solid surface matching countertop with integral cutting board
- Sink with faucet and solid surface countertop

Mechanical

- ACR spotlight (premium)
- Advanced battery management system; in cabin electric switches and charging relays with remote paralleling
- Air conditioner (cabin) (12,000 BTU) reverse cycle
- Air conditioner (helm deck) (12,000 BTU) reverse cycle
- Battery trays (7)
- Bilge pump – high water bilge pump with alarm (2,000 GPH)
- Bilge pumps – automatic (1,100 GPH forward, 2,000 GPH aft)
- Bonding system for underwater through hull fittings
- Dockside cable TV inlet
- Dual 30-amp shore power inlets with battery chargers, isolation transformers and 50' shore power cords
- Dual sounder transducer mount area
- Electric dual trumpet horn
- Electric trim tabs with indicator (auto glide, dynamic running surface, dual ram)
- Engine fuel/water separators
- Freshwater anchor washdown with integrated coiled hose system
- Freshwater hot and cold water system with dockside hookup and tank level indicator integrated into VesselView
- Freshwater pull-out hot and cold transom shower

- Freshwater system with 60-gallon tank
- Freshwater washdown hot and cold retractable hose reel at mid-ship
- Fuel tanks – dual 300-gallon aluminum fuel tanks
- Generator – low CO gas (10 kW) 120-V 60 Hz with fire suppression system, automatic with manual override
- Lighting – LED cockpit and machinery space lighting
- Manifold plumbing system with individual valve per circuit
- Raw-water washdown with retractable hose reel at mid-ship
- Stainless steel propellers
- Thru hulls – cast bronze thru hulls (below waterline)
- Thru hulls – cast stainless steel thru hulls (above waterline)
- Water heater

Enclosed Head Compartment

- Accent wall
- Electric Vacu-Flush® toilet, holding tank with vent filter, overboard discharge, dockside pump-out and tank level indicator
- Enclosed shower – rain shower head with hot and cold faucet and shower curtain providing protection of vanity area
- Flooring – solid surface tile
- Lighting – LED overhead light
- Mirror
- Opening port light
- Rail – hand rail – stainless steel
- Shower sump
- Solid surface pull-out countertop forward of vanity
- Toilet paper holder
- Vanity storage
- Vanity with sink, polished chrome faucet and backlit mirror

Helm Console

- A/C vents (2)
- Center helm layout
- Compass
- Dash visor
- Drink holders (2)
- Electrical switch panel with stainless steel switches with illuminated text
- Electronics mounting surface with space for triple 15" displays
- Footrest – port side passenger fold-down footrest
- Footrest molded into console with fold-down standing platform and maintenance free, anti-fatigue synthetic surface
- Lockable acrylic sliding entry door with translucent skylight inset at the top of door for natural light
- Lockable glove box with 12-V receptacles and USB charging port
- Mercury DTS dual binnacle controls with integrated engine trim controls
- Mercury Joystick Piloting and Skyhook station keeping systems
- Mercury SmartCraft Vessel View 7" color LCD Display (network connections to Raymarine with Navigation Package)
- Rails – grab rail – stainless steel
- Raymarine gS165 15.4" Electronics/Dual Navigation Package - includes: GPS/chart plotter/fishfinder, 1000 watt thru hull transducer, Raymarine 260 modular VHF system

- Steering wheel – cast stainless steel with knob and tilt helm
- Stereo – FUSION® full function remote control (FUSION® integration into Raymarine with Navigation Package)
- Switches – remote ignition key switches in cabin with push button start/stop at helm
- Theft deterrent system with remote connectivity - includes: anti-theft security key, Boston Whaler Proprietary Vessel Monitoring System, cellular and Satellite 24 hour monitoring system providing world-wide coverage, monitor tanks, batteries, shore power, and high water sensor, remote control of cabin air-conditioning, lighting, circuits and freezer plates, telematics tracking system with GeoFence Immobilization, 1 year subscription included
- Windshield defogger with remote shutoff control

Deck / Cockpit

- 10" Stainless steel cleats (stern cockpit with gunnel board hawse pipe (2), anchor locker (1))
- 10" Stainless steel pull-up cleats (bow (2), spring line (2), crosstie cleats at transom (2))
- 28" Interior freeboard
- Acrylic transom door with stainless steel latch
- Anchor roller davit – stainless steel thru hull
- Boarding ladder at transom
- Bow tow eye – heavy duty polished stainless steel
- Chrome Boston Whaler logo/model designator
- Drink holders – stainless steel (4 in bow, 2 in hawse pipes, 6 at helm, 2 at console lounge, 2 at leaning post)
- Full coaming bolsters
- Lighting – LED courtesy lighting in cockpit (blue)
- Live well – pressurized insulated (24 gallons) in aft port corner with clear lid, blue interior and red LED light
- Molded fiberglass boarding/dive door port side with removable stainless steel dive ladder with dedicated storage
- Rails – cockpit toe rails – stainless steel
- Rails – hand rails; companion way, boarding ladders, prep station – welded stainless steel
- Rails – low profile interior bow rails – welded stainless steel
- Rod holders – gunnel mounted (bow (4), aft cockpit starboard (4), port (2))
- Rod holders – transom mounted (5)
- Rod holders – under gunnel (3)
- Self-bailing cockpit sole
- Ship's bell
- Under gunnel storage shelf with downrigger weight holders (2 per side)
- White rub rail and stainless steel insert
- Windlass with 400' rode and chain with hand-held remote control, stainless steel swivel and polished stainless steel anchor (44 lbs)

Standard Features

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing brochure.

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

























