



Oceana 1

30' (9.14m) 2019 Sea Hunt Gamefish 30
Kissimmee Florida United States



OVERVIEW

Manufacturer:	Sea Hunt	Hull Material:	Fiberglass
Engines:	2 Yamaha	Cruise Speed:	Knots
Engine Model:	LF300XCA	Max Speed:	Knots
Engine HP:	300	Cabins/Heads:	/ 1
Beam:	9' 9"	Fuel Type:	Gas/Petrol
Max Draft:	"	Fuel:	225 G (851.72 L)
Water:	19 G (71.92 L)		

\$189,000



Data Sheet

Category: Saltwater Fishing
Subcategory: Aft Cabin
Condition: Used
Model Year: 2019
Beam: 9'9" (2.97m)
Min Draft: 1' 10" (0.56m)
LOA: 30' (9.14m)
Heads: 1

Knots
Knots
Fuel Type: Gas/Petrol
Hull Material: Fiberglass

Dry Weight: 6000 lbs
Fuel Tank: 225 gal (851.72 liters)
Fresh Water: 19 gal (71.92 liters)
Imported: No
HIN/IMO: SXSJ0387B919
Stock #: B92278

Engines/Generators

Engine 1

Yamaha
LF300XCA
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Hours: 194
Location: Port

Engine 2

Yamaha
LF300XCA
Outboard 4 Stroke
300HP
223.71KW
Fuel: Gas/Petrol
Hours: 194
Location: Starboard

Summary/Description

Gamefish 30 Rarely used and only for pleasure cruising. Only 194 hours on powerful Yamaha 4 strokes F300XCA delivering thrilling speed on a soft riding hull.

Rarely used and only for pleasure cruising.

Only 194 hours on powerful Yamaha 4 strokes F300XCA delivering thrilling speed on a soft riding hull.

Garmin dual screens and radar dome, autopilot, upgraded JL speakers and Yamaha Digital Command Link gauges.

Toilet with macerator, windlass anchor, trolling outriggers, triple live wells, great storage and fish boxes, side entry door, underwater lights.

Brand new aluminum trailer not included in the sale.

Manufacturer Provided Description

This series delivers exactly what serious fishermen demand in a sportfishing center console boat. These boats come ready to fish with standard features such as multiple insulated fishboxes and livewells, cockpit and bow bolsters, all stainless hardware and Yamaha Digital Command Link Gauges. The Gamefish 25, 27, and 30 have side entry doors, recessed trim tabs, and hydraulic steering as standard equipment as well. The cockpits are designed to have abundant room for 360° of fishing. These hulls deliver soft dry rides second to none.

Standard Features

- 10 Year Transferable Hull Warranty
- Built Using Abyc Standards
- 20 Gallon Pitchbait Livewell
- 468 Quart Insulated Coffin Box
- Mezzanine Leaning Post W/40 Gallon Split Livewell & Captains Chairs
- 19 Gallon Fresh Water System
- 27 Gallon Transom Livewell
- 250 Gallon Transom Fishbox
- Interior Console Fresh Water Sink
- Acrylic T-Top Enclosure W/ Electric Actuator
- Acrylic Dash Panel W/ Phone Holder
- Seastar[®] Optimus Electronic Power Steering W/ Tilt

- Integrated Fiberglass T-Top W/ Led Lights & Vapor Mist Cooling System
- Side Entry Door
- Bow Bolsters
- Cockpit Bolsters
- Stainless Steel Cup Holders
- JI Audio Weatherproof Mediamaster → Æ Mm50 Stereo & 280 Watt Amp
- Usb Connection
- Stainless Steel Through Hull Drains
- Vision Steering Wheel W/ Power Knob
- Compass
- Stainless Steel Rub Rail
- Console Storage
- Recessed Auto Retract Trim Tabs W/ Led Trim Tab Indicators
- Gunwale Rod Holders
- Under Gunwale Rod Storage
- Windlass W/ Bow Roller & Rode W/ 200 Ft Of Anchor Line & A Polished Stainless Steel Anchor
- Led Underwater Lights
- Led Spreader Lights
- Retractable Dive Ladder
- High Speed Livewell Pickup
- Recessed Powder Coated Bow Rail
- Recessed Pull-Up Cleats
- Horn
- High Pressure Wash Down System
- Yamaha Digital Command Link Gauge
- Big Game Tackle Organizers And Drawers
- Walk Through Transom Door
- Locking Glove Box
- Dual Battery Switch
- Powder Coat Package
- China Toilet With Pumpout And Overboard Discharge
- Marine Dash Mat

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





























