



SANTOSH

108' (32.92m) 2020 Majesty Yachts Majesty 100
Fort Lauderdale Florida United States



OVERVIEW

Manufacturer: *Majesty Yachts*

Engines:	2 MAN	Hull Material:	FRP
Engine Model:	V12-1900	Cruise Speed:	14.5 Knots
Engine HP:	1874	Max Speed:	20 Knots
Beam:	22' 8"	Cabins/Heads:	5 /
Max Draft:	5' 6"	Fuel Type:	Diesel
Water:	800 G (3028.33 L)	Fuel:	4000 G (15141.64 L)

\$6,450,000



Data Sheet

Category: Motor Yachts

Condition: Used

Model Year: 2020

Refit Year: 2022

Beam: 22'8" (6.91m)

Max Draft: 5' 6" (1.68m)

LOA: 108' 5" (33.05m)

LWL: 87' 8" (26.72m)

Cabins: 5

Sleeps: 10

Crew Cabins: 3

Crew Sleeps: 6

Maximum Speed: 20 Knots

Cruise Speed: 14.5 Knots

Range NM: 1300

Fuel Type: Diesel

Super Structure Material: FRP

Hull Material: FRP

Hull Shape: Semi Displacement

Gross Tonnage: 199

Displacement: 132 tonnes

Stabilizers: Zero Speed

Stabilizer Brand: ABT-TRAC Fin Stabilizers

Bow Thruster: Yes

Fuel Tank: 4000 gal (15141.64 liters)

Fresh Water: 800 gal (3028.33 liters)

Holding Tank: 200 gal (757.08 liters)

Classification: RINA, Large Commercial

Yacht Code (LY3)

MCA Certified: Yes

Builder: Majesty Yachts

HIN/IMO: GCI10009B020

Engines/Generators

Engine 1

MAN

V12-1900

Inboard

1874HP

1397.44KW

Fuel: Diesel

Hours: 2131

Hours Date: 04-15-2024

Location: Port

Engine 2

MAN

V12-1900

Inboard

1874HP

1397.44KW

Fuel: Diesel

Hours: 2125

Hours Date: 04-15-2024

Location: Starboard

Summary/Description

Motor Yacht SANTOSH is a 108' (33m) yacht for sale, built and launched by yacht builder Majesty Yachts and delivered in 2020 and refit in 2022. This vessel sleeps up to 10 guests in 5 staterooms and has accommodations for 6 crew in 3 cabins.

Overview

SANTOSH represents an amazing opportunity to purchase a very well-equipped, and very lightly used Gulf Craft Majesty 100. With a custom interior made of light colors, floor-to-ceiling windows, and large glass doors, the transfer from interior to exterior spaces is seamless.

SANTOSH'S salon features three large couches providing an ideal gathering space for socializing indoors. The dining table for 10 is forward and separated by a credenza housing a 55" TV. Her skylounge features a large L-shaped couch, gaming table, and fully opening doors which create a true alfresco living space. Five large staterooms can easily sleep 10 owners and guests. The on-deck master features a king bed and oversized windows. The master ensuite features marble accents and a large waterfall shower. Below are four additional staterooms for eight guests perfect for families or couples.

SANTOSH'S exterior was designed for entertaining. The main deck aft features two fold-out balconies, opening this area up for large gatherings or intimate dinners. The skylounge aft features a bar, grill, and lounge chairs, which can all benefit from the shade of custom-made sails if needed.

Key features

- Very lightly used and only 2131 hours on MAN 1900hp diesel engines
- Five staterooms with on-deck master
- Generous outdoor entertaining spaces
- ABT-TRAC zero-speed stabilization
- Large Williams tender, two Sea Doo's & two Sea Bobs, all extremely low hour
- New shore power convertor and A/V system with Starlink
- All service records are kept by a very meticulous crew
- Outstanding condition in all aspects
- US Duty paid

Navigation and Communication Equipment

Navigation Equipment

- Radars Garmin, Open-Array, GMR 606 & 604 xHD, Transmit 6 kW, Maximum range: 72nm
- AIS: Garmin, 600 Blackbox Transceiver
- Navigation Lights: Dan Haan Rotterdam, 24V DC
- Navigation Displays: Garmin, Main Console GPSmap 8417
- Instrumentation Display: Garmin, Type: GMI 20
- BNWAS: JRC, Type: JCX-161
- Sonar Garmin, GSD24
- Transducer: Airmar, Type: B164 SS164, Max Depth 1200-1800 ft
- Autopilot: Garmin, GHC 20
- Searchlight: JABSCO, 24V DC
- Magnetic Compass: Ritchie, Type: Northern Hemisphere
- Night Vision Camera: FLIR, Model 3245 NTSC, 24V DC with joystick
- Chart Plotters: Garmin, GPSMAP 8417
- GPS: Garmin, 19x NMEA
- Wind Transducer Garmin, Gwind
- CCTV Cameras: Hikvision DS-2DE4225IW for Engine Room Fwd & Aft
- IP66 PTZ CCTV Cameras: Hikvision DS-2CD1123 GOE-1 / IP66 dome camera for Flybridge, Main Deck, Gunnel Port & Stbd
- Digital Video Recorder: Hikvision DS-7616NI-K2 / 16P-16-CH with PoE NVR
- Wheelhouse Camera Display: Garmin GMM 8417, 24V DC

Communication Equipment

- VHF Radio: JRC, NCM-1770
- MF/HF Radios: JRC, JSS 2150NB
- Navtex Receiver: JRC, NCR-333
- DGPS: JRC, JLR 7900
- GMDSS Batteries: Victron, Type: 12V-165 AH
- Satellite Phone: Thuraya Phone

- Intercom System: Panasonic PABX
- Master Station Intercom: Zenitel, Type Vingtor ETB5

Deck Equipment

- Anchor Winch: Italwinch, Sun E Windlass 1900, Hydraulic, 5.5 HP (4 kW), 1900kg Pulling power, 12m/min speed, 316L Material
- Anchors: Pool TW SHHP, 114 kg 150m length, 12.5mm diameter, Chain Grade: U2
- Mooring Ropes: HT Polypropylene 3 strand, 24 mm diameter, 70 m length
- Capstans: Italwinch – Aran 2300, 24V DC, 2300W
- Tender Lift: Opacmare 5211.12.08.24, Lifting capacity with swim platform = 800 Kg.
- Air horn

Main Machinery

- Twin MAN V12-1900, 1874hp (1397 kW) 2300RPM diesel engines (Port Serial Number: 71054198195424, Stbd Serial Number: 71054188255424)
- Engine hours: Port 2131; Starboard 2125 (April 2024)
- Water-cooled 4-stroke turbocharged engines with charge air intercooler and waste gate
- Gearboxes ZF Marine 3050 A, Gear Ratio 2.520:1 A (Port Serial Number 50040341, Stbd Serial Number 50040340)
- 5-Blade fixed pitch Nibral Cu3 propellers
- Shafts: CJR, Duplex Steel, 90mm diameter, 4,120 mm shaft length, Inclination Angle: 12°
- Generators Twin Kohler 55kW, 230/400V AC, 50 Hz, 3~phase
- Generator hours: Port 6578; Starboard 6384 (April 2024)
- Stabilizer Twin ABT-TRAC 370 Fin Stabilizers
- Power System Electrical, 230-400V AC, 50Hz, 3~phase, 24V DC
- Climma air conditioning system, 96,000 BTU/h powered by 400V AC

Steering System

- Steering Gear System: Marsili Aldo
- Bow Thruster: ABT-TRAC, 16" HYD, 65 HP
- Yacht Controller: Yacht Controller, Dual Band Remote Controller

Lube Oil System

- AC Pump: Gianneschi, FQ70 T NO BY-PASS, 230/400V AC, 50Hz, Q:70 l/min, Power: 1.5 kW, RPM: 1400
- Manual Pump Sigma K1

Exhaust and Ventilation Equipment

- Engine Room Exhaust Fan: CEM, VE56-P1, 460V AC, 50Hz, Q: 200 m3/min, Power: 3.6 kW, RPM: 1700
- Fire Dampers (Engine Room): CEM, FD-A60, Insulation Class: A60 Rated, Size: 570x570 mm
- Fire Dampers (Engine Room+ Galley): Gianneschi, G-MFD, Insulation Class: A0/A60 Rated Size: 100x100 mm
- Garage Room Blower: Gianneschi, ELPROM, Power: 0.25 kW, RPM: 2750
- Exhaust Blowers: Silent, TD 160/100N, Power:25W, RPM: 2500

Air Conditioning System

- Chillers: CLIMMA, CWS 961s Nominal Capacity: 96,000 B.T.U/hr, Supply: 400V AC, 50Hz
- AC Sea Water Pump: Calpeda, 1 HP
- Chilled Water Pump: Calpeda, 5.5kW
- Fresh Air Units: CLIMMA, 20k BTU/hr, Supply: 230V,50Hz, 2kW

Water Systems

Freshwater System

- Freshwater AC Pump: Gianneschi, ECOINOX 418, Head: H: 50/10 m Flowrate: Q: 5/90 l/min, 230/400V, 50Hz, RPM: 2900, Power: 0.85 kW
- Fresh Water DC Pump: Gianneschi, ECOINOX 418, Head H: 47/10 m: Flowrate: Q: 10/90 l/min, 24V DC. RPM: 2800, Power: 0.85 kW
- Water Maker: Idromar MC 2J Duplex, Capacity: 130x2 Liters/hour, 380VAC, 50 Hz, 3-phase, 3kW, 190Kgs.
- Water Maker Pump: Lowara - Flowrate: 23-73L/min

Grey Water System

- Grey Water Pump: Gianneschi, Flowrate Q: 170/20 l/min,

Sewage / Black Water System

- Electric Toilets: Tecma Toilets
- Black Water Pump: Gianneschi, Flowrate Q: 170/20 l/min
- Sewage Treatment Plant: Selmar, Blue Sea 2500 Plus, S/N: 2019H26001, Power: 400VAC, 50Hz, 3-Phase + G

Bilge System Electric

- Bilge Pump: Gianneschi, Q:500/100 l/min
- Manual Bilge Pump Super Lario 3"
- Submersible Electric Bilge Pumps: Rule, Type: 3700 Gallons/hour

Tank Capacities

- Fuel Capacity 4,000 G / 15,142 L
- Fresh Water Capacity 800 G / 3,028 L
- Grey Water Capacity 200 G / 757 L
- Black Water Capacity 200 G / 757 L

Electrical Systems

- 24V DC System
- Glendenning Cable Master 25m shore power cable
- 50kW Isolation transformer (new)

Battery Chargers

- Engines Battery Chargers: Victron, Blue Smart, Output: 16A, 24V DC, Supply: 230V AC
- Service Battery Charger: Victron Energy, Skylla-i, Output: 80 A, 24V DC, Number of outputs: 3
- Machinery Battery Charger: Victron Energy, Skylla-i, Output: 80 A, 24V DC, Number of outputs: 3
- Generator Battery Charger: Victron, Blue Smart, Output: 16A, 24V DC
- Emergency Battery Charger Manufacturer: Victron Energy, Centaur, Output: 30 A, 24V DC

Distribution Panels

- 230V AC power is distributed through distribution panels located in the wheelhouse, galley passage area, crew lounge, and guest lobby
- 230V AC Main Deck Distribution Panel

- 230V AC Main Galley and Forward Crew Distribution Panel
- 230V AC Lower Deck Distribution Panel
- 230V AC Aft Crew Distribution Panel

Safety and Firefighting Equipment

Safety Equipment

- Fitted with safety equipment and life-saving equipment according to the regulations by RINA rules
- Solas or MED approved inflatable life jacket with light and whistle - Adult 23 pcs. + 1 XXL
- Solas approved inflatable life jacket – Child 2 pcs.
- 2 x Lifebuoy with light & smoke
- 2 x Lifebuoy with buoyant lifeline
- Muster station
- Life raft 8 persons (type b) port & stbd
- Life raft 10 persons (type b) port & stbd
- 3 x First aid kits (category c)
- 4 x Sets of line throwing appliances (4 line plus 4 charges)
- 6 x Ships rocket parachute flares
- EPIRB
- SART
- 2 x Two-way radio telephone sets (VHF)
- Embarkation ladder
- Man overboard (Jason's cradle)
- 8 x Smoke hood
- Immersion suits with inherent insulation - Adult 18 pcs.
- Immersion suits with inherent insulation - XXL 2 pcs.
- Immersion suits with inherent insulation - Child 2 pcs.

Firefighting Equipment

- 2 x Fire blankets

- 17 x Fire extinguishers 6kg dry powder (11pcs + 50% = 17pcs.)
- 3 x Fire extinguishers 9kg carbon dioxide (2pcs + 50% = 3pcs.)
- 1 x Fixed fire extinguisher fm-200
- 27 x Smoke detector
- 6 x Space or group of spaces monitored by heat detector(s)
- Control panel for fire detection and alarm system
- 12 x General alarmx
- 15 x Fire bells (klaxon)
- Fm-200 remote release station
- 10-meter bilge hose with strainer
- Remote control for fuel oil valves
- 4 x Engine room fire dampers
- 2 x Service & accommodation fire damper
- 4 x Fire hose reels – 38.1mm x 20mtr jet spray nozzle stz – 1 ½"
- 4 x Fire hydrants
- 1 x Fire pump
- 1 x Bilge pump
- 1 x Portable emergency fire/bilge diesel pump
- 1 x Remote control for fire dampers
- 1 x Remote control for fire pump
- 1 x Fuel oil pump remote shut off
- 1 x Emergency switch board
- 10 x Call points
- 2 x Fire axes
- Safety plan
- 1 x International shore connection
- 2 x Sets of Emergency source of electrical power
- 1 x Ventilation remote control or shut-off
- 2 x Fireman's outfits

- 2 x Explosion proof fireman's radios
- 1 x Fire main isolating valve
- 1 x Garage sprinkler isolating valve
- 2 x Garage protected by water sprinklers
- Push button switch for general alarm
- Portable gas detector
- Solas poster and signs showing survival craft and equipment operating instructions
- Training manual
- Instruction for onboard maintenance
- Life-saving signal & rescue poster
- Gas fumes detectors loc in garage room: Salwico GD 2 pcs

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Salon



Salon w/ Pop Up TV



Salon Looking Aft



Dining Area



Owner's Stateroom



Owner's Ensuite



Guest Stateroom



Guest Ensuite



Guest Stateroom



Guest Ensuite



Twin Guest Stateroom



Twin Guest Stateroom



Skylounge




Bridge Deck Aft



Bridge Deck Bar



Bridge Deck



Sun Pad on Bridge Deck



Foredeck Sun Pad



Foredeck



Aft Deck



Port Stern Profile




Aerial



Foredeck Aerial







Layout