



Ima's

44' (13.41m) 2022 Viking 44 Sport Coupe
Naples Florida United States



OVERVIEW

Manufacturer:	Viking	Hull Material:	Fiberglass
Engines:	2 MAN	Cruise Speed:	
Engine Model:	I6	Max Speed:	
Engine HP:	850	Cabins/Heads:	2 / 1
Beam:	16' 0"	Fuel Type:	Diesel
Max Draft:	"	Fuel:	800 G (3028.33 L)
Water:	120 G (454.25 L)		

\$1,895,000



Data Sheet

Category: Sport Fishing
Subcategory: Convertible Boats
Condition: Used
Model Year: 2022
Beam: 16' (4.88m)
LOA: 44' 9" (13.64m)
Cabins: 2
Heads: 1

Fuel Type: Diesel
Hull Material: Fiberglass

Fuel Tank: 800 gal (3028.33 liters)
Fresh Water: 120 gal (454.25 liters)
Holding Tank: 46 gal (174.13 liters)
HIN/IMO: VKY44719F122
Stock #: BR4985-JAK

Engines/Generators

Engine 1

MAN
I6
Inboard
850HP
633.85KW
Fuel: Diesel
Hours: 235
Serial #: 51058378125833
Location: Port

Engine 2

MAN
I6
Inboard
850HP
633.85KW
Fuel: Diesel
Hours: 236
Serial #: 51058388155833
Location: Starboard

Summary/Description

For Sale

2022 Viking 44 Sport Coupe For Sale in Naples, FL

Notable Features:

- SeaKeeper
- Hydraulic Outriggers
- Teak cockpit
- Helm Air Conditioning
- Blue Water Chairs
- Rocket Launcher with rigging tray & drawer
- Ice maker
- Water maker
- MAN extended warranty until 2/11/27 or 2500 Hours

Special Features

Layout

- Gloss Finish Throughout
- Interior Wood To Be Walnut
- Sport Coupe Layout
- Two Stateroom Layout
- Engine Room
- Fuel Priming Pumps 24v
- Onan 13.5kw Generator
- Prep And Prewire For Watermaker

Hull

- Additional Fuel Tank For A Total Of 2 Tanks
- Dc Bow Thruster
- Snow White
- Bottom Paint Black
- Boot Stripe Black With 1/2" Metallic Silver Accent Stripe 1/2" Above Boot Stripe
- Seakeeper Gyro Sk6

Cockpit

- Cockpit Mezzanine
- Crm-50 Cord Reel
- Tee In Dockside Water Manifold To Fill Water Tank From Cockpit
- Prep And Prewire For Crushed Ice Machine
- Freezer Storage In Mezzanine Seat
- Refrigerate Starboard Mezzanine Undermounted Step Box
- Fishbox Dividers In Fishbox

- Swim Platform And Ladder
- Transom Coaming With Gate And Fish Box
- Tri Color Lights In Aft Deck Overhang
- Tri Color Rope Lights Under Coaming
- Two 24v 30amp Outlets Forward Under Coaming, One On Each Side
- Release Marine Freestanding Teak Rocket Launcher With 6-Hole Upgrade, Bait Tray, Cup Holders, Tackle Drawer, And Stainless Steel Pedestal

Deck Exterior

- Bow Pulpit
- Extend Side Handrails To Wrap Around Front Of Windshield
- Fresh Water Washdown At Bow Inside Anchor Locker
- Lewmar V2 Ss Windlass (Gypsy And Drum)

Command Deck

- Custom Electronics Package
- Electronic Single-Lever Controls For Helm Pod
- Helm Air Conditioning
- Release Teak Helm Pod
- Stidd Helm Chair
- Vhf Radio Icom-604

Salon

- Dimmers For Quartz Lights
- Dimmers On Overhead Low-Voltage Ac Lights
- Flat Screen Television
- 12v Cd/Dvd Stereo With Bluetooth Capability

Galley

- Undercounter Refrigerator And Freezer With Drawers
- Back Splash
- Corian Countertop To Be High Polished
- Dimmers On Overhead Low-Voltage AC lights
- Custom Amtico Flooring In Galley (Main Cabin)
- Faucet To Be Satin Nickel
- 110 Volt Outlet Next To Switch On Backsplash Above Sink
- Two Burner Surface Mounted Range
- Custom Sink In Place Of Stainless Steel Cameo White

Master Head

- Corian Vanity Countertop With Bone Sink
- Custom Amtico Flooring
- Faucet To Be Satin Nickel
- Brushed Aluminum Shower Door
- Sealand Head System
- Shower Fixtures In Satin Nickel
- Wood Face On Lower Vanity

Aft Stateroom

- 22" Flat Screen Television
- Dimmer On Overhead Led Lights
- Locker Storage Top To Be Wood

Décor

- Round Over Edge
- Salon Door Type Catches On Stateroom Doors
- Custom Wallpaper Material
- Custom Wallpaper Installation
- Brushed Nickel Hardware Throughout
- Brushed Nickel Coverplates For Switches & Receptacles Throughout
- Satin Nickel Interior Light Trim Throughout
- Helm Chair/Companion Chairs: Stidd (UI) Distressed Outdoor- Clairmont
- Command Deck/Bridge Bench Seats: (UI) Distressed Outdoor- Clairmont
- Mezzanine Cushions: (UI) Distressed Outdoor-Clairmont; Channel Back W/Self Welt; Drink Bolster 'Same'

Navigation & Electronics

- Garmin GMR1224xhd2 12kw Radar W/4' Array
- Garmin GPSMAP 8616 16" TS MFD
- Garmin 8616XSV 16" MFD With Chirp Sonar With Airmar PM275IHW 1KW Transducer
- Furuno RD33 Digital Depth/Speed
- GHP Reactor Autopilot
- (2) ICOM M506 VHF Radios
- Fusion Stereo MS-RA770-Apollo Series Touchscreen W/Apple Air Play
- JI Speakers And Subwoofer
- JI Audio MHD600/4 4-CHAN 12v Amplifier
- Wave Wifi Rogue Reach DB 32" Antenna 2.4GHZ/5GHZ
- Luxul XWR-1200 Gigabit Router
- Cyberpower Smart 750VA UPS
- MOFICellular 4g/Lte Mofi4500-4g Router
- MOFI 4500-4g-Sim4 W/ Upgrade Antenna
- Shakespeare Galaxy 10" Wifi/Cell Antenna
- ACR RCL 100 Led Spotlight W/ Controller
- KVH Tracvision Tv5 W/Ip Enabled Tv Hub A
- Cyberpower Pr750lcd Mini-Tower Ups 750va
- Custom Satdome Mount
- Niles Msu140 Sattv Ir Repeater System
- Ir Sensor Surface Mount Black Nilesms220
- Garmin Gpsmap8612 Ts Mfd - Cockpit
- Garmin Gnc20 Autopilot Controller - Cockpit
- Lumishore Tix403 Supra Blue/White Lights 15,300 Lumens 60-0341. 4 Lights On Transom, 2 Lights Each Side

Construction

- Ablative/Copolymer anti-fouling bottom paint, 2 coats, primed
- Awlgrip engine room, lazarette, forward bilge, and anchor locker for enhanced visibility and easier maintenance
- Blister-resistant modified epoxy resin in entire hull skin
- Custom blended polyester resin used in structural laminates, topsides, bridges, and hardtops
- Dupont high gloss polyurethane boot stripe
- Fiberglass side thru-hulls
- High gloss, teak interior finish throughout
- High performance isophthalic gelcoat npg superior gloss, flexibility and outstanding weathering characteristics
- Hull interior, isophthalic gelcoat top-coated with a durable high gloss polyurethane coating
- Hull resin infused cored composite construction, using end grain balsa and closed cell foam cores in selected areas with E-glass laminates for optimized strength and stiffness while minimizing weight
- Infused fiberglass fuel, water and holding tanks with fiberglass baffles inside and balsa coring on sides for stiffness, sealed to hull with resin foam
- Molded fiberglass command deck/engine room ceiling with foam core for acoustical and thermal insulation
- Nonskid molded in for traction and durability
- Prop pockets to reduce draft
- Stringers, fiberglass encapsulated foam
- Transducer location molded into hull
- Vacuum bagged composite bulkheads
- Main engine room bulkhead, and forward bulkhead

Mechanical

- Air conditioning - direct expansion zoned with reverse cycle heat for complete climate control throughout the interior and with individual temperature controls for staterooms and salon
- Bilge pumps with additional clean-out pumps linked into monitoring system and connected to switches for automatic and manual operation
- DC power assist hydraulic steering independent of engines
- "Delta T" engine room ventilation system with supply and discharge fans for proper fresh air supply and water intrusion suppression
- Dockside and overboard pump outs for holding tank
- Engine room entrance package consisting of gauges for digital tachometer, engine water temperature, engine oil pressure and engine room mounted engine start and stop switches for easier viewing and accessibility
- External sea strainers for main engine pickups
- Fire suppression system, automatically or manually operated and tied into main engine and generator ignition systems with override
- Freshwater supply in engine room for general maintenance and cleaning
- Fuel and oil lines, flexible, steel-reinforced USCG approved
- Fuel priming pumps electric 24V electric, for main engines
- Fuel transfer system, 24V DC pump
- Hour meters on main engines and generator
- Internal sea strainers for generator, all water pumps
- Mufflers - engines, in-line type with surge tubes in engine room
- Mufflers - generators/lift muffler with gas water separator for cleaner, quieter operations
- Oil changing system, gear type pump for main engines, transmissions, and generator with pump out line run to cockpit
- PEX plumbing, freshwater system plumbing with manifold system shut off in engine room and forward bilges
- Pressurized freshwater system, 24V DC with on-deck freshwater fill and cockpit dockside supply inlet with pressure-reducing valve
- Propellers - Class S pitch tolerance (ISO 484/2) and dynamic balancing. Advanced design cambered blade sections

for optimum performance. Nibral alloy for maximum durability

- Pump compartment for easy access to freshwater system components
- Racor fuel/water separator for main engines and generator glass - includes vacuum gauge for fuel filter restriction - Awlgrip white
- Rudders, stainless steel, with composite rudder bearing and drip-less seal laminated into hull
- Seacocks, bronze, ball-type sea valves and strainers for all thru-hulls below the water line - Awlgrip white
- Shafts - 2 Aquamet high-strength stainless steel, double-taper with machined keyway and thrust plate at main engine couplings
- Struts - thru-water, Nibral
- Trim tabs, with individual controls w/ trim tab covers on transom
- Twin diesel engines with marine-grade reduction gears. *See manufacturers information for specifications
- Valve off engine intakes for use as emergency bilge pumps (2)
- Water heater quick recovery, electric

Electrical

- 24V DC ship's service throughout
- 24V/12V power supply with breakers on flybridge for future electronics
- 110V outlet in engineroom on aft bulkhead
- Anchor light/navigation lights
- Batteries, (2) independent 24V banks mounted in fiberglass storage box
- Battery chargers, (2) with thermal cutoff and switching system for complete integration
- Battery distribution panel with battery cutoff and charging system breakers
- Battery parallel system for main engines and generator start
- Bonded electrical system with ground plate
- Color-coded, labeled and numbered wiring system with corresponding drawings
- Dimmers, on interior lighting throughout
- Engineroom lights, AC and DC with switch at engineroom entrance
- Generator, Diesel - Onan 13.5 kW E- QD (electronic quiet diesel) Series, user-friendly with electronic governing allowing voltage and electronic frequency control
- Glendinning cable reel (CRM-50),(1) with 3 wire grounded cord, (1) additional 50 amp 220V inlet with 50' cord
- Instrument panel lights for flybridge and main electric panel
- Lighting, overhead LED lights recessed in ceiling
- Master electrical control panel located in salon with 24V/110V circuit breakers, i individual switching for shore 1, shore 2, or generator supply and gauges for electrical supply, voltmeter, ampmeter, and frequency
- Receptacles, 110V duplex with GFI throughout
- RG6 TV cable to accommodate satellite system
- Voltage stabilizer isolation transformer for more consistent, cleaner voltage

Command Deck

- Controls: top-mounted electronic controls with station select and keypad
- Electronic trolling valves
- Fire system control with automatic and manual discharge and override system located at console
- Fuel gauge through Offshore monitoring system display located at helm
- Furuno RD-33 depth finder/sea temperature gauge ICOM 604 radio
- Gauges/electronic displays supplied by engine manufacturer
- Helm console, raised fiberglass to accommodate electronic displays and controls
- Instrumentation based on standard engine package, lighted with switches in radio box
- Lighted compass, large and flush-mounted
- L-shaped lounge seating, with vinyl-covered foam cushion and table starboard

- Manual engine shutdown switches at cabinet in console
- Nonskid deck molded for traction and durability
- Offshore safety monitoring system with audible and visible alarms: fire, engine room temperature, high bilge water, high exhaust temperature, high coolant temperature, low oil pressure, and generator as well as confirming correct system operation
- Power-assist hydraulic steering
- Recessed radio boxes with split lids, port and starboard large radio box on side of console with switch panel inside, painted black
- Stereo speakers, recessed
- Storage cabinets to port. Includes open lockers, storage drawers and refrigerator behind doors
- Trim tab control switch mounted at console
- Trumpet style air horns, (2)
- VHF radio with antenna and mounts
- Windshield wiper with washer and speed adjustment

SC Option

- Bomar overhead hatch on command deck
- Canvas back enclosure
- Fiberglass enclosure, (3) sided
- Laminated safety glass windshield and side glass in fiberglass frame
- LED spreader lights
- Overhead lights at helm
- Overhead storage lockers integrated into top
- Radar pod

Cockpit

- Boarding box, fiberglass with nonskid, lift up top, and storage
- Cabinet with storage for gaffs and or other accessories located under gunwale
- Dockside electric connection - 50 amp/220V electric retractable Glendinning cable reel (1), located in cabinet under forward gunwale and (1) 50 amp 220V inlet with push-release door
- Dockside water connection with pressure-reducing valve in cabinet under forward gunwale - valve to fill freshwater tank from dockside connection
- Drink box refrigerated at command deck step
- Engineroom access with door and ladder and gas pistons
- Freshwater wash down with hose bib located in cabinet under forward gunwale
- Gaskets for all lids and access doors
- Indirect rope lighting under coaming
- Laminated mounting plate in deck for future fighting chair or table
- Lazarette hatch with access to steering, trim tabs, drain pumps
- Livewell in transom mounted fishbox
- Molded nonskid deck
- Observation mezzanine, aft facing lounge seating with Sunbrella covered cushions, with freezer storage under and insulated storage port and starboard
- Recessed in deck fish boxes (2), insulated and removable with pump out and drain plate with large holes for easy pump out and cleaning
- Recessed stainless cleats and hawse pipes
- Rod holders, Rupp (4) flush mounted
- Rounded cockpit coaming for comfort
- Seawater wash down with pump in engine room and supply at cabinet under forward under coaming

- Self bailing cockpit with large cockpit scuppers
- Stainless steel cleats and recessed hawse pipes
- Stainless steel gas pistons on all hatches and lids
- Stereo speakers powered from salon stereo with remote control
- Storage coolers in mezzanine step, both sides
- Straps with padding to keep transom door and gate open
- Transom swim steps at transom door
- Walk-through transom door with lift gate
- Y-valve for fresh and salt water wash downs

Salon, Galley, Dinette

- Air conditioning with reverse cycle heat with temperature control
- Central vacuum unit connection with accessories
- Countertop, polished sandalwood Corian, stainless sink with brushed nickel faucet
- Custom Amtico flooring
- Dinette lounge with storage underneath
- Dinette table, wood, high gloss finish, hi/low Electric range, surface mounted countertop
- Exhaust fan, high velocity
- Garbage disposal in sink
- Lighting, overhead LED lights recessed in headliner and indirect decorative rope lighting behind valances, 24V DC
- Main electrical service panel, AC/DC, backlit for easier viewing
- Majilite, headliner, 1/8" foam & tricot backing
- Microwave/convection oven located in upper galley cabinet refrigerator and freezer capacity, under-counter style
- Sliding salon door, contoured aluminum painted to match gel coat with positive catch when opened and key lock
- Stereo system with flat screen HD TV 24", 12V stereo and DVD player
- Storage cabinets and drawers in upper galley, varnished teak doors, storage cabinets and drawers in lower galley, varnished teak doors and faces with stowage for utensils and other items
- Teak cabinetry
- Water tank level gauge and pump indicator

Master Stateroom (Forward)

- Air with reverse cycle heat with temperature control
- Bed, island double bed with mattress lift up top with gas pistons and maple-lined storage underneath - Mattress, "Handcraft", Viking Slumber #8, bedspread, quilted, designer style with (2) pillow shams
- Drawer storage under bed, (2) large drawers
- Flooring, carpet
- Hanging locker, teak maple-lined
- Headboard, upholstered
- Headliner, Majilite, 1/8" foam & tricot backing
- Reading lights, overhead with separate switches
- Sheets, (1 set)
- Stereo speakers recessed, tied into salon stereo with remote control
- Stereo speakers recessed in overhead tied into 12V AM/FM/DVD player
- Teak shelf TV, 22" flat screen mounted on wall

Guest Stateroom (Aft)

- Air conditioning with reverse cycle heat with fan control, Bed, double berth with mattress and bedspread, quilted, designer style with (2) pillow shams

- Flooring, carpet, hanging locker, maple-lined Lighting overhead LED lights, and courtesy rope lighting underneath lower bunk rail
- Majilite headliner, 1/8" foam & tricot backing
- Sheets (1 set)
- Storage drawer located under hanging locker

Head

- Air conditioning/heat with vent in soffit
- Countertop and sink, Corian, polished sandalwood color with brushed nickel faucet
- Electric heads, with overboard and holding tank discharge
- Exhaust fan with vent soffit
- Flooring, Amtico
- Lower vanity with teak face
- Lights, overhead LED lights recessed in soffit and in ceiling
- Medicine cabinet with mirrored doors
- Receptacle, 110V - GFC
- Shower light
- Stall shower, fiberglass with satin nickel shower
- Sump pump in bilge
- Towel bars and rings - satin nickel

Miscellaneous

- Anchor - constructed with a high-tensile, corrosion-resistant aluminum magnesium alloy
- Anchor locker with access from foredeck
- Anchor rode, 300' rope 12' chain Awlgrip bilge areas with access hatches, Snow White and lighted using magnetic switches for easier maintenance and cleaning
- Bonding system anode on transom
- Bow rail, anodized aluminum, brushed finish
- CO2 detectors throughout extinguishers, (5)
- Hatch, Bamar, foredeck hatch with Ocean Air screen shade system
- Magnetic switches for lights in all forward bilge compartment
- Mooring lines, 3 strand, nylon (6)
- Painted rub rail
- Satin nickel interior hardware throughout
- Smoke detector/s
- Stainless steel bow, spring, and stern cleats thru-bolted to aluminum backing plates
- USB receptacle (Apple compatible) in staterooms and salon
- Viking Smart Decor package









































