



Low Hours

33' (10.06m) 2019 Grady-White Canyon 336
Miami Florida United States



OVERVIEW

Manufacturer:	Grady-White		
Engines:	2 Yamaha	Hull Material:	Fiberglass
Engine Model:	425XTO	Cruise Speed:	
Engine HP:	425	Max Speed:	
Beam:	11' 7"	Cabins/Heads:	/
Max Draft:	"	Fuel Type:	Gas/Petrol
Water:		Fuel:	333 G (1260.54 L)

\$315,000



Bill Stamp Bill@stampyachtsales.com

1-407-466-3477

Data Sheet

Category: Saltwater Fishing
Condition: Used
Model Year: 2019
Beam: 11'7" (3.53m)
Min Draft: 2' 1" (0.64m)
LOA: 33' (10.06m)

Fuel Type: Gas/Petrol
Hull Material: Fiberglass
Bridge Clearance: 9' 2"

Dry Weight: 9200 lbs
Fuel Tank: 333 gal (1260.54 liters)
HIN/IMO: NTLWH606F819
Stock #: B61970

Engines/Generators

Engine 1

Yamaha
425XTO
Outboard
425HP
316.92KW
Fuel: Gas/Petrol
Hours: 310
Year: 2019
Location: Port

Engine 2

Yamaha
425XTO
Outboard
425HP
316.92KW
Fuel: Gas/Petrol
Hours: 310
Year: 2019
Location: Starboard

Summary/Description

This one-owner Grady-White Canyon 336 is perfect for sportfishing enthusiasts with families, featuring a smart console design for improved visibility and a comfortable cabin with a shower and sink. Known for its superior saltwater fishing capabilities, it includes dockside power and a deluxe rigging

This one-owner Grady-White Canyon 336 is perfect for sportfishing enthusiasts with families, featuring a smart console design for improved visibility and a comfortable cabin with a shower and sink. Known for its superior saltwater fishing capabilities, it includes dockside power and a deluxe rigging station. The boat is in excellent condition, always lift kept, and comes with full and engine covers.

.Ocean mist blue finish

.Easy docking with joystick piloting autopilot

. Dual Garmin systems

.Custom painted white engines

. 280L Dual Yamaha XF425 LT 336 with 15' crank adjust outriggers

.Live well, underwater lights, and windlass

- Knife & pliers holders (2)
- Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
- Painted rod holders (6)
- Rigging station - lean bar station w/freshwater washdown & 104-qt. (98.4 l) cooler
- Seating - lean bar mounted Command Elite horizontally adjustable contoured helm chairs w/deluxe cushioning & flip-up bolsters (3)
- Storage - lockable bulk storage
- Storage - lockable tackle drawers
- Storage - storage pockets
- Accessory outlet - 5V duplex USB port
- Berth - cushioned berth forward
- Carbon monoxide detector
- Composite cherry and holly sole
- Drink holder - stainless steel
- Head - lockable console w/stand up head area, shower, sink, drawers & VacuFlush(R) head, 10-gallon (37.9 l) holding tank and pump out
- Helm access door w/light
- Lighting - dome light
- Rod storage - vertical lockable storage for 6 rods
- Stereo system w/AM/FM tuner, MP3 auxiliary audio connections/amplifier, Bluetooth®, remote unit & fold down storage; speakers w/LED lights - console forward (2), cockpit (2) & T-top (2)
- Storage - bulk storage aft
- Accessory outlet - 12V (2)

- Accessory outlet - 5V duplex USB port
- Compass
- Console ventilator
- Drink holders - stainless steel (2)
- Footrest
- Seating - molded forward console seat w/cushion (3)
- Steering - hydraulic tilt w/power assist (n/a with Yamaha Helm Master control)
- Steering wheel - 316 grade stainless steel w/knob
- Storage - electromechanically operated electronics enclosure
- Storage - lockable acrylic console door
- Storage - under footrest
- T-top (fiberglass) w/painted aluminum frame, radio box, storage net, dome light, fore/aft spreader lights, rod holders (5), radar flat & outrigger plates
- Window - opening window w/screen
- Windshield - tempered glass
- Windshield wiper - pantograph w/washer
- 100% hand laid SeaV² hull & deck
- Anchor windlass w/remote switches at helm & windlass
- Battery charger
- Battery select switch
- Cleats - flush mount (pop up)
- Cockpit bolsters
- Cockpit freshwater shower (recessed)
- Cockpit lights - blue LED
- Cutting boards (2)
- Deck hardware - 316 grade stainless steel through-bolted
- Dockside power w/galvanic isolator
- Drink holders - stainless steel (7)
- Engine flush system w/hose attachment aft (one per engine)
- Factory engine pre-rigging
- Fish box - 165-qt. (156.1 l) port & starboard insulated fish boxes w/ob drain
- Fish box - 291-qt. (275.4 l) aft insulated fish box w/lights (2) & ob drain
- Forward bolsters
- Fuel capacity - 333-gallon (1260 l) tank
- Hydraulic trim tabs w/indicator & retractor
- Integrated outboard mounting system w/swim platform & ladder
- International lighting
- Rod holders - cockpit (6), amidships (2), bow (4)
- Rod storage racks - horizontal (6)
- Rubrail - high density PVC w/stainless steel insert
- Seating - fold away aft bench seat w/cushion
- Seating - port & starboard fish box cushions
- Stern eyes - heavy-duty 316 stainless steel
- Storage - aft transom drop in box
- Storage - forward anchor locker w/rode storage
- Storage nets
- Transom door - fiberglass
- Washdown - freshwater (2)
- Washdown - pressurized raw water w/hose (2)
- Water tank - 44-gallon (166.6 l) freshwater

- 2 automatic bilge pumps (total 3000 GPH) (11356 LPH)
- Basic flotation
- Bow rail - low profile 316 grade stainless steel
- Captain Grady - digital boat systems and operations guide for iPad and iPhone
- Cockpit toe rails
- Composite stringer system & transom - water impervious
- Console grab rail (2)
- Fire extinguisher holder
- Nonskid fiberglass liner
- Self-bailing cockpit w/cockpit drains (6)
- Stainless steel through-hull fittings































