



SLAINTE

72' (21.95m) 2022 Azimut
Palm Beach Florida United States



OVERVIEW

\$3,550,000

Manufacturer:	Azimut		
Engines:	2 MAN	Hull Material:	Fiberglass
Engine Model:	V 12	Cruise Speed:	26 Knots
Engine HP:	1400	Max Speed:	32 Knots
Beam:	18' 4"	Cabins/Heads:	4 /
Max Draft:	5' 11"	Fuel Type:	Diesel
Water:	290 G (1097.77 L)	Fuel:	1373 G (5197.37 L)



Data Sheet

Category: Flybridge
Condition: Used
Model Year: 2022
Documented Year: 2022
Beam: 18'4" (5.59m)
Max Draft: 5' 11" (1.80m)
LOA: 72' (21.95m)
Cabins: 4
Sleeps: 8

Crew Cabins: 1
Crew Sleeps: 2
Maximum Speed: 32 Knots
Cruise Speed: 26 Knots
Fuel Type: Diesel
Hull Material: Fiberglass
Bridge Clearance: 20' 4

Displacement: 117505 lbs
Stabilizer Brand: SeaKeeper Stabilizer 26
SeaKeeper: Yes
Stern Thruster: Yes
Fuel Tank: 1373 gal (5197.37 liters)
Fresh Water: 290 gal (1097.77 liters)
Imported: No
Builder: Azimut (Italy)
Designer: Azimut (Italy)
Interior Designer: Fabio Fantolino
HIN/IMO: XAX72064G122

Engines/Generators

Engine 1

MAN
V 12
1400HP
1043.98KW

Engine 2

MAN
V 12
1400HP
1043.98KW

Summary/Description

SLAINTE was delivered new to her owners in the fall of 2021. She is the best equipped Azimut 72 Flybridge on the market. Walking up to SLAINTE you are immediately taken by her beautiful profile accented by her custom blue hull, maintained by her seasoned Captain who has been on board since delivery.

FULL SPECIFICATION

FLYBRIDGE

- Accessible from the cockpit, via a teak covered GRP ladder
- Helm seat with adjustable height for one person
- Adjustable steering wheel
- Teak table
- Two watertight loudspeakers
- Fore port sun bed area with cushions
- C-shaped seating area on port side
- Cup holder for passenger and pilot
- Plexiglas flybridge screen with steel frame
- Roll bar in carbon fiber, steel and glass handrails
- MAN display
- The pilot console consists of:
 - o PLATINUM series electronic navigation instruments
 - o Communication systems (VHF)
 - o Engine start-up
 - o Steering wheel
 - o Bow thruster controls
 - o Bow anchor winch control
 - o Audible alarm controls
 - o Trim tab controls

- o 12 V socket
- o Chain meter counter controls
- o Bar cabinet with sink and fridge
- o LED navigation lights
- o Searchlight

BOW

- 2700 W winch
- Anchor winch controls
- Chain locker with drainage and fender housing
- Chain washing / fire extinguishing system
- 65 kg (143.3 lb) anchor
- Anchor chain, length 100 m (328' 1")
- Hawsehole for anchor
- Two windscreen wipers
- Two stainless steel cleats
- Hatchway
- Two bow handrails for sun bed cushions
- C-shaped seating
- Sun bed cushions and cup holders

DECK & COCKPIT

- Access via side boarding gates from Port or Starboard with Marquip ladder
- If Stern too, via a retractable passerelle boarding plank
- Stainless steel 316 chocks
- Thick tempered glass windows glued to the surrounding structure without any metal

frame

- Watertight side door on superstructure for access to saloon from starboard side
- Rubber rub-rail with stainless steel insert along the hull side
- Refueling plug and fresh water refill plug on side walk arounds
- Black water tank suction point on walk arounds
- Two midship cleats per side
- Walk arounds: teak covering
- Electric windows on port side (galley)
- Two side boarding gates on washboard, in stern cockpit
- Four openable line-holder lockers on bulwarks
- Two lockers and side compartments (below the mooring stations)
- Two storage lockers, fore
- Fender-holder locker in transom
- Shoe rack in cockpit starboard seating area
- Mooring winches
- Stern mooring cleats in 316 stainless steel
- Saloon access door with three stainless steel/glass panels
- Cockpit bench
- Access to engine room via pantograph door in transom (port side) and escape hatch in cockpit floor
- LED spotlights on ceiling
- Bathing platform lighting
- Teak table in cockpit
- Two shore water intakes
- Shower with hot and cold mixer tap
- Manual swimming ladder (starboard side)

MAIN DECK HELM

- Access via watertight door from starboard walk around or through the main salon doors

- Rudder angle indicator
- MAN control instruments
- 12 V socket
- Automatic pilot
- One electrically adjustable helm seat
- Adjustable steel rudder
- Chain meter counter
- Magnetic compass
- 24 V + 220 V electric panel
- Cigarette lighter 12 V socket
- Activation of: bow anchor winch, searchlight, bow-thruster, windscreen wiper-washer, trim tabs, fire fighting pump, engine start-up, electronic engine remote controls
- Multifunction display (built-in), alarm indicator lights for: bow bilge, engine room bilge, rudder hold bilge, high gray water level, high black water level, racor filters, navigation lights, shore power sockets, low battery voltage, low diesel level
- Fresh water level gauge
- Diesel level gauge

MAIN DECK SALON

- Carpeted floor
- Custom fabric sofa, port side facing the bow (two seats) and aft sofas (eight seats) with storage
- Cabinet at saloon entrance (starboard side), with integrated glass-holder
- TV system with aerial
- Dining table on starboard side of saloon for eight people, with five chairs and 3-seater bench
- Galley on port side
- Set of wooden furniture

- Cabinet for tableware beneath the helm seat
- Stairs leading below deck (in bow area)
- Roman blinds
- Saloon door blind

GALLEY

- Hood integrated in the wall cabinet
- Wooden floor
- Window with electric opening
- Avonite worktop and riser
- One stainless steel sink
- Drawers and wall cabinets
- Ceramic glass four-hob range with silicone pot holder
- 28.3 l (1 cu.ft) microwave oven with grill
- 240 l (8.47 cu.ft) Fridge / Freezer
- Corridor to access below-deck area
- Carpeted floor
- Spotlights
- Two storage lockers

MASTER STATEROOM

- Master Stateroom is oversized room with custom bed on the centerline of the vessel
accessed from corridor
- Double bed + storage
- Mattress, pillows and bedspread
- Headboard in fabric and wall in wood essence
- One fore armchair on starboard side

- One aft armchair on starboard side
- Two headboard wall lights
- Set of wooden furniture
- Port aft dressing
- Storage chest of drawers on port side
- Vanity on starboard side
- Provision for TV system
- LED spotlights
- Two openable portlights (one per side)
- Two windows (one per side)
- Venetian blinds
- Carpeted floor
- Direct access to head

MASTER ENSUITE

- TECMA toilet
- Two washbasins with top in statuary quartzite
- Flush-mounting mixer tap for shower
- Stainless steel shower enclosure with glass panels and oak grating
- Stainless steel soap-dish in shower
- Two cabinets + two wall cabinets
- Wooden flooring
- LED spotlights
- One openable port light with curtain
- One air extractor
- Chrome head accessories

GUEST VIP STATEROOM

- Double bed with storage
- Mattress, pillows and bedspread
- Headboard in fabric and wall in wood essence
- Two wardrobes
- Two storage wall cabinets
- Two headboard wall lights
- LED spotlights
- Windows with two openable portlights (one per side)
- Hatch for emergency exit onto fore sunbed area
- Direct access to head
- Provision for TV system
- Carpeted floor
- Venetian blinds
- Fabric-upholstered bulwarks

GUEST VIP ENSUITE

- TECMA toilet
- One washbasin with top in statuary quartzite
- One blender
- Stainless steel shower enclosure with glass panels
- Stainless steel soap-dish in shower
- Wall cabinet
- Wooden flooring
- LED spotlights
- One openable round port light with curtain
- One air extractor
- Chrome head accessories

STARBOARD GUEST ACCOMMODATIONS

- Two single beds with storage
- Mattress, pillows and bedspread
- Headboard in fabric and wall in wood essence
- Set of wooden furniture
- One wardrobe
- One bedside table
- Fabric bulwark upholstery
- Window with one openable portlight
- Provision for TV system
- Carpeted floor
- Two wall lights
- Direct access to head
- LED spotlights
- Venetian blinds

STARBOARD GUEST ENSUITE

- Access from starboard side guest cabin
- TECMA toilet
- One washbasin with statuary quartzite top
- Stainless steel shower enclosure with glass panels
- Stainless steel soap-dish in shower
- One wall cabinet
- Wooden flooring
- LED spotlights
- One openable portlight with curtain
- One air extractor

- Chrome head accessories

PORT GUEST ACCOMMODATIONS

- One double bed with storage
- Mattress, pillows and bedspread
- Headboard in fabric and wall in wood essence
- Set of wooden furniture
- One wardrobe
- One bedside table
- Fabric bulwark upholstery
- Two wall lights
- LED spotlights
- Window with one openable portlight
- Venetian blinds
- Direct access to head
- Provision for TV system
- Carpeted floor

PORT GUEST ENSUITE

- Access from port guest cabin and from corridor
- TECMA toilet
- One washbasin with statuary quartzite top
- One blender
- Stainless steel shower enclosure with glass panels
- Stainless steel soap-dish in shower
- One wall cabinet
- Wooden flooring

- LED spotlights
- One openable round port light with curtain
- One air extractor
- Chrome head accessories

CREW ACCOMMODATIONS

- Consisting of two rooms: a cabin with port light for the commander and a shared crew room.
- Both cabins are provided with:
 - o One bed
 - o Mattress, pillow, and bedspread
 - o Laminated flooring
 - o Set of laminated furniture
 - o Storage cabinets
 - o Access to the crew area via the transom
 - o One escape hatch in the shared room

CREW HEAD

- TECMA toilet
- Cabinet with sink
- Mixer tap
- Shower with curtain and grating
- Chrome soap-dish and glass holder
- One openable portlight with curtain

AIR CONDITIONING SYSTEM

- Air conditioning, one version only - 120,000 BTU
- 48,000 BTU for the saloon
- 36,000 BTU for the windscreen area
- 42,000 BTU for cabins, including:
- Owner's cabin -18,400 BTU
- VIP cabin - 12,500 BTU
- Starboard guest cabin - 9,200 BTU
- Port guest cabin - 9,200 BTU
- 6,200 BTU for crew room
- A/C controls in all the cabins, the saloon and the dinette
- Deliveries in all heads except for crew cabin

ELECTRICAL SYSTEM

The main electric panels are installed in:

- crew quarters aft
- wheelhouse
- The voltage levels on the boat are as follows: 220 V AC - 60 Hz (110 V for 60 Hz version),
24 V DC, 12 V DC

GENERATORS

The vessel has two generators to provide all power needs while underway

SHORE POWER ELECTRIC

- Two 110 V - 60 Hz power sockets (port side)
- The AC power sources are controlled from the main electric panel in the auxiliary room,
with a voltmeter and frequency meter for the 220 V network

- The power sources are protected by suitably sized fuses, and introduced into the network by means of remote control switches

BATTERIES

AGM batteries 90 Ah - 24 V (total 540 Ah):

- six for services
- six for engine start-up
- four for the thruster
- One AGM battery 70 Ah - 12 V for generator
- One 12 V - 10 A Mastervolt generator
- battery charger
- One Mastervolt battery charger 24 V - 80
- A for the service batteries

ELECTRICAL OUTLETS AND LIGHTS

- AC sockets: 110 V for main utility power supply, US type
- DC sockets: cigarette lighter type (wheelhouse) + USB socket
- 24 V lighting (LED)
- 24 V watertight external lights (LED)

BILGE SYSTEM

Central system with intakes in each compartment, connected to main manifold located in engine room:

- Three automatic electric pumps:
 - o one electric pump with manual and/or automatic activation below the bed in the owner's cabin

- o one electric pump with manual and/or automatic activation, in the engine room, astern, under the generator unit

- o one electric pump with manual and/or automatic activation, in the steering areas, with access from the crew room

- Two manual pumps:

- o one manual pump under the floor of the owner's cabin, in front of the bed

- o one manual pump in the cockpit locker under the cockpit emergency panel, where there is also a selector to choose suction either from the steering area or from the engine room.

- Three-way valve on engine cooling

- Four bilge level alarms

- Emergency suction in engine room connected to one of the two engine seawater intakes

FIRE SUPPRESSION SYSTEM

- One SEAFIRE type cylinder in engine room for local discharge

- SEAFIRE Engine Shutdown System to switch off engines, generators, extractors and fans automatically when the gas is discharged

FUEL SUPPLY SYSTEM

- Two steel tanks (not communicating), 2600 l (686.8 US.liq.gal.) each

- Total capacity 5200 l (1373.6 US.liq.gal.), in the engine room

- Electronic level gage for starboard diesel tank, with display in the wheelhouse

- Optical diesel level gage on port tank

- Double filters for engines

DOMESTIC FRESH WATER SYSTEM

- 1100 l (290.6 US.liq.gal.) polyethylene tank
- Water filling from walk around
- Level sensor and status indicator in wheelhouse
- Tank vent
- 100 liter (26.4 US.liq.gal.) water heater
- Two connections for water supply directly from shore
- Hot/cold water line
- Cold water line in engine room
- Fresh water toilet flushing

BLACK WATER SYSTEM

- One 450 l (118.9 US.liq.gal.) polyethylene tank
- Level sensor
- Pump operating button
- Tank vent
- 24 V 70 l/min (18.49 US.liq.gal./min)
- Macerator pump in each toilet
- Water filling from walk around
- Sea outlet

GRAY WATER SYSTEM

- One 500 l (132.1 US.liq.gal.) polyethylene tank
- Water drainage directly into the sea
- Pump switch
- 24 V 70 l/min (18.49 US.liq.gal./min) membrane pump
- Level sensor and status indicator in wheelhouse

SEA WATER SYSTEMS

- Engine cooling
- Generator unit cooling
- Conditioner cooling
- Chain washing pump
- Fire extinguishing system

HYDRAULIC SYSTEM

- One independent steering system pump
- Humphree
- One 24 V electro-hydraulic pump for gangway and bathing platform

VENTILATION SYSTEMS

- Natural engine room ventilation
- Engine room air extraction with four extractors (3300 m³/h (35.3 cu.ft/h))
- Head air extraction system with dedicated extractor for each head (apart from crew head)

FANCOILS

- Four for saloon + dinette
- Two for windscreen
- Two for owner's cabin
- One for VIP cabin
- One for starboard side guest cabin
- One for port side guest cabin
- One for crew room

ENGINE ROOM

- Access from crew room, cockpit
- Bilge drainage pump through engines
- Cooling circuit

EXHAUST

- Immersed exhaust system with bypass
- Stainless steel outlet pipes
- Underwater outlet via structural duct in GRP
- Minimum bypass pipe for gas outlet with boat stationary or traveling at reduced speed
- Water/fumes separator for generator with side exhaust

AB TENDER 2022

- 13 ALX GY with 30 HP Yamaha 4 stroke outboard
- Platform chocks and safety tie down straps

COMMENTS

After a meticulous custom build with the Azimut design team, SLAINTE was delivered new to her owners in the fall of 2021. She is the best equipped Azimut 72 Flybridge on the market. Walking up to "Slainte" you are immediately taken by her beautiful sleek profile accented by her custom blue hull, perfectly maintained by her seasoned Captain who has been on board since delivery. Every system on board is in working order. Exclusively used by the owner and his family and has never been in charter. Once on board you will notice the attention to detail in her beautiful appointments throughout, especially noting her salon, which is comfortable and inviting.

KEY FEATURES

- Extended warranties on the boat
- Advance Package
- Cockpit docking station including engines control joystick and thrusters
- Sea keeper stabilizer 16
- Stern Thruster 11.2 KW
- ACR Artex Electric search light with additional controls
- Additional waterproof socket
- Bimini top on Bow (automatic)
- Cockpit chair (custom)
- Cockpit furniture with refrigerator
- Cockpit table
- Co-Pilot seat on flybridge
- Dimmer lights on flybridge
- Flybridge Hardtop
- Flybridge Bow table
- Flybridge Barbecue
- Miele Appliances
- Sea Keeper Stabilizer NG16
- Stern Thruster
- Telescopic Passerelle gangway on transom steps
- Echo Pilot FLS 3D
- Fwd looking sonar
- Garmin 12" Display Flybridge & Helm
- Sirius Radio and weather
- Eisenglass panel enclosure Flybridge
- Marquipt teak 6 step gangway
- Sea Vision SV60 RGB gen 2, 4x transom 2x stern sides

- FLIR M364 Thermal imaging and night vision gyro stabilization
- Blue water Express LT water maker
- AXI FPS FX fuel polisher
- GOST XVR Monitoring
- Raymarine Platinum Package with Cockpit docking station including engine control

joystick and truster control

- Raymarine Cam220 dome cameras installed aft deck and engine room
- MOFI Cellular Devise with wide band antenna
- Aigean High Speed Internet and Extender
- GOST Nav Tracking
- Yacht Controller
- RGB Name Board lighting
- Direct TV all TV's
- YRM sliding tender chocks
- 2022 AB 11ALX Alumina Yamaha 30hp
- Varnished teak tables upgrade FLY and Aft deck and bow
- Aft sunshade
- Soft Goods Upgrade Bucle fabric
- Additional cushions
- Apple TV installed on all TV's
- TV on Flybridge with High low
- Viking 8 person life raft
- Humphree trim tabs
- Sea Keeper
- Extra large master bed
- Toilet w/bidet faucet feature in master head
- Custom larger Techma toilets VIP and Crew head
- Extended Vessel Warranty coverage
- V Kool bridge and salon windows

- Hot water wash down on swim platform
- Sun Shades for bridge and salon windows
- Washer and Dryer separate units in crew cabin
- Wine Cooler in Salon
- Peace of Mind Warranty



































