





Desperado

77' (23.47m) 2008 Hatteras 77 Enclosed Bridge Panama



Manufacturer: Hatteras

Engines: 2 MTU Hull Material: Fiberglass

Engine Model:16V-2000Cruise Speed: Engine HP: 2400 Max Speed:

Beam: 22' 0" Cabins/Heads:5 / 6
Max Draft: 5' 0" Fuel Type: Diesel

Water: Fuel: 3100 G (11734.77 L)



\$2,275,000





Data Sheet

Category: Convertible Boats Subcategory: Sport Fishing

Condition: Used Model Year: 2008 Beam: 22' (6.71m) Max Draft: 5' (1.52m) LOA: 77' (23.47m)

Cabins: 5 Heads: 6 Captain's Quarters: Yes Fuel Type: Diesel

Hull Material: Fiberglass

Fuel Tank: 3100 gal (11734.77 liters)

HIN/IMO: HATGV307I708 Stock #: BR4976-KM

Engines/Generators

Engine 1

MTU 16V-2000 Inboard 2400HP 1789.68KW Fuel: Diesel

Serial #: 536106411 Location: Port

Engine 2

MTU 16V-2000 Inboard 2400HP 1789.68KW

Fuel: Diesel

Serial #: 536106212 Location: Starboard



Summary/Description

For Sale

2008 77 Hatteras Enclosed Bridge "Desperado" yacht for sale. This beautiful 77-foot Hatteras with a beam of 22 feet provides owners and guests lots of storage and comfort. Featuring a 5-stateroom layout and 6 heads including a day head and a private crew stateroom accessed from the engine room makes this 77 one of the most desirable layouts ever built by Hatteras. Fitted with ZERO SPEED stabilization. Built as a Carolina edition w/ teak mezzanine, coaming, and cockpit sole, raised-panel cherrywood cabinetry, blue painted hull, and full tuna tower.

- New Teak Mezzanine
- · New mezzanine cushions
- New painted Cockpit Deck.
- New Garmin Chart Plotter on Bridge and in Tower.
- New Garmin Auto Pilot

Salon

Just inside the sliding door, a day head to port is convenient to the cockpit, while a stylish staircase offers easy access to the Sky Lounge above. The 77 features a luxurious salon with an enormous L-shaped sofa that hides rod storage beneath. surround sound speakers accompany the 50-inch HDTV. Lots of storage throughout this vessel.

- Custom AV System with SAT Radio, IPOD plug in, DVD/CD player
- Whirlpool icemaker
- Wine cooler in stairwell.
- · Fixed frameless windows with tinted safety glass
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlets
- Custom lounge with rod storage.
- Air conditioning dispersed through fluted valances, port and starboard
- End table with storage
- L-Shaped Custom Sofa
- Carbon monoxide detector
- · Smoke detector
- · Polished stainless-steel threshold at salon door
- Helios Carpeting
- · Padded panel headliner
- Fluted wood valances with silhouette blinds
- Sliding full glass door in pocket wood panel
- Stairwell to bridge
- 50" LCD TV fold down from headliner
- Pneumatic sliding door
- Salon entry flooring is teak Mahogany plank
- Custom cocktail table
- Hunter Douglas Blind



Galley

No step is required to reach the galley, which features Sub-Zero refrigerator/freezer and large wraparound bar with five stools. The popular extended pullout drawers recess into the backsplash fascia. Standard amenities include a trash compactor, garbage disposal, four-burner ceramic cook top, and microwave/convection oven concealed behind a wood door. Teak Mahogany Plank flooring and stone countertops and backsplashes give the galley an elegant look and long-lasting durability. To starboard, a large U-shaped dinette features a high-gloss wood table with decorative pedestal. Forward of the dinette is a laundry room with front loading washer and dryer; opposite is a walk-in pantry.

- Satin nickel faucets and stainless-steel sink
- Subzero drawer freezer in port attic
- Icemaker outboard aft.
- Trash compactor outboard forward.
- Hunter Douglas slim Lumiere Blinds.
- Teak Mahogany Plank flooring.
- AC & DC light fixtures
- Galley Forward bulkhead under the upper cabinetry features Caribbean blue tile with bullnose edge.
- AC duplex outlets
- Modified galley arrangement with 2 each under counter Sub Zero refrigerators, 1 port and 1 forward.
- Microwave/convection oven
- Garbage disposal
- Paykel custom dishwasher
- Drawers in galley fascia in upper cabinets behind doors
- Mahogany plank flooring around bar stool, galley and dinette.
- Center island cabinet with three stools and footrest
- Fluted wood valances with silhouette blinds
- Central vacuum outlet
- Fixed frameless windows with dark tinted glass
- AC disbursed through fluted valances port and starboard
- 2 subzero droor style freezers.

Day Head (Salon)

Salon featuring cherry joinery, large sofa and access to the open galley. The day head is conveniently located immediately portside of the entrance to the salon. This is a luxury that is valued when fishing and not having to walk to the lower decks through the salon.

- Pleximirror ceiling
- Wallcovering
- Stone countertop with porcelain undermount sink
- Hardwood baseboards
- Decorative mirror over sink
- Headhunter freshwater toilet
- 120-volt AC air freshener blower
- AC and DC lights and fixtures
- DC low-voltage lights under toe kicks
- AC duplex outlet
- Teak Mahogany Plank flooring



Cockpit

- Mezzanine seating
- Polished anodized aluminum ladder to flybridge with acrylic steps.
- Transom door
- Amplifier, speakers, and volume control integrated with Custom entertainment system.
- DC overhead lights under flybridge overhang
- · Powder-coated grab rails on cabin side
- Cockpit coaming lights
- Transom Fish box with recirculating livewell
- Eskimo Ice Chipper Outlet into the starboard fishbox.
- Freshwater A/C backup pump
- Large Bluewater fighting chair with offset pedestal.
- Full glass sliding pneumatic glass door
- Seawater and freshwater wash down outlets with Hatteras patented quick disconnect
- Shore water connections with pressure-reducing valve and Hatteras patented quick disconnect, one each port and starboard.
- Two tackle drawers with perforated stainless-steel bottom.
- Bait freezer, 10 cubic feet, starboard side.
- Three 20-gallon storage tubs, lower level mezzanine
- Two 65" fish boxes with macerator, flush in deck with gas hinges.
- Storage in steps to deckhouse, with chill box in step
- Aluminum mounting plate laminated in deck for fighting chair.
- Polished stainless-steel rod holders.
- Painted plexiglass hatch lid with gas springs on hatch from cockpit to flybridge
- 4 underwater lights
- Freezer (10 CU FT) in lieu of starboard freezer & inboard storage box
- Teak coaming boards, covering boards.
- Teak mezzanine deck with natural finish.
- Pompanette wing board rod holders (6) each

Master Stateroom

The amidships master is accessible through a foyer entry with full-length cedar-lined hanging lockers. This full-beam suite is equipped with a king-size berth, large oval portlights for ambient light, and twin dressers and nightstands. A 42-inch flat-screen TV, DVD/CD changer, and high-quality speakers. The master suite includes an office in lieu of the foyer entrance. The master head features twin sinks and a large fiberglass shower with a frameless glass door. Amtico strip flooring and stone countertops and backsplashes give the head a contemporary-classic appeal.

- Carpeting
- 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- DC low-voltage lights under berth
- AC duplex outlets
- Private access to head
- · Smoke detector
- · Carbon monoxide detector
- · Air conditioning dispersed through overhead soffit above berth



- SMX HVAC compartment controlled
- Ventilating portlights, port and starboard
- Padded panel headliner
- Padded panels on hullsides and bulkheads
- · King-sized berth with headboard
- Upholstered berth base
- · HMC mattress.
- Three cedar lined hanging locker with door and automatic light
- Nightstands, port and starboard, with drawers
- 50" LCD TV
- Electric Roman Shades
- Built in desk with Henredon opera armchair
- Internet hardwire Cat 5 installed at master desk.
- Seagrass loveseat
- Gun locker & Safe in closet

Master Head

- Padded panel headliner
- Wallcovering
- Stone countertop with two porcelain undermount sinks
- Hardwood baseboards
- Fiberglass shower with single enlarged glass door, seat and automatic enclosed sump pump
- Storage cabinet with mirror
- Headhunter freshwater toilet
- 120-volt AC air freshener blower
- AC and DC lights and fixtures
- · DC low-voltage lights under toe kicks
- AC duplex outlet
- Plexi-mirror around upper cabinet
- Air conditioning discharge
- Teak Mahogany Plank flooring

Port Guest Stateroom

The port stateroom has twin berths with cedar-lined storage below. For flexibility, the inboard berth slides outboard to form a queen bed. Storage includes a full cedar-lined hanging locker, nightstand with drawers, and blanket lockers. 20-inch flat-screen TV.

- Carpeting
- Padded panel headliner
- Padded panels on hullside(s) and bulkhead(s)
- Reading lights on bulkhead wall
- Convertible twin/queen berths with upholstered headboard and storage under berths
- Upholstered berth bases
- HMC mattresses.
- Cedar-lined hanging locker with door and automatic light



- Nightstand with drawers
- 20" LCD TV
- DC AM/FM stereo receiver with CD/DVD player and speakers
- · Full-length mirror
- AC and DC light fixtures
- AC dimmable lights
- AC duplex outlets
- Pocket door with private access to head
- Smoke detector
- · Carbon monoxide detector
- · Air conditioning dispersed through fluted wood soffit
- · Blanket locker, outboard, with center shelf

Guest Head

- · Amtico vinyl-strip flooring
- Padded panel headliner
- Wallcovering
- Avonite countertops with a satin finish bullnose edge, solid-surface backsplash, sidesplash and integral sink over storage cabinet made of genuine wood to match interior finish with bowed fronts
- Hardwood baseboards
- Fiberglass stall shower with door, seat and automatic enclosed sump pump
- Upper storage cabinet with mirror
- · Headhunter freshwater toilet
- 120-volt AC air freshener blower
- AC and DC lights and fixtures
- DC low-voltage lights under toe kicks
- AC duplex outlet
- Plexi-mirror around upper cabinet
- Screened overhead hatch with privacy cover

Forward Guest Stateroom

The bow stateroom features a walk-around queen berth with cedar-lined storage beneath, plus a 20-inch flat-screen TV for entertainment. Storage is abundant in twin cedar lined hanging lockers, numerous drawers, and cabinets in the hull sides.

- Carpeting
- Padded panel headliner
- Padded panels on hullside(s) and bulkhead(s)
- Queen sized tapered berth with upholstered headboard and cedar lined storage underneath accessed via pneumatic cylinders
- Upholstered berth base
- HMC mattress.
- · Cedar lined hanging lockers with automatic light
- · Nightstands, port and starboard
- Built in dresser, starboard and port



- · Full length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- DC low voltage lights under berth
- AC duplex outlets
- Private access to head
- · Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through fluted wood soffits, port and starboard
- Screened overhead hatch with privacy cover
- Overhead storage lockers, port and starboard with shelf.

Starboard Guest Stateroom

To starboard, this stateroom has a walk around queen berth. Storage includes a full cedar-lined hanging locker, nightstand with drawers, and blanket lockers. 20-inch flat screen TV.

- Carpeting
- Padded panel headliner
- Padded panels on hullside(s) and bulkhead(s)
- Queen berth with upholstered headboard and storage under berths
- Upholstered berth bases
- HMC mattresses.
- Cedar lined hanging locker with door and automatic light
- Nightstand with drawers
- DC AM/FM stereo receiver with CD/DVD player and speakers
- Full length mirror
- AC and DC lights and fixtures
- AC dimmable lights
- AC duplex outlets
- Private access to head
- · Smoke detector
- Carbon monoxide detector
- Air conditioning dispersed through fluted wood soffit
- · Blanket locker, outboard, with center shelf

Enclosed Flybridge

- The Upgrades include, outrigger cameras, thermal camera, night vision camera, zoom in features, underwater lights, and much more.
- Polished anodized welded aluminum ladder cockpit to bridge deck
- Molded fiberglass observation station
- Computer controlled ethernet monitoring system with LCD touch screen display
- · Polished anodized welded aluminum rails
- Elevated L-shaped sofa with rod storage
- · Riding seats port and starboard
- Adjustable Pompanette helmsman seat
- Fixed frameless windows with safety glass
- · Central vacuum
- · DC low level lights
- · Carbon monoxide detector



- 32" flip down TV
- AC duplex outlets
- Wood valances
- Painted plexiglass hatch lid with gas springs on hatch from cockpit to flybridge
- Custom bow thruster controls incorporated into engine control levers for both helm stations.
- Custom High Seas Navigational package
- Starboard side has a fully functional phone outlet, Cat 5 cable to central wifi system in a pullout drawer with capability for copy, printer and Fax to be installed
- Pod-style forward control station with all necessary switches, single-lever and throttle controls (electronic) with
 engine synchronizer, emergency back-up, hydraulic power assisted steering, compass and electric trolling valve
 control switches
- Pod style aft control with start/stop switches, single lever clutch and throttle controls (electronic), hydraulic power assisted steering and tachometers
- Carpeting
- Dry bar with stone top, combination refrigerator/ icemaker, and storage below
- · Smoke detector
- 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Aft facing seat with freezer underneath
- · Pneumatic sliding door
- Aluminum rub rails & ladder
- Mini drop out clutch & throttle wing controls. Mounted on port flybridge wing wall.
- 3 additional high beam overhead reading lights in Flybridge sectional area
- · Custom sized flybridge tabletop with blue pearl with bullnose edge, double pedestals

Electronics and Navigational Equipment

- Furuno 25kw Radar Transceiver
- Furuno 6' open array antenna
- Furuno PB100 Ultrasonic weather station sensor
- Simrad autopilot
- ICOM 604 VHF
- Raymarine CAM100 Reverse image day/night engine room camera
- Tower: Furuno Navnet VX2 chart plotter/fish finder with a 7" Display
- Tower: ICOM IC-HM162SW
- Aft Bridge: Furuno Navnet VX2 chart plotter
- VEI Navigation Computer
- VEI DM Series 17"Super sunlight display for plotter
- VEI DM Series 17"Super sunlight display for display cameras
- PANASONIC KX-TA824 Control Unit
- PANASONIC KXTD-7896 Cordless phone
- PANASONIC KX-T7731B Speaker phone
- Tellar Tri-mode cell phone SX5E
- Aft Bridge: Furuno RD30 Digital Depth/Temp/Display
- Carlisle & Finch nightfinder searchlight and thermal camera, integrated 15 million candle power
- VEI DM series 17" super sunlight display for Radar
- Furuno BBFF3 Network sounder
- Furuno CA50/200 ID-R199 Transducer
- VEI DM Series 17" Super sunlight display for Sounder
- Furuno Navnet VX2 GPS/plotter
- VEI DM Series 17" Super sunlight display for GPS and plotter



- ICOM M604 VHF radio
- Latham sportfish camera with remote, amplifier, and polarized center camera

Engine / Mechanical Equipment

- MTU 16V-2400 BHP, Common Rail, M93's
- AC compressed air system with air- line and regulator
- 24-volt DC bilge and sump pumps: 7 at 3700 gph and 2 at 2000 gph with heavy-duty float switches and protective guards
- Two auxiliary emergency bilge pumps, 300 gpm each, one in lazarette and one in engine room
- Bronze/chrome plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings
- 230-volt AC 50-gallon electric water heater
- Fiberglass holding tanks, constructed with bronze fittings and 24-volt DC sewage pump, plumbed for dockside pump-out, with ¾ full display and alarm
- 110-volt AC reversible oil changing system for engines, gear and generator
- Sealed shower sumps
- Electric fuel priming pumps, engines
- Welded and polished stainless-steel grab rails
- Painted polyurethane engine room and bilges
- Air conditioning compressors and pumps
- United States Coast Guard type A1 U.L. Marine-listed fuel lines
- Isolated discharge sea chests
- 1" stainless-steel steering tie bar with pivoting selfaligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- · Water manifold with centralized shut-off valvefor sinks and showers
- 51' 4 spreader hydraulic outriggers with bridge release
- Pultruded fiberglass rudder shelf
- AC fluorescent lights
- DC lights
- DC exhaust blower
- Bow thruster backup redundant pump adder kit off Mains
- Monitoring consoles for main engines include all necessary gauges, start and stop switches
- Rubber deck mat between engines
- Seawater pressure system with AC pump
- Pressurized 230-volt AC freshwater pump with central charcoal freshwater filter and back flush capabilities
- Fiberglass holding tanks with bronze fittings
- Transducer well, glycol filled
- Fiberglass water tanks with bronze fittings
- Transducer well, glycol filled
- Fiberglass water tanks with bronze fittings
- Electric fuel transfer system with 3 pumps providing back up capability with filtration and dry tank protection for
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- (2) 27.5kW freshwater-cooled Electronic Quiet Diesel Onan generators(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, water lift muffler and sound enclosure
- Pressure and temperature controlled forced air induction system for engine combustion air and fans ducted from



cockpit (single fan reversible for flowthrough ventilation)

- Polyethylene water lines
- Freshwater fill hose for engines and generator
- Water Maker
- Freshwater AC back up pump
- Water delivery kit
- Pick up sea chests
- (2) Plumbed and wired A/C back up Sea water Pump

Electrical System

- Generator: Port: 2889 Hours, Starboard: 3010
- 2-24 volt heavy duty banks with 12 volt marine batteries mounted in fire retardant fiberglass boxes
- AC & DC light fixtures
- AC dimmable lights
- AC duplex outlets with ground fault protection
- Battery control panels with fuses and isolation switches
- Computer controlled ethernet monitoring system with LCD touch screen display providing visual and audible signals for engines, gears, generators, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine compartment, AC power loss, smoke detectors, all tank level indication, low battery voltage, alternator failure battery charger failure, bilge pump control and run indication, holding tank pump control and run indication
- Omni directional TV antenna
- Ventilation fans in attic space
- Two 240-volt, 100 amp, transformer connected retractable shore cords with over-current protection
- Gel/lead acid compatible 240 volt automatic/programmable battery charger
- Automatic battery paralleling system with switch at control console
- AC 118,000 BTU with reverse cycle heating, with AC compressors, individually controlled by SMX controls
- DC electronics panel with magnetic circuit breaker
- AC distribution panels with magnetic circuit breakers
- AC switching panel with voltage source selector switches, volt meter, ammeter, frequency meters, twin generator start/stop controls, interlock selector breakers and voltage boost switch
- Ground fault protection on AC receptacle and lighting circuits
- Navigation lights
- Telephone CATV inlet

Crew Quarters

- Carpeting
- Padded panel headliner
- Padded panels on hullside(s) and bulkhead(s)
- Upper and lower berths with drawer storage under lower berth
- Polyfoam mattresses.
- · Cedar lined hanging locker, door and light
- DC AM/FM stereo receiver with CD player and speakers
- · Full length mirror
- DC light fixtures
- AC dimmable lights
- AC duplex outlets



- · Smoke detector
- Carbon monoxide detector
- Access to crew quarters through engine room door
- System alarm horn with silence button in crew stateroom area.

Tower

- Marlin blue boot stripe color with a cloud white accent colorlsophthalic gelcoat, exterior layer
- Boot stripe, linear polyester/polyurethane coating
- High gloss teak transom
- Blister resistant vinylester resin in hull bottom skin coat resin infused hull
- Hull and superstructure linear polyester/polyurethane coating
- Ploymar/copper-based anti-fouling bottom paint
- Nonskid surface on decks with polyurethane paint with polymeric beads
- · Solid fiberglass hull
- Hull sides and superstructure laminated with PVC foam core
- Fiberglass stringers Engine room bulkheads and decks of resin infused composite construction using PVC foam core with layers of fiberglass laminate on each side
- · Zincs on rudders and shafts
- Dual air horn
- 10 life jackets
- Stainless steel trim tabs
- Maganese bronze struts
- Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- · Alloy 22 high-strength propeller shafts, 4-inch
- Stainless-steel rudders
- 8-blade propellers, Nibral high performance
- Brushed chrome hardware
- Fiberglass pulpit with welded and polished stainless steel anchor chute and roller
- 90-pound Danforth anchor, anchor line and deck hawse pipe
- Windlass 2500 pound with 25 feet of galvanized chain and 300 feet of rope with deck mounted control switches
- 2 polished stainless-steel stern cleats and hawse pipes through bolted in aluminum backing plate
- 4 polished stainless steel springline cleats with chafing strips
- Central vacuum system
- · Deck plates for fuel and water fills and waste pump out
- Additional freshwater washdown foredeck
- Reboarding steps to cockpit
- · Heavy duty engine couplings
- Generator exhaust, water separators
- Anchor locker on bow deck
- Fiberglass pulpit with anchor chute and windlass, 2500-pound, chain rope, w/ deck mount control
- Dripless shaft seals with spare seals
- Portable "drychem" fire extinguishers (11), U.L. approved type in compliance with United States Coast Guard and ABYC standards

Features and Upgrades

• New bow Davit (2022)



- New polished stainless Bow rail (2022)
- Mini port side drop down docking station
- Bow thruster back up
- LED lighting in tower and stairs
- All HMC mattresses
- Upsized A/C system
- Underwater lights
- Custom \$450K High Seas Navigational system upgrade
- Upgraded 2400 HP common rail MTU engines
- Sea chests upgraded
- Water delivery system upgraded
- AC back up water pumps















































































































