



VOYAGER

64' (19.51m) 1990 Seaton Long Range Cruiser
San Diego California United States



OVERVIEW

Manufacturer: *Seaton*

Engines: 2 Perkins

Engine Model:

Engine HP: 0

Beam: 18' 4"

Max Draft: 8' 0"

Water: 600 G (2271.25 L)

Hull Material: Composite

Cruise Speed: 8 Knots

Max Speed: 12 Knots

Cabins/Heads: 4 / 3

Fuel Type: Diesel

Fuel: 4860 G (18397.09 L)

\$899,000



Joaquin Genrich Joaquin.Genrich@FraserYachts.com

+1 760 912 2111

Data Sheet

Category: Expedition Yacht	Crew Cabins: 1	Gross Tonnage: 62
Subcategory: Expedition Yacht	Crew Sleeps: 1	Displacement: 101 tonnes
Condition: Used	Maximum Speed: 12 Knots	Fuel Tank: 4860 gal (18397.09 liters)
Model Year: 1990	Cruise Speed: 8 Knots	Fresh Water: 600 gal (2271.25 liters)
Refit Year: 2005	Range NM: 5000	Holding Tank: 150 gal (567.81 liters)
Beam: 18'4" (5.59m)	Fuel Type: Diesel	Builder: SEATON
Max Draft: 8' (2.44m)	Hull Material: Composite	
LOA: 60' (18.29m)	Air Conditioning: Yes	
Cabins: 4		
Sleeps: 7		
Single Berths: 2		
Queen Berths: 2		
Heads: 3		

Engines/Generators

Engine 1

Perkins
Inboard
Fuel: Diesel

Engine 2

Perkins
Inboard
Fuel: Diesel

FRASER

Summary/Description

VOYAGER is a custom Seaton trawler, with Cat power plus get-home system and variable pitch prop. She offers long-range and is built for world travel as her name suggests. VOYAGER was designed, engineered, and constructed to be a ship of handsome modern appearance and of extremely high quality.

VOYAGER is a custom Seaton trawler, with Cat power plus get-home system and variable pitch prop. She offers long-range and is built for world travel as her name suggests.

VOYAGER was designed, engineered, and constructed to be a ship of handsome modern appearance and of extremely high quality. Strict attention was given to the standards for traditional for sea-going vessels. Designed to provide all the necessary systems in a physically strong and seaworthy platform and a high degree of self-sufficiency. An experienced but non-professional Owner can take up to seven passengers safely, comfortably and reliably on extended cruises.

FULL SPECIFICATIONS

Boat Name

VOYAGER

Builder: Nelson Yachts

Designer: Stephen Seaton

Flag of Registry: United States

Dimensions

LOA: 64 ft 0 in

Beam: 18 ft 4 in

Maximum Draft: 8 ft 0 in

Engines

Engine 1:

Engine Brand: Caterpillar

Engine Model: 3406

Engine/Fuel Type: Diesel

Engine Power: 322 HP

FRASER

Tanks

Fresh Water Tanks: (600 Gallons)

Fuel Tanks: (4860 Gallons)

Accommodations

Number of cabins: 4

Number of heads: 5

Full Specifications

OVERVIEW

The thought behind VOYAGER was to provide all of the necessary systems in a physically strong and seaworthy platform, to enable an experienced but non-professional owner/captain to take up to seven passengers, safely, comfortably and reliably on extended cruises allowing for a high degree of self-sufficiency.

VOYAGER is a massive (100+ ton) 67' fiberglass/aluminum trawler whose design and engineering budget alone exceeded \$600,000 when built.

This vessel will appeal to the adventurer/explorer who wishes to travel beyond the reach of the majority of boaters and experience the dwindling number of pristine areas left on our planet. The Amazon, Punta Arenas, the fjords of Chile and Norway, Glacier Bay, the Galapagos Islands and the Great Barrier Reef are all within the range and ability of this wonderful yacht.

VOYAGER was designed, engineered and constructed to be a ship of handsome modern appearance and of extremely high quality, while paying strict attention to the details that have become traditional for sea going vessels.

Inspection of the Pilothouse and the Engine Room will reveal marine engineering of high standards. The design logic used in the selection of equipment, and practical location and openness of their installation, will permit the new owner to master the vessel's workings in short order.

Control through the 16" bow thruster, the variable pitch prop and the articulated rudder, makes maneuvering in even the tightest quarters as easy and stress free.

The estimated current time which would be required to replace VOYAGER is 27 months and the cost is upwards of \$4.25 million, USD. Recently appraised at \$2.8 million,

BUILDERS NOTES

- Hull is solid fiberglass ranging up to 2 ¾" thick below water lineSuperstructure is cored fiberglass up to boat deck
- Hull has 15 integral in fuel, water and holding tanks with same layup schedule as hull. This effectively provides a double hull over 85% of the wetted surface.
- Pilothouse, flying bridge, mast and electronics arch are marine grade aluminum.

FRASER

- Entire vessel is heavily insulated thermally as well as acoustically, utilizing balsa core, isolation and vibration dampers, rigid fiberglass, aluminum foil bubble blankets, high density urethane and lead sheeting.
- Hull has molded in protective pockets for keel cooler's.
- Rudder is three part segmented, articulated molded hard rubber barn door type.
- Large heavily built swim platform serves as boarding station for tenders.
- Vessel comes with a large spare parts inventory, commensurate with a yacht that is designed to be self-sufficient for 6 months at a time.
- Tool inventory is adequate to breakdown main engine
- Documentation of as built wiring is extensive. Each wire is labeled and listed in manual with description of points of service and length of wire.

Extensive drawings exist of fuel system, water system, wiring diagrams, plumbing, electronic interfaces, as well as operations manuals, maintenance manuals and lists of spare

parts suppliers and vendors.

PILOTHOUSE

Overhead Electronics Console:

- SEA HF/SSB radiotelephone
- ICOM VHF M100 marine transceiver
- FURUNO DGPS navigator
- STANDARD HORIZON LH10 hailer/fog horn
- SIMRAD TAYO TD-1100 digital ADDF
- FURUNO LC-90 loran
- NORTHSTAR 9400 GPS
- PARAGON watch alert
- BANAIR weather check recording digital barograph
- DATAMARINE wind link
- CRUISEAIR tempered water A/C control panel
- GARMIN 740 with 3kW dome
- WYNN Type 80 straight line window wiper controls (4)
- Windshield washer controls
- CARLISLE & FINCH 12" 120 V, 1000 watt motorized, power focus searchlight
- Night Vision Interior Lighting Controls

Pilothouse Main Console:

- FURUNO CH14 Color PPI Sonar (100' to 5000' range)
- DATAMARINE Speed Link (VMG, Speed, Total Distance)
- DATAMARINE Depth Link Rack Light
- KVH Azimuth 314AC programmable digital fluxgate compass
- FURUNO commercial marine radar model FR-1510DA 10KW, 15" 72 mile
- FLOSCAN fuel flow meter
- C. PLATH marine (merchant/commercial class) Navigat VII gyrocompass
- Hydraulic clutch selector (main or back up)
- KOOP NAUTIC SeaRocq roll stabilizer control panel
- ROBERTSON AP9 MK II autopilot
- RI 40 rudder angle indicator

FRASER

- Jog AP levers in both steering stations
- 33" leather covered SS steering wheel
- AETNA ENGINEERING digital tachometer
- HYDRAPOWER SYSTEMS 16" diameter bow thruster control
- KAHLENBERG air horn control
- Clutch Control Panel
- Engine instrumentation
- Running/nav/deck/interior lighting controls
- AQUALARM SAFETY SYSTEM Enunciator Panel
- NOBLETEC Admiral Pro-Navigation Suite with Tides & Current Pro New in 2013
- APC back up emergency power supply system
- RITCHIE 6" recessed binnacle compass.
- Breaker panel with meters for House Battery Bank, Engine Start Battery Bank, Pilothouse Battery Bank, Emergency Communications Battery Bank, Emergency Lighting System Controls
- Load Control System Status Panel
- FIREBOY Fire Control System
- C-PHONE 9 station communication and intercom system
- KVH Tracphone mobile satellite communication system
- KVH Tracvision G6 International TV with GYRO
- FURUNO DFAX weather facsimile
- FURUNO model MD-300 multi-distributor
- FURUNO model AD-10S A-D Converter
- PROTRACK, Inc Electronic Interface
- Custom Belting Leather Helm Chair
- Navigation Station with full size chart table
- Fifteen Storage Lockers
- Two drawer file cabinet with operations and service manuals
- Four storage drawers
- Three full size chart drawers
- Pilot berth with curtains
- Hanging wet locker
- Raised 9' custom chenille settee
- Two book cases
- Two custom tables, one with computer port
- Three dogged watertight doors, port to trail deck, starb'd to foredeck and aft to boatdeck
- 406Mhz EPIRB

LIVING QUARTERS

Main Saloon:

Asymmetrical Saloon with trail deck to port and extending to gunnel on starboard side. Overhead is coffered ceiling with high gloss arched ash beam's (6" x 7") filled with camel ultrasued panels. Saloon seating is custom built, includes a French chenille goose down sofa with two oversize butter leather pillow back lounge chairs. A matching chenille ottoman converts to a cocktail table when required. Built in end tables are covered in black leather with ash drums supporting a Stiffel twisted column brass lamp aft and a brass and black lacquer two arm student lamp by Calloway forward. End tables also function as baffles for rear channel speakers for surround sound home theater. Forward end table encloses the AMES Isolation transformer for the 50 amp service as well as the intake blower for passive air supply system to guest staterooms. Aft end table houses Sub-woofer. Saloon seating faces entertainment center that includes:

Main Saloon Equipment:

- 32" Samsung Flat Screen TV Left, Right, Center and Rear Channel Speakers by Boston Acoustics
- SONY Digital Audio/Video Control Center
- SONY SLV 11HF Videocassette Player/Recorder
- SONY DVD, CD and Video CD player
- SONY 200 CD Mega storage CD player
- Boston Acoustics 100 amp sub-woofer
- Storage for CD's and DVD's.
- A/B switch between ships gyro controlled TV antennae and shore cable TV

Dining Area:

Dining Area is forward of entertainment console. Built in red leather seating for three on built in settee outboard with 3' x 6' glass dining table supported by 2 Honduran mahogany pedestal's with marketry inlay. Three rattan arm chairs with matching chenille seat cushions provide seating for six with two additional seats at tables end. An eight candle lamp 23K gold chandelier with black shades is overhead. Wet bar is to starboard of dining area. Two level, featuring a sub- zero beverage refrigerator, an automatic 24# capacity ice maker, sink with insta-hot water heater, granite counter tops with limestone inlays. Breakfast bar is forward and serves as a pass through to/from the galley which is a half level down. Counter top is black granite with limestone inlays. Storage cabinets of olive ash burl over breakfast counter serve as storage for wet bar. The saloon cabinetry holds the following equipment:

Additional Equipment:

- Computerized Shed System for automatic load control of all circuits broken into 10 priority levels
- Ames Isolation Transformer for protection of polarity/ground faults in shore power as well as conversion of international voltages
- Engine room exhaust blower (1500 cfm)
- Guest stateroom passive air circulation system blowers for intake and exhaust
- Exhaust blowers for guest heads and shower
- Back up compressor tank for pneumatic controls
- Security System activation panel.
- Two reverse cycle A/C condenser and control panels
- Hanging wet locker
- Escape hatch from guest staterooms.
- Central vacuum cleaning system outlets (2)

Master Stateroom:

The **Master Stateroom** is a study in quiet elegance and luxury. The overhead is ultra suede. Curtains are black out and made of hammered silk as are the valances and the tufted head board. Side panels are chenille and the oversize queen island berth has a quilted spread of embroidered brocade. Task Lighting is provided by individually controlled swing arm brass reading sconces with black shades and gold liner. Additionally, extensive lighting is provided for ambiance. A make up table is leather topped with marketry inlays. Adjustable make up mirror as well as theatrical style make-up lighting and a custom leather chair. All lights are on dimmers and a separate circuit has been provided for hair dryers and curling

FRASER

irons. Large mirror over upper cabinet door as well as full length mirror located on inside of double door cedar lined closet. Vanity has two drawers for make up. Additional closet and drawer's provide excellent storage. Vault is hidden behind panel. Color TV is mounted overhead behind drapery. Escape hatch leads to foredeck. DATAMARINE Multi-link readout, AQUALARM sub panel, Stereo Cassette and CD player are all located in side panel at head of berth. SONY phone/intercom. Reverse cycle A/C control panel, four large opening ports with screens for cross ventilation are also provided. Large Shower and Custom sink with Baldwin brass hardware make a delightful head.

The cabinetry in the **Master Suite** provides space for:

- FURUNO sonar pitsword and controls
- HEART INTERFACE Inverter
- C. PLATH gyro sensors
- Rectifiers for sonar and stabilizers
- Access to thruster compartment
- Inspection ports for fuel fill lines

Guest Accommodations:

Port Guest Stateroom:

Staggered over and under single berths. Upper berth has built in stairs, end table, reading light control and book case. Lower unit has end table and reading light controls. Cedar lined hanging locker. Leather seat with laundry hamper below. Four drawer dresser. End table with linen storage. Port lights have valence, valence lighting and black out curtains. Upper and lower berths have leather head boards and chenille side panels with custom quilted bed spreads and pillow shams. Stateroom has CD player, Reverse Cycle A/C condenser and control panel, SONY phone/intercom. Additional locker storage beneath lower berth. Large Guest head with 4'+ vanity, medicine cabinet, large mirror, Headhunter commode, excellent lighting and shower.

Starboard Guest Stateroom: A mirror image to Port Stateroom except has raised queen berth. Berth has dresser and luggage stowage below. Built in hidden ladder makes entrance and exit of berth pleasant.

Cabinetry in **Guest Staterooms** provide space and access for;

- Main fire fighting pump (2 HP Baldor Industrial Motor coupled to a Flomax 5 self priming centrifugal pump rated at 100 GPM.)
- KOOP Nautic Stabilizer's, pumps and actuators.
- Grey Water Tank access.
- Chaffee Marine jet head system pressure tanks (2)

Guest/Crew Stateroom:

Guest/Crew stateroom is finished to a level equal to that of the other Staterooms. Single berth with leather headboard.

FRASER

Own TV, VCR, AM/FM Stereo CD player and DVD player. Large storage behind double mirrored doors, lockers, shelves, Phone/Intercom, Reverse cycle A/C, Separate Passive air circulation system. Large double door closet. Separate head with enclosed toilet.

Cabinetry in **Guest/Crew stateroom** provides space for: Central Vacuum cleaning system master unit; compressor for freezer; domestic water pressure tanks (2) and transducers.

GALLEY

- Large full beam galley with seamless stainless steel countertops and integral sea rail
- Cabinetry in high gloss CVG Ash
- GAGGENAU 4 burner electric stove top with Infra-red instant burner
- GAGGENAU exhaust system
- THERMADOR combination self-cleaning convection/microwave wall oven
- THERMADOR steam dishwasher
- KITCHENAID disposal
- TRAUlsen commercial 32 cubic foot refrigerator/freezer with separate compartments and compressors
- GE microwave oven
- MAYTAG computer touch control washer and dryer
- BROAN Trash compactor
- Overhead and under counter lighting
- Mahogany and maple diamond flooring
- 6' pass through to breakfast bar
- Pantry
- Central vacuum cleaning outlet
- Forward to Master stateroom
- Companionway down to guest and crew staterooms
- Companionway up to dinning area and saloon
- Reverse cycle A/C condenser and control panel

FLYBRIDGE/HELM INSTRUMENTATION

- KOBELT station control selector and pneumatic engine controls.
- ROBERTSON AP 9 Mark II autopilot
- CARLISLE & FINCH 12" 1000 w motor operated search light controls
- MAGELLAN GPS
- ICOM VHF
- RAYTHEON loudhailer
- DATAMARINE Multi-link (mag. hdg., depth, speed, wind, speed/angle.
- Anchor windlass controls
- C. PLATH gyro repeater
- ROBERTSON FU 9 steering station
- Hydraulic steering reservoir
- RI 40 rudder angle indicator
- Bow thruster controls
- AETNA ENGINEERING electronic tachometer
- Full nav/instrumentation lighting controls
- C-PHONE intercom/landline phone

FRASER

- RITCHIE compass
- Complete Lexan helm cover and canvas storage for cover
- Custom helm seat
- Full bimini with mirror polished stainless steel bows mounted on custom Harkin cars and sail track for storage in electronics arch housing
- Dinette (seats 6). Additional built in seating
- Venturi windscreen mounted on mirror polished stainless steel receiving structure
- Stainless steel and Corian table converts to king size berth with full cushions
- 5 large storage lockers
- Stereo speakers
- Emergency battery bank for communications
- AQUALARM Sub-panel. Main engine oil psi, oil temp, water temp and pyrometer gauges
- Hydraulic clutch selector
- FURUNO Nav-Net GPS, Video Sounder, Chart Plotter equipment
- A/C unit for pilothouse

DECK EQUIPMENT AND AFT DECK

Boat Deck

- 2 large storage lockers.
- Port and starboard booms (13' x 3 ½") for anchor stabilizers.
- Pair of static roll stabilizers (4' diameter)

19' AQUASPORT: Center Console Sport/Fishing Boat Includes:

- **90 HP YAMAHA outboard**
- **SITEX-KODEN CVS 106 CRT color video fish finder**
- **ICOM VHF**
- **Stereo system with built in speakers**
- **Bimini with SS frame and VHF antennae**
- **Solar panel with charger for tenders batteries**
- **SS rod holders (6)**
- **Bilge pump**
- **Ice Chest**
- **Nav lights**
- **Full instrumentation**
- **Full storage cover**
- **NAVTEC SS tie down system**
- HONDA 183HP Aquatrax F-12 PWC with custom chocks/cover
- Integral 350 gallon gas tank with in water refueling station for Tender and PWC
- Hydraulic crane (2000 lb. capacity) for launch of tenders and vessel maintenance
- Engine room intake air blower (1 ½ HP Vbelt jack shaft drive to 16" turbovane)
- Docking station (positioned to support fighting chair) with KOBELT station control selector/pneumatic control head
- ROBERTSON FU 9 steering station
- RI 40 rudder position indicator
- AETNA ENGINEERING digital tachometer
- Bow thruster controls

FRASER

- Clutch selector panel
- DATAMARINE Multi-Link (wind, speed, depth, log)
- DATAMARINE depth sounder
- GLENDENNING Cable Master motorized shore power cord storage Unit for 30 amp service
- Hydraulic oil storage tank
- VICKERS hydraulic pump for crane
- Sea kayak with storage tree
- Access door to mast tower and fishing rod storage
- Companionway aft and down to cockpit
- Companionway forward and up to flybridge
- Companionway forward and down to pilothouse

Aft Deck Equipment:

- Fishing chair or 100 gal bait tank
- Huge aft deck (17' x 13')
- Dogged and alarmed water tight door to engine room and saloon
- Bait prep sink with stainless steel counter, with 8 drawers for tackle
- Live bait tank with lights and recirculation pump
- Dogged and water tight hatch to Lazarette
- Large double deck hatch to fish hold
- Kill box with drain
- Commercial dive compressor/purifier (Eagle compressors BAP8EK1 7.5 HP, 6000 psi, 8.3 cfm)
- Maxwell 1000 lb pull warping winch
- Port and starboard at sea refueling quick disconnects
- 50 amp shore power, telephone and cable TV connectors
- P/S water tank fills
- Companionway to boat deck
- Storage for 6 SCUBA tanks
- Custom LEE's Fighting chair
- Eight rocket launchers
- Large hinged transom door/ladder to swim platform
- Stereo speakers from saloon entertainment system
- Speakers from flybridge and pilothouse hailer
- Halogen flood lamps
- Rail cap lamps
- 3' Bulwarks
- 5 integral 22" hawse cleats
- 7 Barn door scuppers
- Lazarette Macerator
- Sewage pump out station
- Transom light
- Reservoir for stabilizer hydraulics
- Reservoir for oil filled shaft log

Foredeck Equipment:

- MAXWELL VWC 5000 hydraulic vertical clutch windlass (5,000 lbs. pull)

FRASER

- 600' 5/8ths inch hi-test anchor chain with depth markers
- Mirror polished SS chain/anchor trough with automatic salt water wash down and lock
- 350 lb SEAHOOK Anchor on custom bow roller chock
- Fresh and salt water spigots
- FREEMAN MARINE water tight dogged escape hatch from master stateroom
- FREEMAN MARINE water tight dogged hatches (2) to chain and rope lockers
- SWITLICK 8 man life raft in hydrostatic release canister
- Deck lockers (2 large) for line storage
- Mirror polished SS hand rails and grab bars (1 ½" dia)
- 3' high bulwarks
-

ENGINE ROOM

Companionway to engine room holds main hydraulic system reservoir, fuel cooler and bypass controls. Engine room is separated from living areas by 2" thick bulkheads and soles which are fabricated of a layer of glass, balsa core, glass, balsa core, glass and finally a double layer of lead. Walls and overhead have then been encased in sound absorbing insulation which is protected by stainless steel perforated sheet.

- NORTHERN LIGHTS 30KW genset with oversize Perkins engine with back up/ come home hydraulic pack. (Reported speed of come home to be 4 to 4.25 knots). Come-home system can also operate anchor windlass and bow thruster.
- NORTHERN LIGHTS 12 KW genset for nighttime
- LIMA ELECTRIC 30 KW cruising genset operated off of VICKERS hydraulic pump on main engine
- CATERPILLAR 3406B turbocharged diesel prime mover
- HUNDESTADT hydraulic transmission with come home
- HUNDESTADT 60" Diameter variable pitch four blade propeller
- Main engine diagnostic panel, 30KW panel, 12KW panel and 30 KW Cruising Genset Panel
-

Main electrical panel with:

- 39 240 Vac circuit breakers
- 44 120 Vac circuit breakers
- 8 meters
- Power Source selector switch; 30 amp shore; 50 amp shore, 30 kW Gen, 12kW gen, 30kW Cruise Gen
- 30 KW Hydraulic Generator
- 12 KW Diesel Generator
- 30 KW Diesel Generator
- AQUALARM SAFETY SYSTEM enunciator panel (duplicate of panel in pilothouse)

Work bench with:

- Four door over head cabinet
- Twenty four parts drawers
- Four tool drawers
- Stainless steel oversize tool bin
- Vise
- Stainless steel work surfaces with tool racks left, right and rear
- 6'4" headroom in front of bench
- GALLEY MAID 30 gallon 240 volt hot water heater with heat exchanger.

FRASER

- DAYTON air compressor with quick disconnect for tools and air.
- ALFA-LAVAL fuel centrifuge for fuel polishing.
- Black water tank, JABSCO 120 volt macerator pump and fresh water flushing system.
- Grey water pump and controls (JABSCO 120 volt)
- Control panel for CHAFFEE ENGINEERING hydro-jet head system, black and gray water tank full alarms and auto/manual pump out.
- Fuel manifold system enabling high speed transfer (and measuring) of fuel taken on board, transfer from tank to tank or transfer from fuel centrifuge to any tank, with back up hand pump and remote suction connectors in aft cockpit for automatic refueling from 55 gallon drums.
- 220 Volt (2 HP) Fuel Transfer Pump and flow meters
- Twin SEA RECOVERY 600 GPD water makers with back flush system and sterilizers
- Sea chest extending above waterline with all thru-hulls with shut-off valves accessible from inside.
- Twin 180 gallon day tanks with sight gauges.
- FLOMAX 5 bilge pump (100 GPM), emergency
- TEEL Head pump.
- Propeller shaft cooler.
- Oil filled propeller shaft seal system

Lazarette Equipment:

- Water tight dogged door to engine room
- Two (Primary and Back up) 30,000 BTU Cruise Air tempered water reverse cycle A/C units
- Central overboard discharge manifold with valves for: Air conditioning discharge; Shaft cooling discharge; Bilge discharge; Lazarette bilge pump discharge; Kill box drain; Ice box macerator discharge; Aft engine room bilge discharge; Grey water tank discharge
- Two (Primary and Back up) domestic water system pumps (GE 1½ HP jet pumps)
- WAGNER hydraulic power steering pump (2 HP) and reservoir
- WAGNER Model T-12B Steering Ram (92 cubic inch displacement)
- Commercial steering unit for tugs, work boats or fishing vessels
- DAYTON Jet pump ½ HP Bilge pump
- Watertight FREEMAN MARINE dogged hatch to aft deck

MISC

- Motivated Seller
- Owned by an LLC
- Hauled Dec 2018 for new bottom paint and hull inspection

REMARKS

67' Custom fgls Seaton Trawler, Cat power w/get home system & variable pitch prop, long range, built for world travel. A very safe and beautifully finished yacht ready to cruise and she has good Charter potential.

FRASER

Company Disclaimer

All speeds, measurements, capacities, consumptions, etc. may be approximate or estimated. Specifications provided for information only. Data was obtained from sources believed to be reliable and is not guaranteed by owner or brokers. Buyer assumes the responsibility to ascertain the correctness of all data contained herein and otherwise provided and must instruct his agent and surveyors to confirm all details for accuracy prior to purchase. Subject to prior sale, price and inventory change, or withdrawal from market without notice.

FRASER



Main Profile



FRASER



Salon

FRASER



Salon



Salon

FRASER



Galley



FRASER



FRASER



Master Stateroom



Guest Stateroom

FRASER



Guest/Crew Stateroom



FRASER



Helm