



7' (2.13m) 2022 Highfield UltraLite 290
Stuart Florida United States



OVERVIEW

Manufacturer:	Highfield		
Engines:		Hull Material:	Aluminum
Engine Model:		Cruise Speed:	
Engine HP:		Max Speed:	
Beam:	5' 7"	Cabins/Heads:	/
Max Draft:	"	Fuel Type:	Gas/Petrol
Water:		Fuel:	

Call for Price

Data Sheet

Category: Tender

Condition: New

Model Year: 2022

Beam: 5'7" (1.70m)

LOA: 9' 6" (2.90m)

Fuel Type: Gas/Petrol

Hull Material: Aluminum

Dry Weight: 84 lbs

HIN/IMO: HFM290ULA122

Stock #: tender

Engines/Generators

Summary/Description

The powder coated aluminum hull of the Highfield Ultralite 290 is ideal for those looking for the durability and performance of a hard hull. Overall length is 9'6" and beam is 4'11." Max power is 10HP.

Customizable Boat: Stuart

The powder coated aluminum hull of the Highfield Ultralite 290 is ideal for those looking for the durability and performance of a hard hull. Overall length is 9'6" and beam is 4'11." Max power is 10HP.

Standard features on the UL 290 are welded PVC seams, Orca Hypalon or Valmex PVC tube, flush mounted non-return valves, high tensile chromated and powder coated aluminum hull, self-draining deck, removable seat, lifting points and towing eyes, tow bridle points, anti-slip deck, light weight rubbing strake, full length keel guard, under seat bag, Highfield dry bag, oars, repair kit, and a foot pump. Optional features include Orca Hypalon tube fabric or dinghy wheels.

We're proud to showcase Highfield Boats tender at all our Florida showrooms, including:

Ft. Lauderdale, Palm Beach and Stuart

Standard Features

- ORCA® Hypalon or Valmex® PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Removable seat
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Light weight rubbing strake
- Full length keel guard
- Under seat bag
- Highfield dry bag
- Foot pump, oars, repair kit

Optional Features

- ORCA® Hypalon tube fabric
- Dinghy wheels









