



WHIRLWIND

40' (12.19m) 1965 Hinckley 40 Bermuda
San Diego California United States



OVERVIEW

| | | | |
|---------------|-----------------|----------------|-----------------|
| Manufacturer: | <i>Hinckley</i> | Hull Material: | Fiberglass |
| Engines: | 1 Westerbeke | Cruise Speed: | Knots |
| Engine Model: | Four-107 | Max Speed: | Knots |
| Engine HP: | 50 | Cabins/Heads: | / 1 |
| Beam: | 11' 9" | Fuel Type: | Diesel |
| Max Draft: | 8' 7" | Fuel: | 70 G (264.98 L) |
| Water: | 110 G (416.4 L) | | |

\$114,900



Blake Oversmith BOversmith@galatiyachts.com

(619) 665-7398

Data Sheet

Category: Yawl
Subcategory: Antique and Classics
Condition: Used
Model Year: 1965
Beam: 11'9" (3.58m)
Max Draft: 8' 7" (2.62m)
Min Draft: 4' 1" (1.24m)
LOA: 40' 9" (12.42m)
Sleeps: 6
Convertibles: 1
V Berths: 1
Heads: 1

Knots
Knots
Fuel Type: Diesel
Hull Material: Fiberglass
Hull Shape: Displacement

Displacement: 19000 lbs
Fuel Tank: 70 gal (264.98 liters)
Fresh Water: 110 gal (416.4 liters)
Imported: No
Builder: Henry R. Hinkley Co.
Designer: William Tripp
HIN/IMO: 1142
Stock #: C-BRA6031-BO

Engines/Generators

Engine 1

Westerbeke
Four-107
Inboard
50HP
Fuel: Diesel
Year: 1973/2013

Summary/Description

For Sale

This classic 1965 Hinckley 40-Bermuda Sailboat, WHIRLWIND features a yawl design, black hull, LP'd, has varnished teak rails and trim, a great layout, is a capable cruiser from Southern California, to the East Coast, to the Panama Canal, to the South Pacific! This is a "Bermuda 40" hand molded reinforced fiberglass hull, round bilge, full keel (with centerboard), a flush deck, trunk cabin, diesel auxiliary yawl. This classic Yawl has received excellent care and maintenance over her years and it shows in the exterior finish kept polished, the interior is cozy and well laid out; with a V-berth and convertible salon, WHIRLWIND can accommodate 6.

Contact us today to see her in person!

Hull

- Hand molded fiberglass reinforced plastic hull.
- Resin and tabbing Fastening
- Partial transverse bulkheads.
- Main Deck Hand molded fiberglass reinforced plastic
- Moulded spade Rudder hung on trailing keel in shoe bearing.

Machinery

- Main engine: Westerbeke Four-107
- Built: 1973, Rebuilt 2012/13
- Type: Diesel. Marine high speed. Reverse reduction gear.
- Location: Beneath cockpit.
- HP: 50 RPM: 3000
- Exhaust cooling: Water jacket manifold, lagged riser, wet to stern discharge.
- Propeller: 16 RH 11 three blade bronze.
- Shafting: Stainless
- Steering gear: Wheel, wire ropes to quadrant.
- Generators: 2) Alternators. Output 12-volts, fractional KW.
- Newer seacocks.

Electrical

- Wiring: Upgraded Marine, stranded, plastic insulated and loomed.
- Batteries: Two 12-volt wet type.
- Location of switchboard: 12 VDC and 120 VAC 30 amp master breaker panel and master source selection and battery switches in house. Battery charger. Cathodic bonding system with independent propeller shaft anodes.

Rigging

- Spars: Aluminum masts and wood booms.
- Standing Rig: Stainless steel with bronze turnbuckles. #7 main lowers, #8 uppers and #5 mizzen.
- Sails: Dacron main, mizzen and roller jib.
- Sheet winches: High quality stainless. Barient and South Coast.

Pumps and Auxiliaries

- Electric: (2) auto / manual bilge pumps, fresh water pump, shower sump pump,
- Manual: Bilge pump and fresh water pump.

Radio and Electronics

- Radio: iCom IC-M56 VHF
- Positioning: RAYNAV 580 Loran/Plotter
- Compass: Magnetic
- Depth/Speed: Data Marine digital

Tanks

- Fuel total capacity: reports approximately 70 USG
- Material: Fiberglass
- Location: In keel section beneath engine.
- Where vented: Atmosphere
- Fills: Flush to deck.
- Feed lines: Copper and neoprene
- Water tanks: 110 USG in (3) manifolded stainless steel tanks.

Accommodations

- Berths: Sleeps up to 6 in V-berth and salon convertibles.
- Galley stove: Shipmate propane oven and 3-burner stove.
- Refrigeration: Vitrifrigo ice tray compressor stainless steel ice box.
- Lavatory: Groco Modle K manual flush.

Safety Equipment

- Portable: Two 3.5-lb dry chemical 2015
- Fixed System: Halon in engine space.
- Ground tackle: Stainless plow "working" bow anchor with 5/8" nylon rode. Ideal electric anchor capstan.
- Life jackets: Adult PFDs
- Buoyant cushion: Throw rings.
- Navigation: Underway, anchor, deck and cabin lights.

Miscellaneous Gear

- Stanchions, life lines.



1965 Hinckley 40-Bermuda Yawl Classic Sailboat WHIRLWIND Profile



1965 Hinckley 40-Bermuda Yawl Classic Sailboat



1965 Hinckley 40-Bermuda Yawl Classic Sailboat Helm



1965 Hinckley 40-Bermuda Yawl Classic Sailboat Galley



1965 Hinckley 40-Bermuda Yawl Classic Sailboat Salon



1965 Hinckley 40-Bermuda Yawl Classic Sailboat WHIRLWIND