





48' (14.63m) 2024 Beneteau Swift Trawler 48 Sausalito California United States



OVERVIEW

Manufacturer: Beneteau

Engines: 2 Cummins Hull Material: Engine Model: QSB 6.7L Cruise Speed:

Engine HP: 425 Max Speed:

Beam:14' 9"Cabins/Heads:3 / 2Max Draft:3' 10"Fuel Type:Diesel

Water: 84 G (317.97 L) Fuel: 255 G (965.28 L)



Fiberglass





Data Sheet

Category: Trawlers Condition: New Model Year: 2024 Beam: 14'9" (4.50m) Max Draft: 3' 10" (1.17m) LOA: 48' 4" (14.73m)

LWL: 41' 11" (12.78m) Cabins: 3

Single Berths: 8 Heads: 2 Fuel Type: Diesel

Hull Material: Fiberglass

Displacement: 27896 lbs

Fuel Tank: 255 gal (965.28 liters) Fresh Water: 84 gal (317.97 liters) Holding Tank: 45 gal (170.34 liters)

HIN/IMO: NewBoat:OnOrder

Stock #: N90126

Engines/Generators

 Engine 1
 Engine 2

 Cummins
 Cummins

 QSB 6.7L
 QSB 6.7L

 Inboard
 Inboard

 425HP
 425HP

 316.92KW
 316.92KW

 Fuel: Diesel
 Fuel: Diesel



Summary/Description

The new Swift Trawler 48 advances the BENETEAU Range of practical and seaworthy passage makers. The Andreani design focuses on easy living and circulation that builds on the wealth of Beneteau Trawler DNA and owner feedback.

KEY FEATURES

UPHOLSTERY

SALON UPHOLSTERY BOLT GREIGE

TRIM LEVEL

ESSENTIAL TRIM LEVEL -TEAK

- Ship control system
- Double station deck searchlight
- 40 L refrigerator, on flybridge
- Pre-wiring for heating
- Air conditioning pre-arrangement
- Inverter (2 KVA)
- 2 9 Raymarine interior screens
- 2 9 Raymarine exterior screens
- Auto pilot
- Raymarine VHF

PACKS

PACK SMART - TTOP & HYD SWIM PLATFORM

- Hydraulic Swim Platform
- Fly Bridge T Top
- HYDRAULIC PLATFORM DINGHY CHOCKS
- DEMOUNTABLE LADDER

ELECTRONICS PACK US

- UPGRADE 2 Raymarine 12" interior screens (replacing 9" included in Essential trim)
- 2 Raymarine 12" exterior screens
- AIS transceiver



OPTIONS

MOORING & ANCHORING

MOORING-ANCHORING KIT

EQUIPMENT HULL/DECK

- FLYBRIDGE DODGERS OYSTER
- FOREDECK CANVAS SUNSHADE
- FLYBRIDGE ENCLOSURE OYSTER

EXTERIOR CUSHIONS

- COCKPIT CUSHIONS MARLIN BRILLIANT WHITE
- SUNBATHING MATTRESS MARLIN BRILLIANT WHITE
- INFINITY LUXE CREAM COCKPIT CARPET
- BLACK EXTERIOR WHEELHOUSE CURTAINS

STEERING SYSTEM

• BOW AND STERN THRUSTER - 2 STATIONS

ELECTRICAL EQUIPMENT

• 115 V SHORE POWER WITH AUTOMATIC RETRACTABLE REEL

GALLEY APPLIANCES

- WINE CABINET 115V60 TEAK
- MICROWAVE OVEN 115V
- 115V60HZ GRILL /FLYING BRIDGE
- ICE MAKER 115V 60HZ TEAK
- PRE WIRE WASHING MACHINE 115V60 TK
- PRE WIRING FOR DISHWASHER 110V60 TEAK
- INDUCTION COOKTOP 2 BURNERS

HEATING/COOLING

• AIR CONDITIONING 115V TEAK



INTERIOR EQUIPMENT

- GLASSWARE KIT VILLEROY & BOCH (8 PEOPLE) TEAK
- SLATTED DOORS TEAK
- ELECTRIC PEDESTAL FOLDING DINETTE TABLE TEAK

INTERIOR UPHOLSTERY

• REMOVABLE WHEELHOUSE + SALON CARPET AFRICAN SPIRIT GREY

NAVIGATION INTRUMENTS

- RAYMARINE REAR CAMERA
- RAYMARINE CLEARCRUISE
- RADAR QUANTUM DOPPLER
- RAYMARINE WINDVANE ANEMOMETER 170S
- AIS 700 TRANSCEIVER RAYMARINE

SAFETY EQUIPMENT

AUTOMATIC FIRE EXTINGUISHER IN ENGINE ROOM

VENTILATION FROM C.ROOF

• PORTHOLES AND DOOR MOSQUITO SCREENS TEAK

GROW BOATING

• GROW BOATING

TRANSPORT & DELIVERY

• DELIVERY & COMMISSIONING IN SAUSALITO

STANDARD EQUIPMENT

HULL

- Sandwich (Polyester resin infusion fiberglass)
- White gelcoat 9010
- Structural hull counter molding in monolithic laminate (Polyester resin infusion fiberglass)
- Semi-planing hull



DECK

- Sandwich (Polyester resin infusion fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin fiberglass)
- White gelcoat 9010
- Diamond tip type non-slip surface

AMBIANT

- Alpi teak woodwork
- Rovere Alévé Parquet type laminated floorboards
- Marlin Brilliant White PVC interior upholstery
- Anthracite pilot seat
- Marlin Brilliant White PVC Exterior upholstery

DECK EQUIPMENT

Gangway door to starboard

MOORING - ANCHORING GEAR

- · Double stainless steel bow fitting
- 2 000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400 mm / 15 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

· Self-bailing cockpit



- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Cockpit shower hot/cold water
- Double port cockpit access door
- Swimming platform with rubbing strake (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the swim platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder
- 4 Cup holders

FLYBRIDGE

- Flying bridge self-bailing
- Retractable stainless steel ladder with double access ramp to the flybridge with solid wood treads
- · Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge face-to-face salon with 2 bench seats in an L shape, with integrated stowage and an extendable solid wood



table

- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates
- Set of flybridge covers (console + bench seating + table)
- 6 Cup holders

INTERIOR

SALON

Headroom: 1,97 m / 6'5"

• Raised U-shaped dinette settee convertible to double berth

(2,4 x 1,32 m / 7'10" x 4'4")

- Dividing rail and curtains for berth
- · Roman blinds with opening window
- Adjustable height, varnished wood dining table
- Sideboard unit with shelved cupboards and winerack
- Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers,

in the salon, cockpit and flybridge)

GALLEY

Headroom: 1,97 m / 6'5"

L-shaped kitchen

- Full height Fridge/Freezer 255 L/67 US Gal
- Corian countertop
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner hob with protective glass cover

Jim Tull jim@denisonyachting.com



- Overhead lockers
- Cutlery drawer
- Magic corner stowage, cupboards and drawers
- Double waste bin
- 110 V Power outlet

STEERING STATION

- Grey helm console
- Clear glass windscreen with black lacquered aluminum frames
- Anti-reflective coating
- 3 Synchronized windscreen wipers
- · Windscreen washer
- Defogger
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Rudder angle

indicator, Trim tab indicators

• Remote control: Electric windlass, Bow thruster, Navigation lights,

Electric windscreen wipers and fog horns, Electric dual engine

controls

- Steering wheel
- Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

OWNER'S CABIN (FORWARD)

Headroom: 1,96 m / 6'5"

Jim Tull jim@denisonyachting.com



- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Storage under berth
- Storage each side of bed
- Large mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers

with stand for up to 24" TV)

HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight

VIP CABIN (PORTSIDE)

Headroom: 1,92 m / 6'3½"

- 2 Single beds (1,98 x 0,7 m / 6'6'' x $27\frac{1}{2}$ '') In-fill cushions to make up double berth
- En-suite door to day head
- Bedside table
- Large mirror
- Wardrobe



- Cupboard units
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind

THIRD CABIN (STARBOARD)

Headroom: 2,01 m / 6'7"

- Double berth (1,94 x 1,40 m / 6'41/2" x 4'7")
- Bedside shelf
- Wardrobe
- Storage under berth
- Opening hull portholes with curtains

DAY HEAD (PORT SIDE)

Headroom: 1,93 m / 6'4"

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight

ENGINE

- Shaft propulsion
- Four-blade propellers
- Cummins QSB 6,7L engine 2 x 425HP (2 x 313Kw) + Joystick
- Fuel filters



- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- · Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = $2 \times 965 \text{ L} / 2 \times 255 \text{ US Gal}$) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system:
- 2 Rudders stainless steel
- Hydraulic steering
- Electric trim tabs

ELECTRICITY

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 13 110V Sockets: 2 in the salon, 2 in galley, 2 in owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), 1 in the flybridge, + 2 for TV (Salon + Owner's cabin)
- 12 USB sockets: 2 in the salon, 2 in steering station, 4 in owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT SAT)
- 4 12V 140Ah service batteries (AGM)
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- Generator (7,5 KVA 110 V / 50 Hz) + COCON
- 1 12 V Power outlet
- Outside and inside lighting (Overhead lights, Reading lights)
- · LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING



- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Shore freshwater supply
- · Pump for deck washing
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- · Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

MISCELLANEOUS ITEMS

Smoke detector

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





























