



Tom Higgins wsgoat@comcast.net



23' (7.01m) 2013 Tidewater 230 Scituate Massachusetts United States

OVERVIEW



\$49,900

Manufacturer:	Tidewater			
Engines:	1 Yamaha	Hull Material:	Fiberglass	
Engine Model:	F-250	Cruise Speed:		
Engine HP:	250	Max Speed:		
Beam:		Cabins/Heads:	/	
Max Draft:	п	Fuel Type:	Gas/Petrol	
Water:		Fuel:		



Data Sheet

Category: Center Consoles Condition: Used Model Year: 2013 LOA: 23' (7.01m) Fuel Type: Gas/Petrol Hull Material: Fiberglass Hull Shape: Deep Vee Hull Warranty: None HIN/IMO: NLPHC181A313 In Stock: Yes

Engines/Generators

Engine 1

Yamaha F-250 250HP 186.43KW Hours: 350 Year: 2013




Summary/Description

2013 Tidewater 230 Adventure Center Console. powered by a Yamaha F-250 with 350 hours. Clean, well optioned, turnkey boat. Features include: recessed trim tabs and bow rail, pop-up cleats, hard-top with white powder coated frame, Garmin 740s GPS/Radar/Plotter, Standard Horizion VHF, Jensen marine

2013 Tidewater 230 Adventure Center Console. powered by a Yamaha F-250 with 350 hours. Clean, well optioned, turnkey boat. Features include: recessed trim tabs and bow rail, pop-up cleats, hard-top with white powder coated frame, Garmin 740s GPS/Radar/Plotter, Standard Horizion VHF, Jensen marine stereo with blue tooth, seating forward of the console, transom door, live well, LED underwater lights, full cushion set, rocket launchers, in gunnel rod holders, huge area under the console for storage or porta-potty. A double axle aluminum road trailer is included in the sale.









































	-	Contraction of the	-04-10_OCC	Note: Boat shown with optional eus-	est Date: 4/10
		1		board power	
Contractory of	-	THE OWNER WATER	2 course		
1. 1. 1.			CARE IS		
-			1		
			-		
	-	-			in the second se
		-	-	Tidewater® 230CC	
	-	-	and the second	Length	2
				Beam	8' 10
F	erforma	ince Dai	E C	Dry Weight months Publishes Maximum HP	3,200 lbs 300 h
RPM	MPH	GPH	MPG	Fuel Capacity	100 pals
1000	49	1.3	8.77	Weight as Tested (Approximate)	4,922 ibs
1500	6.4	1.9	3.07	TIDEW	ATER
2000	学道	3.1	2.95		
2500	8.8	4.3	2.23	Tolowarian Boars - PO Box 30 833-735-7300 - www.ide	W - Imma BC 29067
3000	13.9	57	2.44	Yamaha F250XA	
3500	25.0	6.9	3.62	Horsepower	250
4000	30.5	9.0	3.39	Displacement	3.31
4500	35.0	11.6	3.02	Weight (Cereng Postateet) Gear Ratio	600 lbs.
5000	39.1	14.7	2.68		2.00
5600	42.9	19.7	2.18	Engine Mounting H	leight
6050	48.7	23.0	2.12	Mounting Hole Position Anti-Ventilation Plate Height	1* Above Bottom
Seconds to Seconds 0-3			4.17	Propeller	T HOUSE DURING
110-	O MET		6.75	Series	Soltwater Series II-SDS
45	MPH			Diameter/Pitch	15-1/4 x 19
40	- OPH	_	<u> </u>	Yamaha Part # Propeller Material	6CE-45970-00-00
35	sam				Polished Stainless Steel
30		1		Test Conditions	
25	1			Number of People Air / Water Temperature (newslast)	2 70* / 69*
15			1	Elevation	Sea Lovol
10	-	N	A DESCRIPTION OF	Wind Velocity	5-10 MPH
	1	N COL		Commercial: New weight restation (or mass of time () parameters commercial and parameters () and the new commercial constitution () and the origin of the parameters () and parameters and () of the parameters of the parameters () and	elision a desirer para car desire car fingeren
100 100	An an an an	in Darrent	0000	Notice as Jacobian, the elements and data contrasts to least the status between the status and the status of a platforman of status affordaments. We digits an elements was been been been also be able as distances where status and status and the status and an elements of status and the status and the status and and and the status and the status and the status and an elements where the status and the status and an elements where the status and the status of the status and and an elements the status and the transmitted status and and the status and the status and the terming they added as a status of the status of the status of the status balance and an elements. The status of the status of the status balance and the status of the status of the status of the status balance and the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status of the status balance and the status of the st	even allowed out to the second of the function of the presentation designment in the function across and and second production. Interpretation functions in the second production data in the second second data respectively and special across data data across a direction across and provide across data data across a direction across and provide across data data across a direction across across across data data across across a direction across across across across across across a direction across across across across across across a direction across across across across across across across a direction across ac