



Live Action

28' (8.53m) 2012 Regal 280 Express
Halifax Massachusetts United States



OVERVIEW

Manufacturer: *Regal*

Engines:

Engine Model:

Engine HP:

Beam: 9' 8"

Max Draft: "

Water: 20 G (75.71 L)

Hull Material: Fiberglass

Cruise Speed: 25 Knots

Max Speed: 33 Knots

Cabins/Heads: 2 /

Fuel Type: Gas/Petrol

Fuel: 72 G (272.55 L)

\$69,900



Stewart J. Roach stewroach@gmail.com

1-617-549-1043

Data Sheet

Category: Express Cruiser
Subcategory: Cruisers
Condition: Used
Model Year: 2012
Beam: 9'8" (2.95m)
Min Draft: 2' 10" (0.86m)
LOA: 28' 10" (8.79m)
Cabins: 2
Sleeps: 4
V Berths: 1
Double Berths: 1

Maximum Speed: 33 Knots
Cruise Speed: 25 Knots
Range NM: 100
Fuel Type: Gas/Petrol
Hull Material: Fiberglass
Hull Shape: Modified Vee
Hull Finish: Gelcoat

Displacement: 7585 lbs
Bow Thruster: Yes
Fuel Tank: 72 gal (272.55 liters)
Fresh Water: 20 gal (75.71 liters)
Holding Tank: 28 gal (105.99 liters)
Imported: No
HIN/IMO: REG12H344112
In Stock: Yes

Engines/Generators

Summary/Description

2012 28 Regal Express powered with a 5.7L Volvo Penta GXI 320 HP inboard/outboard with only 289 original hours. Fresh water flushed after every trip. Sleeps 2 in V berth and 2 more in Mid cabin. Blue hull with arctic white gel coat. The 28 offers a spacious cockpit with a sun lounge and fold down bench seat. Her canvas package includes Bimini top, side and aft curtains. Major Options: Air conditioning, BOW THRUSTER, 12Volt/110 Refrigerator and odorless vacu-flush waste system. 2019 VENTURE 8600LBS TRIPLE AXLE TRAILER INCLUDED IN SALE.

Engine Updates

- GXI Fuel Injected 320 HP
- New Fuel pump assembly
- New Fuel Filters
- Oil Change Fall 2023
- Tune up caps, wires, plugs
- New coil

Cockpit and Deck

- Extended swim platform
- Swim Ladder
- Cockpit Show
- 2 30 Amp Shore Power Cords
- Cockpit Speakers
- Transom Door
- Forward Arch
- Cockpit Sink
- Cup Holders

Electronics and other options

- Bow Thruster
- Garmin GPS Plotter
- Lowrance Sounder
- Garmin VHF
- Fusion Stereo Remote
- Spot Light
- Navigation Lights
- Blower























