



RESTLESS

44' (13.41m) 1976 Kelly Peterson 44
Ensenada Mexico



OVERVIEW

\$109,000

Manufacturer: *Kelly Peterson*
Engines: 1 Yanmar
Engine Model: 4JH57
Engine HP: 57
Beam: 13' 0"
Max Draft: 6' 6"
Water: 150 G (567.81 L)

Hull Material: Fiberglass
Cruise Speed: 6 Knots
Max Speed: 8 Knots
Cabins/Heads: 3 / 2
Fuel Type: Diesel
Fuel: 160 G (605.67 L)



Marc Bay bayyachts@gmail.com

1-209-298-3747

Data Sheet

Category: Cruisers

Condition: Used

Model Year: 1976

Beam: 13' (3.96m)

Max Draft: 6' 6" (1.98m)

LOA: 44' (13.41m)

Cabins: 3

Single Berths: 2

Twin Berths: 1

Double Berths: 1

Heads: 2

Maximum Speed: 8 Knots

Cruise Speed: 6 Knots

Fuel Type: Diesel

Hull Material: Fiberglass

Bridge Clearance: 60' Seating Capacity: 6

Dry Weight: 32000 lbs

Fuel Tank: 160 gal (605.67 liters)

Fresh Water: 150 gal (567.81 liters)

Holding Tank: 8 gal (30.28 liters)

Engines/Generators

Engine 1

Yanmar

4JH57

Inboard

57HP

42.50KW

Fuel: Diesel

Hours: 250

Year: 2020

Summary/Description

1976 Kelly Peterson 44

Overview

Additional Information:

- Equipment List *= presently inoperative

Engine:

- Yanmar 4JH57, 57 hp, new 6/2020, < 200 running hours, over 4 years warranty remaining

Transmission:

- Yanmar KM4A2 (reduction 2.14:1)

Alternator:

- Valeo VR208 (12v, 125 amp)

Aquadrive:

- B10 with universal shaft to engine

Propulsion:

- Max Prop- 17 in, 3 blades
- Spare fixed blade prop- Fixed 17 in, 3 blades, pitch 10 in
- Aquadrive- B10 with universal shaft to engine
- Packless Sealing System- PSS HS 1 ¼, Log 2 ½

Bilge Pumps:

- 1 Rule 500 gpm, Mod 25D
- 1 Rule Mod24 w/alarm
- 1 small Rule for fwd. head bilge
- 1 Yeham 600 L/H
- 1 cockpit installed Whale pump w/spare diaphragm
- 1 3 in diameter manual pump

Fuel filters:

- In addition to Yanmar filters, 1 Racor

Dingy:

- West Marine, 10 ft, Hypalon, mod 4MC Lite) w/wheels

Outboard engine:

- Tohatsu mod MFS6CS, 6hp, 4 stroke

Water pump:

- Flojet 4405-143

Wind-Vane steering:

- Larwyck Monitor #124*

Water Maker:

- Pur 40E, 1.5 g/hr, 5 amp (inop)

Anchors:

- 45 pound CQR on 220 ft galvanized chain
- 2 Large Fisherman
- 1 Small CQR

Windlass:

- Ideal WHWSO-TR/XXCOLPT, modified with motor inside S/S box, 2 direction

Battery Charger:

- TruCharge 20+ charges 2 battery banks with shore power 120 vac power

Refrigeration:

- NovaKool Refrigerator R2600 mod 264825

Stove:

- Force 10

Boarding Ladder:

- S/S West Marine mod 518951

Emergency Equipment:

- Life Sling
- Man overboard pole
- Life vests
- 6 man life raft-Revere Coastal Commander #96650632
- Locator Beacon, McMurdo 406 mhz
- 2 Handheld VHF radios
- 2 smoke alarms
- 3 fire extinguishers
- Abandon ship bag w/various helpful items
- Emergency tiller for the rudder post

Deck Washdown:

- Shurflo Blaster mod 39-1-2214 saltwater pump with dedicated hose on deck

Macerator Pump:

- Shurflo Mod 3200

Toilets:

- 1 Jabsco mod 29090-2000
- 1 Jabsco mod (specific model not provided)

Shore Power:

- Shore Power cord- Marico 50 ft, 30 amp for 120 vac
- Transformer- provides 240 vac at one outlet stb of engine (runs hot, removed)*

Heating:

- Heater- Beracove mod 43156, 240vac, variable temp control (inop, no 240 v available)*
- Hot Air Gun- 240 vac with about 20 ft cord (inop, no 240 v available)

Sail Handling:

- Sail Furling- Harken Jib Reefing/Furling Unit 2 MK2
- Spinnaker Pole- Extends from mast to bow

Awnings:

- 1 Blue Sunbrella over cockpit area
- 1 Blue Sunbrella covers whole boat in 6 sections (makes boat too hot for use in warm weather)

Other Equipment:

- Check Cable Tension- Loose Gage
- Batteries- 4 Victron 130 Ah AGM Deep Cycle for House; 1 Optima D31M for starting
- Wall Clock and Barometer
- Misc. Artwork- Wood dolphins, Wood Canadian fish, hanging bronze turtle and lizard
- Sextant- Plastic
- Plotting Tools-dividers, parallel ruler, etc.
- Tools- large pipe wrench, large crescent wrench, 2 adjustable gland wrenches, 3/8 in shroud cutting tool
- 2 Collapsible Deck Chairs
- 2 Foldable Deck Tables
- Radar reflector

Electronics-

- Nexus NX2 Instrument system- gives outputs for boat speed, water temperature, water depth, wind velocity, magnetic heading and integrates other inputs for navigation.
- 2 Magellan SporTrak GPS handhelds with NEMA feeds to the navigation system
- Kantronics TNC

- SCS PTC-11e TNC
- Icom IC-207H VHF 3 band radio, main marine VHF and HAM frequencies, can be operated by a handheld mike from cockpit
- Comet 3-band Antenna, SB-83N
- *SGC2000 HF-SSB Radio
- *SGC230 Antenna Tuner
- *Nobeltec Radar IR-2 mod MDS-50R, Interfaces with Nobeltec VNS software to operate radar which is made by Koden (Si-Tec in USA)
- Benmar Auto Pilot
- Acer 5100 laptop computer, Windows 7, a/c power supply
- Lenovo ThinkPad laptop computer, Windows 7, both computers have software related to operating and repairing the boat, ac/dc power supply, and remote mouse
- Nobeltec VNS software containing electronic charts from Canada to Mexico and inputs all available NMEA data
- USB Dongle required for operating Nobeltec VNS software
- Cobra MRHH125 handheld marine VHF, mod MRHH 125
- Epson Printer/Scanner XP-400
- Planar LCD Monitor, Argonaut G6-15, mounted in cockpit
- Hauppauge WinTV-HVR 850 USB, TV tuner for laptop computer
- Acer Monitor, 20 in, mounted in cabin, views anything displayed on computer
- 2 West Marine Speakers mod 1193119, mounted in aft cabin
- 2 Speakers, mounted in mid cabin
- 2 GE USB 2.0 Speakers at nav station
- Gazelle TV-Ant Tuner and mast antenna
- Edgeport 8, converts 8 serial ports to 1 USB input to computer
- USB Hub, converts 7 USB inputs to 1 USB input to computer
- Inverters- 1 Aims 1200 watt Inverter mod PWRIX 120012 S; 1 small inverter mounted on nav table
- Router- Can be used to get internet when at a marina that has internet cable available such as at Marina de La Paz in Mexico
- Coax Wiring to connect a marina cable TV output to an onboard TV tuner

Sails-

- Main, Luft 561.2 in, Leech 567.5 in, Foot 162.0 in
- Yankee Jib
- 130% Jib
- Staysail
- *Asymmetric Spinnaker, needs work

EQUIPMENT LIST

Engine Yanmar 4JH57, 57 Hp, New 6/2020, less than 500 hours 1 year warranty remaining.

Transmission Yanmar KM 4A2 (reduction 2.14 to 1)

Alternator Valeo VR208 (12v 125 amp)

Aquadrive B10 with universal shaft to engine

Max Prop 17-inch 3 Blade Feathering Prop

Spare fixed blade prop 17-inch 3 blade pitch 10 inch.

Packless shaft seal system PSS HS 1 ¼ , Log 2 ½

Generator - Honda EC 2000 (new 09/2021)

Bilge pumps 1 - Rule 500 gpm, mod 25D; 1 Rule Mod 24 w/ Alarm; 1 small Rule for forward head shower; 1 Yeham 600 L/H; 1 cockpit installed Whale pump w/spare diaphragm; 1 3 in diameter manual pump.

Fuel Filters in addition to 2 Yanmar filters, 1 Racor

Dingy West Marine 10-foot Hypalon Mod 4MC Lite. w/wheels

Outboard engine Tohatsu Mod MF6CS, 6HP, 4 stroke

Water pump Flojet 4405-143

Wind-Vane Steering Larwyck Monitor #124

Water Maker Pur 40E 1.5 gal per hour 5 amp. New membrane and rebuild parts kit included

Anchors - 45 lb CQR on 220 ft galvanized chain; 2 large fisherman, 1 Small CQR

Windlass- Ideal WHWSO-TR/XXCOLPT, modified with motor inside S/S box, 2 direction

Battery Charger - TruCharge 20+ charger 2 battery banks with shore power 120 vac power

Refrigeration Nova Cool Refrigerator R2600 Model 264825; Galley top loading Refrigerator Freezer Cool Blue compressor and holding plate unit new 8/2021 2 years left on warranty

Stove - Force 10

Boarding Ladder -S/S West Marine Model 518951

Emergency Equipment - life Sling with custom made Sunbrella bag; life Vests; 6 man life raft Revere Coastal Commander #96650632; Locator Beacon, McMurno 406 mhz; 2 Handheld VHF radios; 2 Smoke alarms; 3 fire extinguishers; abandon ship bag w/ various helpful items; and an emergency tiller for the rudder post.

Deck Washdown- Shurflo Blaster model 39-1-2214 saltwater pump with dedicated hose on deck.

Macerator Pump - Shurflo Model 3200

Toilets - 2 Jabsco model 29090-2000

Shore power cord - Marico 50 ft. 30 Amp for 120v

Sail furling - Harkin jib Reefing/Furling Unit 2 MK2

Spinnaker Pole - Extends from Mast to bow

Awnings 1 Blue Sunbrella over cockpit area; 1 Blue Sunbrella covers whole boat in 6 sections (makes boat too hot in warm weather)

Check Rigging tension – Loose Gauge

Batteries 4 Victron 130 Ah AGM Deep Cycle for House; 1 Optima D31M for Starting.

Wall Clock and Barometer

Misc Artwork, Wood dolphins, Wood Canadian Fish hanging Bronze turtle and lizard

Sextant – Davis Plastic

Plotting tools – Dividers, parallel ruler etc.

Tools – Large pipe wrench, Large crescent wrench, 2 adjustable gland wrenches, 3/8 in shroud cutting tool.

Radar Reflector.

Electronics-

B&G Zeus 12-inch chart plotter with Navionics Maps for Mexico and US Coast. New 8/2021

B&G Halo 20+ Radar Scanner New 8/2021

Vesper 8000 AIS Transponder New 12/2021

Icom 94D VHF hand held with AIS receiver New 10/2023

Iridium GO Satellite phone w/ external Marine antenna. New 9/2021

Nexus NX2 Instrument System gives output for boat speed, water temperature, water depth, wind velocity, magnetic heading

Icom IC-207H VHF 3 band radio, main marine VHF and HAM frequencies. Remote mike in companion way

2 Magellan Sport Track GPS handhelds.

Epson Printer Scanner ET2760. Can be used through local WIFI or with WIFI direct.

Comet 3 band Antenna SB-83N

Benmar Auto Pilot

2 West Marine Speakers mod 1193119 mounted in aft cabin

2 Speakers mounted in Mid Cabin

2 GE USB 2.0 speakers at Nav Station

Inverters – 1 Aims 1200 watt Inverter: 1 small inverter mounted on navigation table

Victron Battery Monitor (not installed)

Wilson Electronics WeBoost Cellular signal booster (not installed)

Nema 0183 to Nema 2000 converter to connect Gamin Nexus instruments to the B&G chart plotter (not Installed).

SAILS—

Main Luft 561.2 in, Leech 567.5 in Foot 162.0 in

Yankee Jib

130% Jib

Staysail

Asymmetric Spinnaker w/dousing sock.

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

EQUIPMENT LIST

Equipment List

Engine Yanmar 4JH57, 57 Hp, New 6/2020, less than 500 hours 1 year warranty remaining.

Transmission Yanmar KM 4A2 (reduction 2.14 to 1)

Alternator Valeo VR208 (12v 125 amp)

Aquadrive B10 with universal shaft to engine

Max Prop 17-inch 3 Blade Feathering Prop

Spare fixed blade prop 17-inch 3 blade pitch 10 inch.

Packless shaft seal system PSS HS 1 ¼ , Log 2 ½

Generator - Honda EC 2000 (new 09/2021)

Bilge pumps 1 – Rule 500 gpm, mod 25D; 1 Rule Mod 24 w/ Alarm; 1 small Rule for forward head shower; 1 Yeham 600 L/H; 1 cockpit installed Whale pump w/spare diaphragm; 1 3 in diameter manual pump.

Fuel Filters in addition to 2 Yanmar filters, 1 Racor

Dingy West Marine 10-foot Hypalon Mod 4MC Lite. w/wheels

Outboard engine Tohatsu Mod MF6CS, 6HP, 4 stroke

Water pump Flojet 4405-143

Wind-Vane Steering Larwyck Monitor #124

Water Maker Pur 40E 1.5 gal per hour 5 amp. New membrane and rebuild parts kit included

Anchors – 45 lb CQR on 220 ft galvanized chain; 2 large fisherman, 1 Small CQR

Windlass- Ideal WHWSO-TR/XXCOLPT, modified with motor inside S/S box, 2 direction

Battery Charger – TruCharge 20+ charger 2 battery banks with shore power 120 vac power

Refrigeration Nova Cool Refrigerator R2600 Model 264825; Galley top loading Refrigerator Freezer Cool Blue compressor and holding plate unit new 8/2021 2 years left on warranty

Stove – Force 10

Boarding Ladder –S/S West Marine Model 518951

Emergency Equipment – life Sling with custom made Sunbrella bag; life Vests; 6 man life raft Revere Coastal Commander #96650632; Locator Beacon, McMurno 406 mhz; 2 Handheld VHF radios; 2 Smoke alarms; 3 fire extinguishers; abandon ship bag w/ various helpful items; and an emergency tiller for the rudder post.

Deck Washdown- Shurflo Blaster model 39-1-2214 saltwater pump with dedicated hose on deck.

Macerator Pump – Shurflo Model 3200

Toilets – 2 Jabsco model 29090-2000

Shore power cord – Marico 50 ft. 30 Amp for 120v

Sail furling – Harkin jib Reefing/Furling Unit 2 MK2

Spinnaker Pole – Extends from Mast to bow

Awnings 1 Blue Sunbrella over cockpit area; 1 Blue Sunbrella covers whole boat in 6 sections (makes boat too hot in warm weather)

Check Rigging tension – Loose Gauge

Batteries 4 Victron 130 Ah AGM Deep Cycle for House; 1 Optima D31M for Starting.

Wall Clock and Barometer

Misc Artwork, Wood dolphins, Wood Canadian Fish hanging Bronze turtle and lizard

Sextant – Davis Plastic

Plotting tools – Dividers, parallel ruler etc.

Tools – Large pipe wrench, Large crescent wrench, 2 adjustable gland wrenches, 3/8 in shroud cutting tool.

Radar Reflector.

Electronics-

B&G Zeus 12-inch chart plotter with Navionics Maps for Mexico and US Coast. New 8/2021

B&G Halo 20+ Radar Scanner New 8/2021

Vesper 8000 AIS Transponder New 12/2021

Icom 94D VHF hand held with AIS receiver New 10/2023

Iridium GO Satellite phone w/ external Marine antenna. New 9/2021

Nexus NX2 Instrument System gives output for boat speed, water temperature, water depth, wind velocity, magnetic heading

Icom IC-207H VHF 3 band radio, main marine VHF and HAM frequencies. Remote mike in companion way

2 Magellan Sport Track GPS handhelds.

Epson Printer Scanner ET2760. Can be used through local WIFI or with WIFI direct.

Comet 3 band Antenna SB-83N

Benmar Auto Pilot

2 West Marine Speakers mod 1193119 mounted in aft cabin

2 Speakers mounted in Mid Cabin

2 GE USB 2.0 speakers at Nav Station

Inverters – 1 Aims 1200 watt Inverter: 1 small inverter mounted on navigation table

Victron Battery Monitor (not installed)

Wilson Electronics WeBoost Cellular signal booster (not installed)

Nema 0183 to Nema 2000 converter to connect Garmin Nexus instruments to the B&G chart plotter (not Installed).

SAILS—

Main Loft 561.2 in, Leech 567.5 in Foot 162.0 in

Yankee Jib

130% Jib

Staysail

Asymmetric Spinnaker w/dousing sock.

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



















































