



30' (9.14m) 2023 Vento V30 HT Weekender
Fort Lauderdale Florida United States



OVERVIEW

Manufacturer:	Vento		
Engines:	1 Mercury	Hull Material:	Fiberglass
Engine Model:	Verado	Cruise Speed:	27
Engine HP:	350	Max Speed:	33
Beam:	9' 9"	Cabins/Heads:	2 / 1
Max Draft:	2' 1"	Fuel Type:	Gas/Petrol
Water:	28 G (105.99 L)	Fuel:	84 G (317.97 L)

\$149,000



Data Sheet

Category: Motor Yachts

Condition: New

Model Year: 2023

Beam: 9'9" (2.97m)

Max Draft: 2' 1" (0.64m)

Min Draft: 1' 10" (0.56m)

LOA: 29' 4" (8.94m)

Cabins: 2

Heads: 1

Maximum Speed: 33 Cruise Speed: 27

Fuel Type: Gas/Petrol

Hull Material: Fiberglass

Displacement: 9008 Fuel Tank: 84 gal
(317.97 liters)

Fresh Water: 28 gal (105.99 liters)

HIN/IMO: VNT30001F223

Engines/Generators

Engine 1

Mercury

Verado

Outboard

350HP

261KW

Fuel: Gas/Petrol

Summary/Description

Why Choose Between Speed and Family Fun? The Vento 30 Weekender Gives You Both! Master Bedroom & Guest Quarters, Bathroom, Kitchenette, Sun Roof, Bow Thruster, Garmin Electronics and more!

Why Choose Between Speed and Family Fun? The Vento 30 Weekender Gives You Both! Master Bedroom & Guest Quarters, Bathroom, Kitchenette, Sun Roof, Bow Thruster, Garmin Electronics and more!

Construction

HULL, DECK, HARDTOP

- High quality fiberglass with polyester resin
- Structural hull grid(stringers)
- White gelcoat
- Protection rail on the hull-deck joint

Deck Equipment

- Navigation lights(1 all around, 2 for boardsides)
- Bow roller
- 2 Foredeck cleats in stainless steel 316L, 200 mm / 8"
- 2 Amidship cleats in stainless steel 316L, 200 mm / 8"
- 2 Aft cleats in stainless steel 316L, 200 mm / 8"
- Bow anchoring locker with hatch cover and self draining
- Hand rails all around the boat from the cockpit to the bow
- 2 Stainless steel handrails on wheelhouse uprights
- Fuel filler cap
- Fresh water filler cap
- Grey water discharge cap
- Black water discharge cap
- 6 pieces exterior walkway lighting
- Teak on bow side and side walks(Synthetic)

Cockpit

- Self-draining cockpit
- Sliding aft bench seat, 6 place
- 2 leaf aft sliding door with anodized aluminium frame
- Half opening glass between saloon and cockpit
- Cockpit table with telescopic leg
- Lockers in cockpit bottom with gas piston assisted opening
- Swim access from starboard

- Security door
- 2 ceiling light
- Cockpit shower
- Swimming ladder with three steps
- Large ladder handle
- Extended swim platform
- Teak on cockpit floor and aft platforms(Synthetic)

Saloon

- Large one-piece translucent tempered glass windscreen
- Large openable side windows with translucent tempered glass
- 5 ceiling lights
- CO monitoring device
- Convertible saloon seats into a bed
- Oak floors
- Dining table with telescopic leg
- Battery switch access from underneath the aft seat
- Cup holders

Galley

- Corlan countertop
- All-wood storages, cupboards, drawers
- Hidden fridge
- Stainless steel cooker
- 65 liter refrigerator
- Propan tube

Wheelhouse

- Well-positioned large console
- 1 electric operated windscreen wiper with washing kit
- Carbon-fiber plated high quality steering wheel
- Engine control buttons and throttle
- Hydraulic steering
- Steering compass
- Fuel tank level gauge
- Fresh water tank level gauge
- Pilot seat
- Footrest
- Stereo system
- 12 V power sockets
- USB socket

Head

- Electric operated marine toilet
- Corian sink
- All-wood cupboard
- Porthole for ventilation
- 1 ceiling light
- Waste water tank level indicator

Master Cabin

- Double size bed
- 6 ceiling lights
- 2 reading lights
- Ambience lights
- Opening deck hatch for ventilation(at the same time escape hatch according to ISO 9094)
- 2 porthole for ventilation
- All-wood cupboards both sides
- Large locker underneath the bed
- Access to bow thruster

Guest Cabin

- Double size bed
- 2 ceiling lights
- 1 reading lights
- Access hatches for holding tank, boiler
- Porthole for ventilation
- Ceiling window for lighting
- Inner side window for lighting
- Dedicated door for access to cabin

Electricity

- 110V shore power fitting + charger
- 12 V panel
- 12 V power outlets for various positions
- Battery switch
- 140 Ah 20 HR(CCA900) battery for engine
- 140 Ah 20 HR(CCA900) battery for service

Bilge System

- 2 bilge pumps(500 gph each), one is located in aft, one is
- located in bow.

- 1 manual operated bilge pump (meets ISO 15083, At 45 strokes/min and a 1 m (3.28') head (10 kPa (1.45 psi) pressure)
- NRVs on each bilge outlets

Fresh Water System

- 1 hydrophore pump at 2,4 gph(9 l/min)
- 108 liter fresh water tank
- 0.75 liter accumulator tank
- 1 outlet cockpit shower, 1 outlet galley sink, 1 outlet head sink
- 1 filling cap on deck

Waste Water System

- 48 liter holding tank
- 1 macerator(43 liter/min)
- 1 overboard outlet, 1 shore connection

Black Water System

- 48 liter holding tank
- 1 macerator(43 liter/min)
- 1 overboard outlet, 1 shore connection

Anchoring

500W anchor windlass

Windlass controller

8 kg delta anchor

Ø 6 mm 40 meters chain meets ISO4565/DIN 766

Chain locker with self drain

Safety rope for windlass

Mooring

- Bow thruster @45 kgf
- Mooring kit(4xfenders with ropes)

Cruise

- VHF
- Chartplotter
- Anti-fouling paint
- Electric trim tabs
- Horn
- Infrastructure for HVAC
- Infrastructure for Generator

Exterior Comfort

- Front sunmatress cushion
- Underwater lights(x3)
- Sunroof

Interior

- Microwave oven
- Diesel heater @2000W
- Air conditioning @16000 BTU
- Elegance upholstery package
- TV 24"

Exterior

- Bow ladder
- Extra cup holders

Equipments

- 2nd electric wiper
- Deck wash pump
- Water heater @25L
- Solar panel /w solar charge controller @400W
- Li-ion battery @7,2kWh
- Fresh water capacity increase
- Waste water capacity increase

Engine

- Alarm and monitoring system with 10" screen
- 2x320 L fuel tank

Navigation

- Radar
- Aft camera

Electrical

- Searchlight
- Battery capacity increase
- 50 Ah 20 HR(CCA750) battery for bow thruster

Safety

- Liferaft(4 person)
- First aid kit
- Fire blanket
- Life jackets

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.











